

# Access Error Codes

For further details, go to : <https://support.microsoft.com/en-us/kb/142138>

Error Number	Error Description
3	Return without GoSub
5	Invalid procedure call or argument
6	Overflow
7	Out of memory
9	Subscript out of range
10	This array is fixed or temporarily locked
11	Division by zero
13	Type mismatch
14	Out of string space
16	Expression too complex
17	Can't perform requested operation
18	User interrupt occurred
20	Resume without error
28	Out of stack space
35	Sub or Function not defined
47	Too many DLL application clients
48	Error in loading DLL
49	Bad DLL calling convention
51	Internal error
52	Bad file name or number
53	File not found
54	Bad file mode
55	File already open
57	Device I/O error
58	File already exists
59	Bad record length
61	Disk full
62	Input past end of file
63	Bad record number
67	Too many files
68	Device unavailable
70	Permission denied
71	Disk not ready
74	Can't rename with different drive
75	Path/File access error
76	Path not found
91	Object variable or With block variable not set
92	For loop not initialized
93	Invalid pattern string
94	Invalid use of Null
96	Unable to sink events of object because the object is already firing events to the maximum number of event receivers that it supports
97	Can not call friend function on object which is not an instance of defining class
98	A property or method call cannot include a reference to a private object, either as an argument or as a return value
321	Invalid file format
322	Can't create necessary temporary file
325	Invalid format in resource file
380	Invalid property value
381	Invalid property array index

Error Number	Error Description
382	Set not supported at runtime
383	Set not supported (read-only property)
385	Need property array index
387	Set not permitted
393	Get not supported at runtime
394	Get not supported (write-only property)
422	Property not found
423	Property or method not found
424	Object required
429	ActiveX component can't create object
430	Class does not support Automation or does not support expected interface
432	File name or class name not found during Automation operation
438	Object doesn't support this property or method
440	Automation error
442	Connection to type library or object library for remote process has been lost. Press OK for dialog to remove reference.
443	Automation object does not have a default value
445	Object doesn't support this action
446	Object doesn't support named arguments
447	Object doesn't support current locale setting
448	Named argument not found
449	Argument not optional
450	Wrong number of arguments or invalid property assignment
451	Property let procedure not defined and property get procedure did not return an object
452	Invalid ordinal
453	Specified DLL function not found
454	Code resource not found
455	Code resource lock error
457	This key is already associated with an element of this collection
458	Variable uses an Automation type not supported in Visual Basic
459	Object or class does not support the set of events
460	Invalid clipboard format
461	Method or data member not found
462	The remote server machine does not exist or is unavailable
463	Class not registered on local machine
481	Invalid picture
482	Printer error
735	Can't save file to TEMP
744	Search text not found
746	Replacements too long
2001	You canceled the previous operation.@@@1@2@5738@1
2002	You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Access.@@@1@@@1
2004	There isn't enough memory to perform this operation. Close unneeded programs and try the operation again.
2005	There isn't enough free memory to start Microsoft Access.@Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3
2006	The object name ' 1' you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@553714184@1
2007	You already have an open database object named ' '.@Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help.@@2@1@9043@1
2008	You can't delete the database object ' ' while it's open.@Close the database object, and then delete

Error Number	Error Description
2009	You can't rename the database object ' ' while it's open.@Close the database object, and then rename it.@@1@@@1
2010	You can't delete the database object ' ' while it's open.@Close the database object, and then delete
2011	The password you entered is incorrect.
2014	You have given this  1 the same name as an existing  2 in your database.@You can't give a table and a query the same name.@Give this object a name that isn't already used by another table or query.@1@@@1
2015	There are no registered wizards of this type.@Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@@1
2016	You can't modify the attributes of System Tables.
2017	Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation.@@@1@@@1
2018	The data access page name ' ' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.@@@1@@@1
2019	The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.@@1@4@2019460@1
2021	One or more operators in the filter expression is invalid.@For a valid list of operators refer to the help file@@1@@@1
2022	You entered an expression that requires a data access page to be the active window.@@@1@2@5601@1
2024	The report snapshot was not created because you don't have enough free disk space for temporary work files.@To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).@@1@@@1
2025	The file is not in the correct format for a Microsoft Access project.@@@1@@@1
2027	This operation is not supported for Microsoft Access 1.X databases.@@@1@@@1
2028	Microsoft Access was unable to close the database object.
2029	Microsoft Office applications cannot suspend while you have documents open from a network location. Exit the applications or close the open documents and try again.
2030	The Microsoft Access project ' 1' will be opened read-only because one of the following occurred:@Either the file is locked for editing by another user, the file (or the folder in which it is located) is marked as read-only, or you specified that you wanted to open the file read-only.@@3@@@1
2031	You can't convert or enable an MDE file.@@@1@@@1
2033	Name conflicts with existing module, project, or object library.@@@1@@@1
2034	Cannot Compile Project.@@@1@@@1
2035	Cannot Load Project of wrong version.@@@1@@@1
2037	Microsoft Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@@3
2038	The file ' ' cannot be opened because it has been locked by another user.
2040	Microsoft Access can't run.@@@1@@@3
2041	Microsoft Access couldn't find file ' 1'. This file is required for startup.
2042	A system error occurred, or there isn't enough free memory to start Microsoft Access. Close unneeded programs and try again.
2043	Microsoft Access can't find the database file ' 1'.@Make sure you entered the correct path and file name.@@1@@@1
2044	You can't exit Microsoft Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1
2045	The command line you used to start Microsoft Access contains an option that Microsoft Access doesn't recognize.@Exit and restart Microsoft Access using valid command-line options.@@1@@@1
2046	The command or action ' 1' isn't available now.* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Access. * The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1
2048	There isn't enough free memory to open the file ' '.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
2050	Enter an OLE/DDE Timeout setting from 0 through 300 seconds.@@@1@@@1

Error Number	Error Description
2051	The object name ' 1' can't be longer than  2 characters according to Microsoft Access object-naming rules.@@@1@@@1
2052	There isn't enough free memory to update the display. Close unneeded programs and try again.
2053	The command name can't be blank.@Please choose a name.@@1@@@1
2054	Microsoft Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe7.@Rerun the Microsoft Access Setup program.@@1@@@3
2055	The expression ' 1' you entered is invalid.@@@1@1@11732@1
2056	Microsoft Access can't supply context-sensitive Help.@@@1@@@1
2057	There isn't enough stack memory left to perform the operation.@The operation is too complicated. Try simplifying the operation.@@1@@@3
2058	The file ' 1' is incompatible. Microsoft Access needs to be reinstalled.@Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@185309@3
2059	Microsoft Access cannot find the object ' 1'.@Make sure the object exists and that you spell its name correctly.@@1@@@1
2060	You can't create a field list based on the action query ' 1'.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@1@9232@1
2061	Enter a zero or greater-than-zero number for this option.@@@1@@@1
2062	The command name must be shorter than 255 Characters.@Please choose a name.@@1@@@1
2063	Microsoft Access can't create, open, or write to the index file ' 1'; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@@1
2064	The menu bar value ' 1' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@1@11895@1
2065	The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@1@11895@1
2067	A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options.@You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: * The MenuBar property of a form or report. * The ShortcutMenuBar property of a form, report, or control. * The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.@@2@1@3704@1
2068	The selected item is customized and doesn't have context-sensitive Help.@For more information on creating custom Help for a form, report, or control, click Help.@@2@1@10930@1
2069	The key or key combination  1 in  2 has invalid syntax or is not allowed.@Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help.@@2@1@10144@1
2070	You already assigned the key or key combination  1 in  2 to another macro.@Only the first key or key combination will be used.@@2@1@10144@1
2071	The Docking property can't be set to ' 1' at this time.@If you want to set the Docking property to ' 2', move the toolbar from its current position and try again.@@1@@@1
2072	All objects were imported successfully.
2073	Successfully exported ' 1'.
2074	This operation is not supported within transactions.@@@1@@@1
2075	This operation requires an open database.@@@1@@@1
2076	Successfully linked ' 1'.
2077	This Recordset is not updatable

Error Number	Error Description
2078	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Access. @For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. @If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1 @ @ @3
2079	Form is read-only, because the Unique Table property is not set.
2080	The toolbar or menu   already exists. @Do you want to replace the existing toolbar or menu? @19 @ @ @2
2081	The Create From Macro command only works when a macro is selected in the Navigation Pane. @ @ @1 @ @ @1
2083	The database ' ' is read-only. @You can't save changes made to data or object definitions in this database. @ @1 @ @ @1
2084	Field ' ' is based on an expression and can't be edited
2085	The ODBC Refresh Interval setting must be from 1 through 32,766 seconds. @ @ @1 @ @ @1
2086	Recordset requires a form to be updatable.
2087	Microsoft Access can't display the Add-ins submenu. @The Add-ins submenu expression ' 1' you entered exceeds the 256-character limit. @Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help. @2 @1 @9015 @3
2088	Microsoft Access can't display the Add-ins submenu  1 because a setting you entered in the Windows Registry is missing a macro name or function name expression. @ @Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help. @2 @1 @9015 @3
2089	Microsoft Access can't display the same menu more than once in a menu bar. @ @ @1 @1 @3704 @1
2090	An action within the current global menu's macro group can't change the global menu bar. @Microsoft Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. @Check your menu bar macros, and make sure that you set the global menu bar only once. @1 @ @ @1
2091	' ' is an invalid name. @ @ @1 @ @ @1
2092	The value you specified for the Setting argument in the SetOption method is not the correct type of Variant for this option. @You specified a string when Microsoft Access expected a number. @See the Access Options dialog box (click the File tab, and then click Access Options) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'. @1 @ @ @0
2093	The numeric value for the Setting argument in the SetOption method does not correspond to any list box or option group settings in the Access Options dialog box. @Valid settings are 0 (the first item in the list) through   (the last item in the list). @ @1 @1 @6210 @1optimize.ids
2094	Microsoft Access cannot find the toolbar ' 1.'. @You tried to run a macro that includes a ShowToolbar action or a Visual Basic for Applications procedure that includes a ShowToolbar method. * The toolbar name might be misspelled or might refer to a legacy toolbar that is no longer available. * This action might refer to a custom toolbar that was deleted from or renamed in the current database. * This action might refer to a custom toolbar that exists in a different database. @ @1 @1 @6458 @1
2097	The table for which you tried to create an import/export specification was created in an earlier version of Microsoft Access. @To convert this database to the current version of Microsoft Access, click the File tab, and then click 'Convert'. @ @1 @ @ @0
2098	The operation could not be completed because the Action Tag ' ' is not recognized by your system. @ @ @1 @ @ @1
2100	The control or subform control is too large for this location. @The number you entered for the Left, Top, Height, or Width property is too large or is a negative number. @Reduce the size of the control or subform control, or enter a positive number. @1 @ @ @1
2101	The setting you entered isn't valid for this property. @To see the valid settings for this property, search the Help index for the name of the property. @ @1 @ @ @1
2102	The form name ' ' is misspelled or refers to a form that doesn't exist. @If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name. @ @1 @ @ @1
2103	The report name ' ' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist. @If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name. @ @1 @ @ @1

Error Number	Error Description
2104	You entered the control name ' ,' which is already in use.@You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.@@1@1@11734@1
2105	You can't go to the specified record.@You may be at the end of a recordset.@@1@@@1
2106	1 errors occurred when you loaded the form or report.@You loaded a form or report that has controls or properties that Microsoft Access doesn't recognize and will ignore.@@1@@@1
2107	The value you entered does not meet the validation rule defined for the field or control.@To see the validation rule, switch to Design view or Layout view, click the appropriate field, and then, if the property sheet is not open, press F4. Then, click the Data tab in the property sheet.@Enter a value that meets the validation rule, or press ESC to undo your changes.@1@1@11730@1
2108	You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method.@You tried to move the focus to another control using the SetFocus method, GoToControl action, or the GoToControl method.@Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.@1@1@6314@1
2109	There is no field named ' ' in the current record.@@@1@@@1
2110	Microsoft Access can't move the focus to the control  1.@* The control may be a type that can't receive the focus, such as a label. * The control's Visible property may be set to No. * The control's Enabled property may be set to No.@@1@1@3016@1
2111	The changes you made can't be saved.@The save operation may have failed due to the temporary locking of the records by another user. * Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). * Click Cancel if repeated attempts to save your changes fail.@@3@@@1
2112	The item on the Clipboard can't be pasted into this control.@@@1@@@1
2113	The value you entered isn't valid for this field.@For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.@@1@@@1
2114	Microsoft Access doesn't support the format of the file ' 1,' or file is too large. Try converting the file to BMP format.@@@1@@@1
2115	The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Access from saving the data in the field.@* If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). * If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. * If this is a function, redefine the function in the Module window.@@1@@@1
2116	The value violates the validation rule for the field or record.@For example, you might have changed a validation rule without verifying whether the existing data matches the new validation rule.@Click Undo to restore the previous value, or enter a new value that meets the validation rule for the field or record.@2@1@9121@1
2117	Microsoft Access has canceled the Paste operation.@The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property.@Paste smaller sections. For labels, you must paste fewer than 2,048 characters.@1@@@1
2118	You must save the current field before you run the Requery action.@* If you are running a macro from the Navigation Pane, save the field first, and then run the macro. * If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.@@1@1@3033@1
2119	The Requery action can't be used on the control ' '.@Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.@@1@1@3033@1
2120	To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.@@@1@@@1
2121	Microsoft Access can't open the form ' 1'.@It contains data that Microsoft Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.@@1@@@1
2122	You can't view a form as a continuous form if it contains a subform, an ActiveX control, a bound chart or a Web browser control.@Set the DefaultView property of the form to Single Form, Datasheet, PivotTable, or PivotChart.@@1@@@1
2123	The control name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1
2124	The form name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1
2125	The setting for the FontSize property must be from 1 through 127.@@@1@1@12551@1
2126	The setting for the ColumnCount property must be from 1 through 255.@@@1@1@936@1
2127	The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.@@@1@1@839@1
2128	Microsoft Access encountered errors while importing  1.@For more detailed error information, see the file ' 2'.@@1@@@1

Error Number	Error Description
2129	The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records.@Enter 1, 2, 3, or 4 for the DefaultEditing property.@@1@@@1
2130	The settings for the GridX and GridY properties must be from 1 through 64.@@@1@@@1
2131	An expression can't be longer than 2,048 characters.@@@1@@@1
2132	The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).@@@1@@@1
2133	You can't place a form (or report) within itself.@Select or enter a different form or report to serve as the subform or subreport.@@1@@@1
2134	The setting for the Width property must be from 0 through 22 inches (55.87 cm).@@@1@@@1
2135	This property is read-only and can't be set.@@@1@@@1
2136	To set this property, open the form or report in Design view.@For more information on this property, search the Help index for the name of the property.@@1@@@1
2137	You can't use Find or Replace now.@The fields are not searchable due to one of the following: * The fields are controls (such as buttons or OLE objects). * The fields have no data. * There are no fields to search.@@1@@@1
2138	You can't search the field for the specified value.@Resolve the error given in the previous error message before you attempt to search again.@@1@@@1
2139	You can't replace the current value of the field with the replacement text.@Resolve any errors before making further replacements.@@1@@@1
2140	Microsoft Access cannot save the change you made to the record in the Replace operation for the reason shown in the previous message.@Click Undo or enter a new value in the field.@@1@@@1
2141	Microsoft Access can't find the text you specified in the Find What box.@@@1@@@1
2142	The FindRecord action requires a Find What argument.@You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank.@When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again.@1@1@3015@1
2143	You didn't specify search criteria with a FindRecord action.@In the Macro window, insert a FindRecord action before the FindNext action.@@1@1@3015@1
2144	The setting for the ListRows property must be from 1 through 255.@@@1@1@4055@1
2145	The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box.@If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.@@1@1@847@1
2147	You must be in Design view to create or delete controls.@@@1@2@5054@1
2148	The number you used to refer to the form or report section is invalid.@Make sure that the number is less than the number of sections in the form or report.@@1@@@1
2149	The constant you entered for the control type is invalid.@For a list of valid constants you can use to create a control, click Help.@@2@1@10905@1
2150	This type of control can't contain other controls.@@@1@@@1
2151	The parent control can't contain the type of control you selected.@For example, you used the CreateControl function to designate an option group as the parent of a text box.@@1@@@1
2152	You can set group levels for reports only, not for forms.@@@1@@@1
2153	You can't specify more than 10 group levels.@@@1@@@1
2154	You can't call this function when the Group, Sort, and Total Pane is open.@@@1@@@1
2157	The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on.@@@1@@@1
2158	You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property.@@@1@1@10129@1
2159	There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
2160	Microsoft Access couldn't create the graphic or text.@An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1
2161	The text or expression you entered doesn't match the type of data you are searching for.@Redefine the text or expression, or search in a different field.@@1@@@1

Error Number	Error Description
2162	A macro set to one of the current field's properties failed because of an error in a FindRecord action argument. @In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: * Select No for the Match Case argument. * Select Yes for the Only Current Field argument. * Make sure you are searching in a bound control. @@2@1@3015@1
2163	The page number you used as an argument for the GoToPage action or method doesn't exist in this form. @@@1@1@3017@1
2164	You can't disable a control while it has the focus. @@@1@2@5250@1
2165	You can't hide a control that has the focus. @@@1@@@@1
2166	You can't lock a control while it has unsaved changes. @@@1@@@@1
2167	This property is read-only and can't be modified. @@@1@@@@1
2169	You can't save this record at this time. @Microsoft Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway? @@20@@@@2
2170	There isn't enough memory to retrieve data for the list box. @Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@1
2171	You can't have more than seven nested subforms in a main form. @Remove the eighth nested subform. @1@@@@1
2172	You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport. @Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property. @@2@1@9979@1
2173	The control ' ' the macro is attempting to search can't be searched. @Try one of the following: * Add a GoToControl action before the FindRecord action. * For the FindRecord action, change the Only Current Field action argument from Yes to No. * Change the focus to a searchable control. @@2@1@3015@1
2174	You can't switch to a different view at this time. @Code was executing when you tried to switch views. @If you are debugging code, you must end the debugging operation before switching views. @1@@@@1
2175	There isn't enough free memory to continue the Search operation. @Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3
2176	The setting for this property is too long. @You can enter up to either 255 or 2,048 characters for this property, depending on the data type. @1@@@@1
2177	You can't insert a report into a form. @A report can be inserted only into a report. @1@@@@1
2178	You can't add another section now. @The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). @Remove or reduce the height of at least one section, and then add the new section. @1@@@@1
2181	You can't sort on a calculated field in a form. @You can sort on a calculated field only in a query. @Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly. @1@@@@1
2182	You can't sort on this field. @@@1@@@@1
2183	Microsoft Access can't create an object of the type requested. @You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form. @1@@@@1
2184	The value you used for the TabIndex property isn't valid. The correct values are from 0 through  . @@2@1@6348@1
2185	You can't reference a property or method for a control unless the control has the focus. @Try one of the following: * Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. * Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs. @@2@1@6215@1
2186	This property isn't available in Design view. @Switch to Form view to access this property, or remove the reference to the property. @1@@@@1
2187	This property is available only in Design view. @@@1@@@@1
2188	The object you attempted to load from text has an invalid value for the property ' '1' on a  2. @@@1@@@@1
2189	The code contains a syntax error, or a Microsoft Access function you need is not available. @If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Access section of the Windows Registry to verify that the entries you need are listed and available. @If the entries are correct, either you must correct the Microsoft Access Utility Add-in, or the file acWzlib or this wizard has been disabled. To reenable this wizard, run Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Access. Before you reinstall Microsoft Access, delete the Windows Registry keys for the Microsoft Access Utility Add-in and acWzlib. @1@@@@1
2190	This property has been replaced by a new property; use the new property instead. @@@1@@@@1



Error Number	Error Description
2191	You can't set the   property in print preview or after printing has started.@Try setting this property in the OnOpen event.@@1@@@1
2192	The bitmap you specified is not in a device-independent bitmap (.dib) format.@You tried to set the PictureData property of a form, report, button, or image control.@@1@@@1
2193	The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.@@@1@@@1
2194	You can't set the PictureData property in Datasheet view.@To see the valid settings for this property, search the Help index for 'PictureData property'.@@1@@@1
2195	The section name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1
2196	Microsoft Access can't retrieve the value of this property.@The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.@@1@@@1
2197	You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view.@You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.@@1@@@1
2200	The number you entered is invalid.@@@1@@@1
2201	There was a problem retrieving printer information for the  1 on  2. The object may have been sent to a printer that is unavailable.@@@@@
2202	There are currently no printers installed on your computer. To use this feature, you must first install a printer in Windows.@For more information about how to install a printer, search for "install printer" in Windows Help.@@1@@@1
2203	The dynamic-link library Commdlg failed: error code '0x '.@The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.@@1@@@1
2204	The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1
2205	The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1
2206	The page number you entered is invalid.@For example, it may be a negative number or an invalid range, such as 6 to 3.@@1@@@1
2207	Microsoft Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@1@3041@1
2210	Microsoft Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1
2211	Microsoft Access can't print or preview the Debug window.@@@1@@@1
2212	Microsoft Access couldn't print your object.@Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1
2213	There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.@@@1@@@1
2214	There was a problem retrieving information from the printer. New printer has not been set.@@@1@@@1
2215	Microsoft Access cannot print this PivotTable because its  1 exceed(s) 22.75 inches.@Reduce the  1 by making changes to the formatting or included data of the PivotTable view, and then try to print again.@@1@@@1
2220	Microsoft Access can't open the file ' 1'.@@@1@@@1
2221	The text is too long to be edited.@@@1@@@1
2222	This control is read-only and can't be modified.@@@1@@@1
2223	The file name ' 1' is too long.@Enter a file name that's 256 characters or less.@@1@@@1
2225	Microsoft Access couldn't open the Clipboard.@The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.@@1@@@1
2226	The Clipboard isn't responding, so Microsoft Access can't paste the Clipboard's contents. @* Another application may be using the Clipboard. * There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.@@1@@@1
2227	The data on the Clipboard is damaged, so Microsoft Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1

Error Number	Error Description
2229	Microsoft Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1
2234	Microsoft Access can't paste the OLE object.@@@1@@@1
2237	The text you entered isn't an item in the list.@Select an item from the list, or enter text that matches one of the listed items.@@1@@@1
2239	Microsoft Access has detected that this database is in an inconsistent state, and cannot attempt to recover the database because the file is read-only. To allow Access to recover the database, close the database and set the file to read/write, and then open the database.@@@1@@@1
2243	The data in the Clipboard isn't recognizable; Microsoft Access can't paste the OLE object.@@@1@@@1
2244	The file name you specified in the Picture property for a command button or toggle button can't be read.@* The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. * The disk where the file is located may be unreadable.@@1@@@1
2245	The file you specified doesn't contain valid icon data.@Specify a valid icon file.@@1@1@829@1
2260	An error occurred while sending data to the OLE server (the application used to create the object).@* You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. * You may be using an OLE server that doesn't accept the Clipboard format. * You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. * Your computer may be low on memory. Close other application windows to free up memory.@@1@1@8951@1
2262	This value must be a number.@@@1@@@1
2263	The number is too large.@@@1@@@1
2264	Microsoft Access didn't recognize the unit of measurement.@Type a valid unit, such as inches (in) or centimeters (cm).@@1@@@1
2265	You must specify a unit of measurement, such as inches (in) or centimeters (cm).@@@1@@@1
2266	' ' may not be a valid setting for the RowSourceType property, or there was a compile error in the function.@For information on valid settings for the RowSourceType property, click Help.@@2@1@3853@1
2267	There is not enough disk space to create a temporary buffer file for printing.@Free up some disk space to make room for the temporary buffer file.@@1@@@1
2269	Some library databases couldn't be loaded because too many were specified.@To change library database references, click References on the Tools menu.@@1@1@9017@1
2272	The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.@@@1@@@1
2273	The setting for Update Retries must be from 0 through 10.@@@1@@@1
2274	The database ' ' is already open as a library database.@@@1@@@1
2275	The string returned by the builder was too long.@The result will be truncated.@@1@@@1
2276	The custom builder you're using caused an error by changing the focus to a different window while you were using it.@Enter a value without using the custom builder.@@1@@@1
2277	There was a font initialization error.@@@1@@@1
2278	Microsoft Access can't save your changes to this bound OLE object.@Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.@@1@1@10222@1
2279	The value you entered isn't appropriate for the input mask ' ' specified for this field.@@@2@1@9118@1
2280	You have added more output formats to the Windows Registry than Microsoft Access can initialize.@Some output formats will not be available. Remove those formats that you never or least often use.@@1@@@1
2281	Output format information is missing. There appears to be a problem with your Microsoft Access installation. Please reinstall Microsoft Access or contact your system administrator or help desk representative.@@@2@1@9015@1
2282	The format in which you are attempting to output the current object is not available.@Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.@@2@1@9015@1
2283	The format specification for ' 1' is invalid.@You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.@@2@1@9015@1

Error Number	Error Description
2284	Microsoft Access can't write to the file.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1
2285	Microsoft Access can't create the output file.@* You may be out of disk space on the destination drive. * The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1
2286	Microsoft Access can't close the file.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1
2287	Microsoft Access can't open the mail session.@Check your mail application to make sure that it's working properly.@@1@@@1
2288	Microsoft Access can't load the ' 1' format.@The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry.@Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.@2@1@9015@1
2289	Microsoft Access can't output the module in the requested format.@@@1@@@1
2290	There were too many message recipients; the message was not sent.@@@1@@@1
2291	There are too many message attachments; the message was not sent.@@@1@@@1
2292	The message text is too long, so it was not sent.@@@1@@@1
2293	Microsoft Access can't send this e-mail message.@Before attempting to send an e-mail message from Microsoft Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.@@1@@@1
2294	Microsoft Access can't attach the object; the message was not sent.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1
2295	Unknown message recipient(s); the message was not sent.@@@1@@@1
2296	The password is invalid; the message wasn't sent.@@@1@@@1
2297	Microsoft Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1
2298	Microsoft Access can't start the wizard, builder, or add-in.@* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. * The wizard, builder, or add-in code may not be compiled and Microsoft Access can't compile it. There may be a syntax error in the code. * The key for the add-in in the Windows Registry file may be incorrect.@2@1@9015@1
2299	Microsoft Access can't open the Zoom box.@The Microsoft Access Utility add-in is missing or was modified. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility add-in.@@1@1@12620@1
2300	Microsoft Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1
2301	There are not enough system resources to output the data.@Close one or more Microsoft Access windows and close other applications. Then try to output the data again.@@1@@@1
2302	Microsoft Access can't save the output data to the file you've selected.@* The file may be open. If so, close it, and then save the output data to the file again. * If you are using a template, check to make sure the template exists. * If the file isn't open, check to make sure that you have enough free disk space. * Make sure that the file exists on the path specified. * Check to make sure you have permission to write to the specified folder.@@1@@@1
2303	Microsoft Access can't output data now.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of disk space. Free up disk space and try again.@@1@@@1
2304	Microsoft Access can't save output data to the specified file.@Make sure that you have enough free disk space on your destination drive.@@1@@@1
2305	There are too many columns to output, based on the limitation specified in the output format or by Microsoft Access.@@@1@@@1
2306	There are too many rows to output, based on the limitation specified by the output format or by Microsoft Access.@@@1@@@1
2308	The file ' ' already exists.@Do you want to replace the existing file?@@20@@@2
2309	There is an invalid add-in entry for ' 1'.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Access. For information on the Registry, click Help.@2@1@9015@1
2311	There isn't enough memory to run the NotInList event procedure.@@@1@@@1

Error Number	Error Description
2312	The shortcut ' ' must be re-created.@The file may be missing, damaged, or in an older format that can't be read.@@1@@@1
2313	Microsoft Access can't find the shortcut databases ' 1' or ' 2.'@Re-create the shortcut with the correct locations of the databases.@@2@1@9032@1
2314	Microsoft Access can't find the shortcut database ' 1.'@Re-create the shortcut with the correct location of the database.@@2@1@9032@1
2315	The input string is too long.@@@1@@@@1
2316	This table or query can't be opened because it has no visible fields.@This can result if the table or query has only system fields, and the Show System Objects option is off.@To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.@1@@@@1
2317	The database ' 1' can't be repaired or isn't a Microsoft Access database file.@@1@@@@1
2320	Microsoft Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@@1@@@@1
2321	You can't set criteria before you add a field or expression to the Field row.@Either add a field from the field list to the column and enter an expression, or delete the criteria.@@1@@@@1
2322	You can't sort on the asterisk (*).@Because the asterisk represents all fields in the underlying table or query, you can't sort on it.@Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.@1@@@@1
2323	You can't specify criteria for the asterisk (*).@Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it.@Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.@1@@@@1
2324	You can't calculate totals on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't calculate totals on it.@Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.@1@2@11202@1
2325	The field name you entered exceeds the 64-character limit of the LinkMasterFields property.@When you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying a form and subform, Microsoft Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@@1@1@3990@1
2326	You can't specify Group By, Expression, or Where in the Total row for this column.@Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query. For more information on aggregate functions, click Help.@@2@1@9980@1
2327	You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row.@The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.@@1@1@9980@1
2328	You can't run an update query on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't update it.@Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.@1@1@10001@1
2329	To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.@@@1@1@9980@1
2330	Microsoft Access can't represent the join expression  1 in Design view.@* One or more fields may have been deleted or renamed. * The name of one or more fields or tables specified in the join expression may be misspelled. * The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@@1
2331	You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.@@@1@1@9980@1
2332	Microsoft Access can't match the fields you added using the asterisk (*) in the append query.@Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk.@Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.@1@1@9999@1
2333	You must enter the name of the table you are creating or appending records to.@You tried to define a make-table or append query without specifying a destination table.@@1@@@@1
2334	Microsoft Access can't print ' 1' because it is an action query.@Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Navigation Pane marks an action query.@To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.@1@@@@1

Error Number	Error Description
2335	You must specify the same number of fields when you set the LinkChildFields and LinkMasterFields properties.@You entered a different number of fields for one property than you did for the other. If you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying the form and subform, Microsoft Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.@@1@1@9086@1
2337	You can't specify criteria on the same field for which you entered Value in the Crosstab row.@You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row.@If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.@1@1@9980@1
2338	Microsoft Access truncated the expression you entered.@The expression ' ' exceeds the 1,024-character limit for the query design grid.@@1@@@1
2339	Microsoft Access can't create a temporary link.@You reached the limit for the number of links in your database. Microsoft Access needs to create a temporary link in order to import your ODBC table.@Remove all unneeded links or tables.@1@@@1
2340	The expression you entered exceeds the 1,024-character limit for the query design grid.@@@1@@@1
2342	A RunSQL action requires an argument consisting of an SQL statement.@For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.@@1@1@3698@1
2343	The value you entered exceeds the Alias property's 64-character limit.@@@1@1@6146@1
2344	For the TopValues property in the query property sheet, you must enter an integer greater than zero.@@@1@@@1
2345	For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1
2346	For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1
2347	Microsoft Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@1@6183@1
2348	You can't leave the Alias property blank.@@@1@1@6146@1
2349	For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1
2350	Microsoft Access can't save the query.@* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Access will fill the RecordSource or RowSource property with the saved query name. * Make sure the query doesn't have an SQL syntax error.@@1@1@4309@1
2351	Microsoft Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1
2352	You can't modify this query because it has been deleted or renamed by another user.@@@1@@@1
2353	Bad query parameter ' '.@@@1@@@1
2354	This query or table has an expression that is failing to evaluate.
2355	You can select up to   values in a column filter for a multi-valued field. Remove some values, and then try again.
2356	You cannot assign a multivalued or Attachment field to the Link Master Fields or Link Child Fields properties.@@@1@@@1
2360	A field name is missing.@You have defined a data type or a description for a field without specifying the field name.@Enter a name for the field, or delete the row.@1@@@1
2361	Microsoft Access can't save this table.@There are no fields in this table.@Define at least one field by entering a field name and selecting a data type.@1@@@1
2362	You already have a field named ' '.@@@1@@@1
2363	Microsoft Access allows only one AutoNumber field per table.@Use the Number data type for similar fields.@@1@@@1
2364	Microsoft Access can't open the table in Datasheet view.@@@1@@@1
2366	Microsoft Access was unable to save the field ordering. All other changes were saved successfully.@Click the File tab, point to Manage, and then click Compact and Repair Database.@@1@@@0
2370	Removing or changing the index for this field would require removal of the primary key.@If you want to delete the primary key, select that field and click the Primary Key button.@@1@@@1
2371	Microsoft Access can't create a primary key. Your changes weren't saved.@@@1@@@1

Error Number	Error Description
2372	The field name you entered does not follow Microsoft Access object-naming rules. If you pasted the name from another application, try pressing ESC and typing the name again. @For more information about naming objects, click Help. @2@1@553714184@1
2373	The setting for the FieldSize property must be from 0 through 255. @@@1@@@1
2374	You can't create an index or primary key on more than 10 fields. @@@1@@@1
2375	You can't paste beyond the end of a table. @You have attempted to paste fields beyond the 255th row in a table in Design view. @1@1@@@1
2376	Microsoft Access can't create a primary key. @You have selected too many fields for a multiple-field primary key. @1@1@@@1
2377	Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. @Add a new field to the table, and define its data type as AutoNumber. Microsoft Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1. @1@1@@@1
2378	This table is read-only. @Use a different name in the Save As dialog box to save your changes. @1@1@@@1
2379	You can't create a primary key on a field of this data type. @You can't define a primary key on fields with an OLE Object, Memo, Attachment, or Multi-valued lookup field. @1@1@@@1
2380	Microsoft Access can't create a primary key because no fields have been selected. @You have selected a row with no fields defined. @Place the insertion point somewhere in the row of the field you want to define as the primary key. @1@1@@@1
2381	Microsoft Access can't create a primary key because the field doesn't have a name. @Name the field, and then define it as a primary key field. @1@1@@@1
2382	You can't switch to Datasheet view and you can't return to Design view. @Another user has opened this table or a query, form, or report that is bound to this table. @1@1@@@1
2383	Microsoft Access can't change the data type. @There isn't enough disk space or memory. @1@1@@@1
2384	You cannot change one field from an AutoNumber data type and add another AutoNumber field at the same time. @Do the following: 1. Delete the AutoNumber field you just added, click the File tab, and then click Save. 2. Add the new AutoNumber field, and then save the table again. @1@1@@@0
2385	Errors were encountered during the save operation.   @@@1@@@1
2386	Microsoft Access was unable to create the table. @@@1@@@1
2387	You can't delete the table ' '; it is participating in one or more relationships. @If you want to delete this table, first delete its relationships in the Relationships window. @1@1@@@1
2388	You can't change the primary key. @This table is the primary table in one or more relationships. @If you want to change or remove the primary key, first delete the relationship in the Relationships window. @1@1@@@1
2389	You can't delete the field ' .' @It is part of one or more relationships. @If you want to delete this field, first delete its relationships in the Relationships window. @1@1@@@1
2390	You can't change the data type or field size of this field; it is part of one or more relationships. @If you want to change the data type of this field, first delete its relationships in the Relationships window. @1@1@@@1
2391	Field ' 1' doesn't exist in destination table ' 2.' @Microsoft Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from. @1@1@@@1
2392	You can't set the Unique property of a primary key to No. @A primary key, by definition, contains only unique values. @If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No. @1@1@@@1
2393	You can't set the IgnoreNulls property of a primary key to Yes. @A primary key, by definition, can't allow null values. @If you want null values in this field, remove the primary key definition by setting the Primary property to No. @1@1@@@1
2394	The index name is invalid. @The index name may be too long (over 64 characters) or contain invalid characters. @1@1@@@1
2395	Indexes must have names. @@@1@@@1
2396	Microsoft Access can't create an index or primary key. @One or more field names are missing. @Enter or select at least one field in the Field Name column for each index you name. @1@1@@@1
2397	You already have an index named ' .' @@@1@@@1
2398	The primary key has been changed. @This table is the primary table in one or more relationships. Changes to the primary key won't be saved. @1@1@@@1
2399	The setting for the FieldSize property must be from 1 through 8000. @@@1@@@1
2400	The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro. @@@1@@@1

Error Number	Error Description
2401	You can't delete the ' ' column at this time. @The ' ' column is part of the primary key for the ' ' table. It is used to identify and store the rows in your table in the database.@You cannot delete a primary key while using Datasheet view. To delete the primary key, open the table in Design view and remove the primary key field.@1@@@1
2420	The expression you entered has an invalid number.@@@2@1@11732@1
2421	The expression you entered has an invalid date value.@@@2@1@11729@1
2422	The expression you entered has an invalid string.@A string can be up to 2048 characters long, including opening and closing quotation marks.@@1@@@@1
2423	The expression you entered has an invalid . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@1@11736@1
2424	The expression you entered has a field, control, or property name that Microsoft Access can't find.@@@1@@@@1
2425	The expression you entered has a function name that Microsoft Access can't find.@@@1@@@@1
2426	The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression. * You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@@@1
2427	You entered an expression that has no value.@The expression may refer to an object that has no value, such as a form, a report, or a label control.@@1@@@@1
2428	You entered an invalid argument in a domain aggregate function.@* A field in the string expression may not be in the domain. * A field specified in the criteria expression may not be in the domain.@@2@1@10931@1
2429	The In operator you entered requires parentheses.@@@1@@@@1
2430	You did not enter the keyword And in the Between...And operator.@The correct syntax is as follows: expression [Not] Between value1 And value2@@@1@@@@1
2431	The expression you entered contains invalid syntax.@You may have entered a comma without a preceding value or identifier.@@1@@@@1
2432	The expression you entered contains invalid syntax, or you need to enclose your text data in quotes.@You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey".@@@1@@@@1
2433	The expression you entered contains invalid syntax.@You may have entered an operator, such as the + operator, in an expression without a corresponding operand.@@1@@@@1
2434	The expression you entered contains invalid syntax.@You may have entered an operand without an operator.@@1@@@@1
2435	The expression you entered has too many closing parentheses.@@@1@@@@1
2436	The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar ( ).@@@1@@@@1
2437	The expression you entered has invalid vertical bars ( ).@@@1@@@@1
2438	The expression you entered contains invalid syntax.@You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks.@@2@1@11732@1
2439	The expression you entered has a function containing the wrong number of arguments.@@@1@@@@1
2440	You must enclose If function arguments in parentheses.@@@1@3@1012957@1
2442	The expression you entered has invalid parentheses.@You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax: Forms![Form]![Control].@@@1@1@11729@1
2443	You can use the Is operator only in an expression with Null or Not Null.@@@1@3@1008950@1
2445	The expression you entered is too complex.@@@2@1@11732@1
2446	There isn't enough memory available to perform this calculation.@Close unneeded programs, and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@@1@@@@1
2447	There is an invalid use of the . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@1@11736@1
2448	You can't assign a value to this object.@* The object may be a control on a read-only form. * The object may be on a form that is open in Design view. * The value may be too large for this field.@@@1@1@9424@1
2449	There is an invalid method in an expression.@For example, you may have tried to use the Print method with an object other than Report or Debug.@@2@4@2015551@1
2450	Microsoft Access cannot find the referenced form ' '.@* The form you referenced may be closed or may not exist in this database.* Microsoft Access may have encountered a compile error in a Visual Basic module for the form.@@@1@1@11735@1
2451	The report name ' ' you entered is misspelled or refers to a report that isn't open or doesn't exist.@@@1@@@@1

Error Number	Error Description
2452	The expression you entered has an invalid reference to the Parent property.@For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.@@2@1@4852@1
2453	The control name ' ' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.@@@1@1@11730@1
2454	The object name ' ' you entered following the ! operator in the expression is invalid.@For example, you may have tried to enter an identifier with two control names separated by the ! operator.@@2@1@11736@1
2455	You entered an expression that has an invalid reference to the property  .@The property may not exist or may not apply to the object you specified.@@2@4@2015567@1
2456	The number you used to refer to the form is invalid.@Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.@@1@4@2019460@1
2457	The number you used to refer to the report is invalid.@Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.@@1@4@2019460@1
2458	The control number you specified is greater than the number of controls.@Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.@@1@4@2019460@1
2459	You can't refer to the Parent property of a form or report when either is open in Design view.@@@1@@@@1
2460	You can't refer to the RecordsetClone property of a form open in Design view.@@@1@1@7393@1
2461	Use a section number, not a string, to refer to a form or report section.@@@1@@@@1
2462	The section number you entered is invalid.@@@1@@@@1
2463	Use a number, not a string, to refer to a group level.@@@2@1@6361@1
2464	There is no sorting or grouping field or expression defined for the group level number you used.@A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.@@1@@@@1
2465	Microsoft Access can't find the field ' ' referred to in your expression.@You may have misspelled the field name, or the field may have been renamed or deleted.@@1@1@11730@1
2466	The expression you entered has an invalid reference to the Dynaset property.@For example, you may have used the Dynaset property with a form that isn't based on a table or query.@@1@@@@1
2467	The expression you entered refers to an object that is closed or doesn't exist.@For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.@@1@@@@1
2468	The value you entered for the interval, number, or date argument in the function is invalid.@Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.@@1@@@@1
2469	The expression  2 you entered in the form control's ValidationRule property contains the error  1.@Microsoft Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Access displays the following message: Unknown function name in validation rule: 'MyFunction'.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@1@1@11805@1
2470	There is a(n) ' ' in the form control's ValidationRule property.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@@1@1@11805@1
2471	The expression you entered as a query parameter produced this error: ' '@@@2@1@11805@1
2472	The LinkMasterFields property setting has produced this error: ' '@@@2@1@3990@1
2473	The expression  2 you entered as the event property setting produced the following error:  1.* The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. * There may have been an error evaluating the function, event, or macro.@@1@@@@1
2474	The expression you entered requires the control to be in the active window.@Try one of the following: * Open or select a form or report containing the control. * Create a new control in the active window, and try the operation again.@@1@@@@1
2475	You entered an expression that requires a form to be the active window.@@@1@2@5601@1
2476	You entered an expression that requires a report to be the active window.@@@1@2@5603@1
2477	You entered an invalid objecttype value ' ' in an If TypeOf object Is objecttype condition of an If...Then...Else statement.@The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.@@1@@@@1



Error Number	Error Description
2478	Microsoft Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@4@2015551@1
2479	The event procedure ' ' can't be a Function procedure; it must be a Sub procedure.@If you want to run a Function procedure when an event occurs, try one of the following: * Set the event property to the name of a macro containing a RunCode action that runs the Function procedure. * Set the event property to =FunctionName().@@1@@@1
2480	You referred to a property by a numeric argument that isn't one of the property numbers in the collection.@Check the property numbers in the collection.@@1@@@1
2481	You can't set a value while a document is in Print Preview.@@@1@@@1
2482	Microsoft Access cannot find the name ' '1' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection. This is usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].@1@@@1
2483	You can't move to a previous control when only one control has had the focus.@Use the PreviousControl property only after you've moved the focus to a second control.@@1@1@7144@1
2484	There is no active datasheet.@@@1@@@1
2485	Microsoft Access cannot find the object ' 1.'@If ' '1' is a new macro or macro group, make sure you have saved it and that you have typed its name correctly.@@1@1@10183@1
2486	You can't carry out this action at the present time.@You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Access is repainting a control or calculating an expression.@Carry out the action later.@1@@@1
2487	The Object Type argument for the action or method is blank or invalid.@@* For a Close, GoToRecord, SearchForRecord or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. * For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Navigation Pane. * For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. * If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.@@1@1@12276@1
2488	You can't use the ApplyFilter action on this window.@@* You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. * You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. * You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting.@Use the SelectObject action or method to select the table, query, form, or report before applying the filter.@1@1@3041@1
2489	The object ' ' isn't open.@@* The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. * The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed.@Use one of the Open actions or methods to open the object so that you can carry out the desired action.@1@@@1
2491	The action or method is invalid because the form or report isn't bound to a table or query.@You tried to use the ApplyFilter or SearchForRecord action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to.@Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. To base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property.@1@1@3041@1
2492	Microsoft Access can't find the macro ' 2' in the macro group ' 1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@1@11313@1
2493	This action requires an Object Name argument.@@@1@@@1
2494	The action or method requires a Form Name argument.@You tried to use the OpenForm action or method, but you left the Form Name argument blank.@In the Form Name argument, enter the name of a form in the current database.@1@1@11313@1
2495	The action or method requires a Table Name argument.@You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank.@In the Table Name argument, enter the name of a table that is in the current database.@1@@@1

Error Number	Error Description
2496	The action or method requires a Query Name argument.@You tried to use the OpenQuery action or method, but you left the Query Name argument blank.@In the Query Name argument, enter a query name.@1@@@1
2497	The action or method requires a Report Name argument.@You tried to use the OpenReport action or method, but you left the Report Name argument blank.@In the Report Name argument, enter the name of a report.@1@@@1
2498	An expression you entered is the wrong data type for one of the arguments.@You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.@@1@@@1
2499	You can't use the GoToRecord or SearchForRecord action or method on an object in Design view.@Try one of the following: * Switch to Form or Datasheet view for a form. * Switch to Datasheet view for a query or table. * If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.@@2@1@3018@1
2500	You must enter a number greater than zero for a Repeat Count argument.@You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument.@To run the macro once, leave this argument blank.@1@@@1
2501	The   action was canceled.@You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.@@1@@@1
2502	The action or method requires a Macro Name argument.@* You tried to use the RunMacro action or method, but you left the Macro Name argument blank. * Microsoft Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank.@In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.@1@@@1
2503	You can't use this action with the DoCmd object.@For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.@@2@1@11313@1
2504	The action or method requires at least   argument(s).@You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.@@1@1@11313@1
2505	An expression in argument   has an invalid value.@You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object).@Try one of the following: * Select a setting from the drop-down list box in each argument. * Use an intrinsic constant equating to a valid object type. * Substitute the correct corresponding expression.@1@1@11895@1
2506	A value you entered for the Transfer Type argument is invalid.@An expression in the Transfer Type argument doesn't evaluate to a valid numeric value.@Valid values for the Transfer Type argument are as follows: * 0, 1, and 2 for the TransferDatabase action. * 0, 1, and 2 for the TransferSpreadsheet action. * 0 through 6 for the TransferText action.@1@1@11313@1
2507	The   type isn't an installed database type or doesn't support the operation you chose.@You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.@@2@1@4780@1
2508	A value you entered for the spreadsheettype argument is invalid.@You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value.@Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.@1@1@4781@1
2509	The setting for the Range argument can't be longer than 255 characters.@@@1@1@4781@1
2510	The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Access object-naming rules.@@2@1@11734@1
2511	The action or method requires a Specification Name argument.@You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank.@In the Specification Name argument, enter an existing specification name from the argument list box.@1@1@11313@1
2512	Microsoft Access cannot parse the expression: ' 1'.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@@1
2513	The Macro Name argument can't be longer than 64 characters according to Microsoft Access object-naming rules.@@@1@1@11734@1
2514	The action or method requires a Control Name argument.@You tried to use the GoToControl action or method, but you left the control name blank.@In the Control Name argument, enter a control or field name from the active form or datasheet.@1@1@11313@1

Error Number	Error Description
2515	Microsoft Access cannot open the macro ' 1' because it was saved using a different version of Microsoft Access.@Re-create the macro in the current version of Microsoft Access.@@1@@@1
2516	Microsoft Access cannot find the module ' 1.'@You tried to use the OpenModule action or method, but Microsoft Access can't find the module you specified in the Module Name argument.@Enter a valid module name from the current database.@1@@@1
2517	Microsoft Access cannot find the procedure ' 1.'@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. * You tried to use the OpenModule action or method, but you used an invalid procedure name.@@1@@@1
2520	The action or method requires a Module or Procedure Name argument.@You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window.@Enter a valid name in one of these arguments.@1@@@1
2521	You have specified a Transfer Type that doesn't support the HTML Table Name argument.@Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types.@@1@@@1
2522	The action or method requires a File Name argument.@You tried to use the TransferSpreadsheet or TransferText action or method.@In the File Name argument, enter a file name.@1@1@11313@1
2523	The value you entered for the show argument is invalid.@You used the ShowToolbar method.@Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2.@1@1@12446@1
2524	Microsoft Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@@1
2525	Macros can only be called 19 times.@Your macro contains one or more RunMacro actions that calls a macro more than 19 times.@Use an If block to stop the macro after it has been run 19 times.@1@@@1
2526	The SendKeys action requires the Microsoft Access Utility Add-in to be loaded.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility Add-in.@@1@@@185309@1
2527	Lotus .wks file formats aren't supported in the current version of Microsoft Access.@Convert your .wks file to a more recent format, such as .wk1.@@1@@@1
2528	The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.@@@1@@@1
2529	The Toolbar argument can't be longer than 64 characters.@@@1@@@1
2530	The SelectObject method can't be used on a report that is currently printing.@@@1@@@1
2531	Your HTML file does not contain any tabular data that Microsoft Access can import.@@@1@@@1
2532	Microsoft Access cannot find the macro or sub procedure ' 1.'@The specified macro, macro group, or sub procedure doesn't exist.@ Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1
2533	The ApplyFilter action requires that either the Filter Name or Where Condition argument is set.@You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.@@1@1@11313@1
2534	The action or method requires a data access page Name argument.@You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank.@In the data access page Name argument, enter the name of a data access page in the current database.@1@1@11313@1
2535	The ApplyFilter action contains a Filter Name that cannot be applied.@The filter name is not a valid argument in the ApplyFilter action in Client Server.@@1@1@11313@1
2537	The feature ' ' is not available while the database is opened in disabled mode.@@@1@@@1
2538	The ' ' macro action cannot be run in disabled mode.@@@1@@@1
2539	The Name argument of the SetLocalVar macro action is a reserved name. Please change the name argument of the SetLocalVar action.
2540	The file ' 1' you tried to replace is a Microsoft Access system file that is being used and can't be replaced or deleted.@@@1@@@1
2541	The contents of the Clipboard have been deleted and can't be pasted.@Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.@1@@@1
2542	Specify the database name in the command line so that Microsoft Access can find the macro.@@@1@@@1
2543	You can't paste a database object onto itself.@@@1@@@1
2544	Microsoft Access cannot find the  1 you referenced in the Object Name argument.@The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument.@In the Navigation Pane, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument.@2@1@3041@1

Error Number	Error Description
2545	The CopyObject action requires you to specify a different destination database or a new name to copy from the current database.@The macro you are running includes a CopyObject action.@Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box.@1@1@3009@1
2546	Select a database object in the Navigation Pane before you run the macro containing the   action.@@@2@1@3009@1
2547	The database ' ' you tried to delete and replace is read-only and can't be deleted or replaced.@Enter a different name for the new database.@@1@@@1
2548	Microsoft Access can't run the Security Wizard because this database is open in exclusive mode.@Do you want Microsoft Access to open the database in shared mode and run the Security Wizard?@@19@@@2
2549	Microsoft Access can't delete  1 after compacting it. The compacted database has been named  2.@If you compact a database using the same name, Microsoft Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1
2550	Microsoft Access can't delete  1 after encoding it. The encoded database has been named  2.@If you encode a database using the same name, Microsoft Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1
2551	Microsoft Access can't delete  1 after decoding it. The decoded database has been named  2.@If you decode a database using the same name, Microsoft Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1
2552	You can't encode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@@1
2553	You can't decode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@@1
2554	Can't find the database you specified, or you didn't specify a database at all.@Specify a valid database name in the command line, and include a path if necessary.@@1@1@10283@1
2556	Microsoft Access can't run the Security Wizard because the database uses a password.@Remove the database password by clicking Unset Database Password in the Database Tools group on the Database Tools tab.@1@@@1
2557	The database you tried to convert was either created in or was already converted to the requested version of Microsoft Access.@@@1@@@1
2559	Microsoft Access was unable to refresh the linked table ' 1' in database ' 2' during conversion. Try to refresh the links manually by using the Linked Table Manager command in the Database Tools group on the Database Tools tab.
2560	Microsoft Access is unable to load the Database Properties.@@@1@@@3
2561	Microsoft Access can't display the Database Properties dialog box.@@@1@@@1
2562	Microsoft Access is unable to save the Database Properties.@@@1@@@1
2564	You can't hide the document ' ' while it is open.@Close the database object first, and then hide it.@1@@@1
2565	You can't unhide the database object ' ' while it is open.@Close the database object first, and then unhide it.@1@@@1
2566	Microsoft Access is unable to set the application's icon to the file ' 1'.@Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files.@@1@@@1
2567	Microsoft Access can't open or convert this previous version database.@The database was created in an earlier version of Microsoft Access. You don't have appropriate security permissions to open or convert databases created in earlier versions.@@1@@@1
2568	Microsoft Access can't undo this operation.@An object with the same name already exists. Another user might have created an object named ' ' after you had performed this operation on an object with the same name.@@1@@@1
2571	You cannot modify objects created in an earlier version of Microsoft Access.@To convert this database to the current version of Microsoft Access, close the database, click the File tabn, and then click Convert.@@1@@@0

Error Number	Error Description
2572	This database is in an unexpected state and Microsoft Access cannot open it. @This database has been converted from a prior version of Microsoft Access by using the DAO CompactDatabase method instead of the Convert Database command (click the File tab and then click Convert). Converting by using the DAO CompactDatabase method has left the database in a partially converted state. @If you have a copy of the database in its original format, click the File tab and then click Convert to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data and try again. Your other database objects cannot be recovered. @1@@@1
2573	This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master. @1@@@1
2574	You can't create another Microsoft Access database with the same name and location as an existing database. @You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. @Accept the default .mde extension for your new MDE database. @1@@@1
2575	You can't create a Microsoft Access MDE database from a database replica. @@@1@@@1
2576	This database is a Microsoft Access 7.0/8.0/9.0 Design Master/Replica. @If you click OK, the database you selected will be renamed to  1 and then converted to  2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@@2
2577	The database   is already open. @Close the database before carrying out the Make MDE File command. @1@@@1
2578	Microsoft Access was unable to create the .accde, .mde, or .ade file. @@@1@@@1
2579	Local forms, reports, macros, and modules in this replica will not be converted. @To retain these objects, please be sure to import them into the Design Master from the original replica. @1@@@1
2580	The record source ' ' specified on this form or report does not exist. @The name of the recordsource may be misspelled, the recordsource was deleted or renamed, or the recordsource exists in a different database. @In the Form or Report's Design view or Layout view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1
2581	You must define a sort field or expression for the group header or footer in the report you tried to preview or print. @@@1@1@8753@1
2582	You cannot set the GroupInterval property to 0 when the GroupOn property is set to Interval. @Click the Sorting and Grouping Design tab and try one of the following: * Change the GroupInterval property setting to a number higher than 0. * Change the GroupOn property setting to Each Value. @1@@@1
2583	The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure. @* You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property. * You may have tried to run a macro or event procedure on a report that is already open. @To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it. @1@1@3004@1
2584	You can't use aggregate functions in a page header or footer. @The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression. @If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. If you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control. @1@1@11839@1
2585	This action can't be carried out while processing a form or report event. @A macro specified as the OnOpen, OnLoad, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property. @When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments. @1@1@11909@1
2586	Microsoft Access changed the MoveLayout and NextRecord properties to True from False. @The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. @Revise the macro or function so that it sets these properties to the values you want. @1@1@4656@1
2587	Microsoft Access can't complete the Output operation. @The Visual Basic code you entered contains a syntax error or the Output procedures are not available. @Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@185309@1
2588	You must select a form to save as a report. @@@1@@@1
2589	The expression ' ' is invalid. @Aggregate functions are only allowed on output fields of the Record Source. @@@1@@@1
2590	The Var and VarP aggregate functions are not supported in an Access project. @@@1@@@1

Error Number	Error Description
2591	You can't change printer properties in the OnOpen event of a report.@@@1@@@1
2593	This feature is not available in an MDB or ACCDB.@@@1@@@1
2594	You cannot Filter By Form when form record source is a recordset object.@@@1@@@1
2595	Microsoft Access cannot set this property when DefaultSize property is set to True.@@@1@@@1
2596	Printer object is not available on subforms and subreports.@@@1@@@1
2597	Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.@@@1@@@1
2599	Report view is not available for this report.@@@1@@@1
2600	Verify the new password by retyping it in the Verify box and clicking OK.@@@1@@@1
2601	You don't have permission to read ' '.@To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2602	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2603	You don't have permission to run ' '.@To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2604	You can't view this object's permissions.@To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2605	You can't remove this user account from group ' 1'.@* You may have tried to remove a user account from the default Users group. Microsoft Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. * You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@1@10212@1
2606	The object type is invalid.@@@1@@@1
2607	You don't have permission to cut ' '.@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2608	You don't have permission to copy ' '.@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2609	You don't have permission to delete ' '.@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2610	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1
2611	Microsoft Access can't find the workgroup file ' 1.' Would you like to use the default workgroup file?@@@20@@@1
2612	The account name is invalid.@For information about naming conventions, click Help.@@2@1@10213@1
2613	You don't have permission to rename ' '.@To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2614	You don't have permission to insert this form into another form.@To insert a form into another form as a subform, you must have Read Design permission for the form being inserted. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2615	You don't have permission to change the owner of ' '.@To change the owner of a database object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1
2616	You can't change permissions for ' '.@To change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1
2617	You don't have permission to import, export, or link to ' '.@To import, export, or link to this object, you must have Read Design and Read Data permissions for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
2618	You must have the database open for exclusive use to set or remove the database password.@To open the database exclusively, close the database, and then reopen it by clicking the File tab and using the Open command. In the Open dialog box, click the arrow next to the Open button, and then select Open Exclusive.@@1@@@1

Error Number	Error Description
2619	You can't change permissions for ' ' in a replica.@Permissions may only be changed in the Design Master for the replica set.@@3@@@1
2620	The password you entered in the Old Password box is incorrect.@Please enter the correct password for this account.@@1@@@1
2621	That password isn't valid.@You may have used a semicolon.@@1@@@1
2622	You cannot save ' ' because it is read-only.@To save, switch to Design View, click the File tab, point to Save As, and enter a new name.@@3@@@0
2624	An error has occurred while changing workgroup database.@@@1@@@1
2625	Workgroup Administrator couldn't create the workgroup information file. Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive. ( )@@@1@@@1
2626	Reserved error ( ); there is no message for this error.@@@1@@@1
2627	There's not enough disk space.@@@1@@@1
2628	One of your parameters is invalid.@@@1@@@1
2629	Could not open workgroup file. This is a directory.@@@1@@@1
2630	The specified path is invalid.@@@1@@@1
2631	The specified path is too long.@@@1@@@1
2632	Change Workgroup cannot proceed without your Name, PIN, and a path to the new Workgroup Information File.
2633	Microsoft Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.@@1@@@1
2634	The new password doesn't match the verify password value.@@1@@@1
2635	Microsoft Access is unable to change the password because the old password doesn't match the password of the currently logged in user.
2636	Workgroup file already exists.
2637	Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue.@When the service is started, in Microsoft Access, click the File tab, point to Server Tasks, click Connection, and then click OK.@@19@@@2
2638	Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct.@When the service is started, in Microsoft Access, click the File tab, point to Server Tasks, click Connection, and then click OK.@@19@@@2
2639	Microsoft Access cannot open  1 due to security restrictions.@Security settings restrict access to the file because it is not digitally signed.@@2@1@553714138@2
2646	Microsoft Access can't create this relationship and enforce referential integrity.@Data in the table ' '1' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table.@Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.@1@1@9086@1
2649	Microsoft Access can't enforce referential integrity for this relationship.@Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.@@1@1@9086@1
2650	Microsoft Access can't create this relationship and enforce referential integrity.@* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting.@Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.@2@1@9086@1
2651	You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type.@You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type.@Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.@1@@@1
2652	You can't delete a relationship inherited from a linked database.@@@1@@@1
2680	The form or report includes more OLE objects than Microsoft Access can display at one time.@Delete some of the bound or unbound object frames.@@1@@@1
2683	There is no object in this control.@@@1@@@1

Error Number	Error Description
2684	The OLE object is empty.@You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object.@Right-click the field, click Insert Object, and use the dialog box to locate and add the object to the field.@1@1@9360@1
2685	The object doesn't have an OLE object data type.@The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type.@If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.@1@1@9360@1
2686	Microsoft Access is unable to save the  1 object.@Your computer ran out of disk space while Microsoft Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@1@@@1
2690	A system resource necessary for displaying the   object isn't available.@Your computer may be low on memory.@Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@@1
2691	Microsoft Access can't communicate with the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@@1
2694	The Clipboard isn't available.@The Clipboard may be in use by another application, or your computer may be low on memory.@If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@@1
2695	Microsoft Access is unable to display the converted  1 object.@Delete the object in the bound object frame, and then re-create it.@@1@@@@1
2696	Microsoft Access can't read the OLE object.@Delete the object in the bound object frame, and then re-create it.@@1@@@@1
2697	There was a problem loading the   object.@The object you tried to create or edit is not a valid OLE object.@Re-create the object, and then embed or link it again.@1@1@9360@1
2698	The   object you tried to create or edit is too large to save. @* Your database may not contain enough space for the object. * Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@1@@@@1
2699	The connection with the OLE server was lost, or the OLE server encountered an error while you were using it.@Restart the OLE server, and then try the operation again.@@1@@@@1
2700	Microsoft Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation.@The OLE server or DLL may not be registered.@To register the OLE server or DLL, reinstall it.@1@@@@1
2701	The OLE server for the OLE object you tried to create is already open.@Switch to the OLE server window and close it. Then try to create or edit the OLE object again.@@1@@@@1
2702	The   object isn't registered.@The object may be calling an application that isn't installed.@To register the application, reinstall it.@1@@@@1
2703	Microsoft Access can't read the  1 object because communication was interrupted.@If the OLE server application is located on a network server, make sure your computer is connected to it.@@1@@@@1
2704	The   object you tried to edit doesn't have any displayable information.@@@2@1@9360@1
2707	Microsoft Access can't open the file containing the OLE object. @* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. * The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: * Make sure the file is available and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1
2711	The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid. @* You may not have entered, or may have misspelled, the file name. * The unit of data (such as a range of cells from a worksheet) may not be valid.@Try one of the following: * Make sure the file is installed on your computer and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@3@1010959@1
2713	A problem occurred when Microsoft Access tried to access the  1 object. @* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. * The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: * Make sure that the file is installed on your computer and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1
2714	The   object doesn't support verbs that can be performed on an OLE object, such as play or edit.@Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object.@1@1@6970@1



Error Number	Error Description
2715	The index for the Action or the Verb property for the   object is invalid.@The setting you entered may be a negative number or may be too large.@@1@1@6967@1
2717	The   object has no information that can be displayed.@You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty.@Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.@1@1@9360@1
2719	A problem occurred while accessing the  1 object. @* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. * The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.@@1@@@1
2723	The   object doesn't support the attempted operation.@The OLE object was changed to a picture, or the link to the object was broken.@If you want to perform the operation, delete the OLE object, and then embed or link it again.@1@1@9360@1
2724	One or more dynamic-link libraries required for using OLE objects is an incorrect version.@Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@185309@1
2725	The OLE server isn't registered.@To register the OLE server, reinstall it.@@1@@@1
2726	Microsoft Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1
2727	Microsoft Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1
2729	The OLE object you tried to edit is busy.@Try again later.@@1@@@1
2730	There was a problem communicating with the OLE server.@Try again later. If you still can't access the object, try one or more of the following: * Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. * Reinstall the OLE server to make sure it's registered. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@@@1
2731	An error occurred while accessing the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@1
2732	Microsoft Access can't read the  1 object.@Communication between Microsoft Access and the OLE server was interrupted.@Make sure your computer is connected to the network server on which the OLE server is located.@1@@@1
2733	The OLE object you tried to edit can't be accessed.@You don't have permission to change the object, or another user opened and locked the object.@@1@@@1
2734	You can't save the   object now.@The OLE server is running an operation, or another user opened and locked the object.@Try to save the object again later.@1@@@1
2735	This disk is write-protected. You can't save the   object to it.@@1@@@1
2737	Microsoft Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command.@You may have misspelled the file name, or the file may have been deleted or renamed.@If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.@1@@@1
2738	There isn't enough memory to complete the operation.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
2739	An error occurred during the operation with an OLE object.@The object is in use.@@1@@@1
2741	Your computer ran out of disk space while Microsoft Access was saving the changes you made to the  1 object.@For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'. @1@@@1
2742	Microsoft Access was unable to create more files.@Your computer may be low on memory or disk space.@Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@1@@@1

Error Number	Error Description
2743	The   object is stored in a format that is incompatible with the version of OLE on your computer.@@@1@@@1
2744	Microsoft Access can't find the OLE server.@The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.@@1@1@6973@1
2745	Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access, the Share program, and Vshare.386.@If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@185309@3
2746	You can't switch to Design view because your form contains too many OLE objects.@Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.@@1@@@1
2747	The OLE server can't display the  1 object.@There is a problem with the file containing the OLE object, or there isn't enough memory available.@Open the OLE server outside of Microsoft Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@@1
2748	The Automation object operation isn't available for the   object.@Check the component's documentation for information on which operations are available for an Automation object.@@1@@@@1
2749	There isn't enough memory to complete the Automation object operation on the   object.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@@1
2750	The operation on the   object failed.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@@1
2751	The Exit or Update operation failed.@You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Access was saving the changes you made to an OLE object in a form or report.@Try to exit or update again.@1@@@@1
2753	A problem occurred while Microsoft Access was communicating with the OLE server or ActiveX Control.@Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again in Microsoft Access.@@1@@@@1
2754	A problem occurred while Microsoft Access was communicating with the OLE server.@Try one or more of the following: * Make sure you're connected to the network server where the OLE server application is located. * Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access. * Reinstall the OLE server to ensure that it's registered.@@1@@@@1
2755	There was a problem referencing a property or method of the object.@You tried to run a Visual Basic procedure that references an object property or method.@Try one or more of the following: * Make sure the component is properly registered. * Make sure your computer is connected to the network server where the component is located. * Close the component and restart it outside of Microsoft Access. Then try again to run the procedure in Microsoft Access.@1@@@@1
2756	A problem occurred when Microsoft Access tried to access the OLE object.@Close the Microsoft Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object.@@1@@@@1
2757	There was a problem accessing a property or method of the OLE object.@Try one or more of the following: * Verify that the OLE server is registered correctly by reinstalling it. * Make sure your computer is connected to the server on which the OLE server application resides. * Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access.@@1@@@@1
2759	The method you tried to invoke on an object failed.@* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. * There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@@1
2760	An error occurred while referencing the object.@You tried to run a Visual Basic procedure that improperly references a property or method of an object.@@1@@@@1
2761	There was a problem referencing a property or method of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@@1
2762	returned an error while referencing a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@@1
2763	1 returned the error:  2.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@@1

Error Number	Error Description
2764	The object's property or method can't be set.@You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1
2765	Visual Basic can't convert the data type of one of the arguments you entered.@You tried to run a Visual Basic procedure that executes a method or sets a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2766	The object doesn't contain the Automation object ' '.@You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2767	The object doesn't support American English; it was developed using a different language.@Use a version of the object developed in Visual Basic that supports the language you are using.@@1@@@1
2768	The number you used to reference an element in the array is outside the bounds of the array.@For example, the array is from 0 through 10, and you entered a -1 or an 11.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2769	A property of the Automation object requires or returns a data type that isn't supported by Visual Basic.@You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2770	The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.@@@1@@@1
2771	The bound or unbound object frame you tried to edit does not contain an OLE object.@Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.@@1@1@9360@1
2774	The component doesn't support Automation.@You tried to run a Visual Basic procedure that references an Automation object.@Check the component's documentation for information on whether it supports Automation.@1@@@1
2775	You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure.@Specify fewer arguments, or close unneeded programs, and then try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
2777	The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid.@Try one of the following: * Make sure the file is installed on your computer and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@3@1010851@1
2778	Microsoft Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1
2782	You must specify a property or method for the object.@You tried to run a Visual Basic procedure that references and sets a property or method for the object.@Enter a property or method for the object.@1@1@6968@1
2783	You entered an invalid setting for the Action property.@Use one of the Microsoft Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.@@2@1@6967@1
2784	The path you entered for the SourceDoc property setting for a linked OLE object is too long.@Move the file to a location with a shorter path.@@1@1@6973@1
2785	The OLE server wasn't able to open the object.* The OLE server may not be installed. * You may have specified an invalid setting for the SourceDoc or Sourceltem property in a property sheet, a macro, or a Visual Basic procedure.@To see the valid settings for either of these properties, search the Help index for the property topic.@1@1@6973@1
2786	The OLE server doesn't support linking.@You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link.@@1@@@1
2788	The   object isn't a linked object.@The property you tried to set in Visual Basic applies only to linked objects.@@1@@@1
2790	You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked.@Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object.@@1@1@6439@1
2791	Microsoft Access can't link the OLE object or the bound or unbound object frame.@The OLETypeAllowed property for the bound or unbound object frame is set to Embedded.@Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.@1@1@6439@1
2792	You can't save a locked OLE object.@@@1@@@1

Error Number	Error Description
2793	Microsoft Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1
2794	The ActiveX control you tried to insert isn't registered.@For information on registering an ActiveX control, click Help.@@2@1@12639@1
2797	This OLE object was created in an earlier version of OLE so it can't be displayed as an icon.@For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.@@1@@@1
2798	You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@1@13790@1
2799	The OLE object can't be activated upon receiving the focus.@If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1
2800	This object is locked. Any changes you make will be discarded when the form is closed.@Click the File tab, point to Save As, and save the object under a different name.@@1@@@0
2801	The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized.@@@1@1@9015@1
2802	You can't insert an ActiveX control in a bound or unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@@@1
2803	You don't have the license required to use this ActiveX control.@You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control.@To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control.@1@@@1
2804	You can't create an ActiveX control in an unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@1@11711@1
2805	There was an error loading an ActiveX control on one of your forms or reports.@Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help.@@2@1@12639@1
2806	Microsoft Access doesn't support this ActiveX control.@@@1@@@1
2807	You can't paste this object as the type you specified.@Choose another object type.@@1@@@1
2808	Microsoft Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc.@Rerun the Microsoft Access Setup program.@@1@@@3
2811	Microsoft Access is unable to create the data access page.
2812	@The path specified was invalid, or may be too long.@Please check the path and ensure it is correct.@1@@@1
2813	@The file could not be opened. It may currently be in use.@@1@@@1
2814	@Unable to save the file.@@1@@@1
2815	@Unable to save the file to an alternate location.@@1@@@1
2816	@Unable to close the file.@@1@@@1
2817	Microsoft Access is unable to save (or send) the data access page.
2818	Microsoft Access is unable to retrieve the file:  1.@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@
2819	Microsoft Access is unable to open the data access page.
2820	Microsoft Access is unable to change the BASE HREF for your document.
2821	File in use
2822	Microsoft Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state. Please attempt to save to a different location.@@1@@@
2823	The Microsoft Access data access page name ' 1' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@@1
2824	@You do not have adequate file permissions.@@1@@@1
2825	@The file does not exist, or you do not have read access to the file.@@1@@@1
2827	@File read error.@@1@@@1
2828	@File write error.@The disk may be full.@1@@@1
2832	@Check file permissions and delete them from their location in your computer's file system.@@1@@@1

Error Number	Error Description
2833	@An unexpected error has occurred.@@1@@@1
2835	@An attempt to create this file has failed.@Please select another location and retry the operation.@1@@@1
2837	@There was not enough memory.@Please close other applications and try the operation again.@1@@@1
2838	Microsoft Access is unable to preview the selected theme.
2839	@An attempt to create a temporary file has failed.@Please confirm that you have adequate disk space on your system drive and try the operation again.@1@@@1
2840	@Unable to read the list of supporting files from the data access page.@@1@@@1
2842	Microsoft Access encountered an error after saving (or sending) your data access page.
2845	Microsoft Access is unable to open the data access page from the mail envelope.
2846	@The save destination is full.@Please clear space at the destination or save to another location.@1@@@1
2847	@Unable to create a folder for the supporting files.@You may not have adequate permissions at the save destination.@1@@@1
2848	@The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@@1
2849	@There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@@1
2850	@You do not have write permission at the save destination.@@1@@@1
2851	@You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@@1
2854	Microsoft Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@@1
2855	Microsoft Access could not delete one or more files related to the page.
2859	Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.@@1@@@1
2860	You cannot insert a bound field to a caption or record navigation section.
2861	Microsoft Access is unable to preview the selected web page.
2862	@Access cannot open the specified file type from a Web server.@You may have selected the wrong file.@1@@@1
2863	@Unable to create or load a file due to network or access permission problems.@@1@@@1
2864	@This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@@1
2865	@The disk is write-protected.@@1@@@1
2866	@Unexpected data corruption failure.@@1@@@1
2867	@Unexpected data I/O failure.@@1@@@1
2868	@You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@@1
2869	@The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file. Please contact the database administrator.@1@@@1
2870	Microsoft Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@@1@@@1
2871	Microsoft Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1
2873	@The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@@1
2874	Cannot move or paste the grouping field ' ' into a section at a higher group level
2875	@Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@@1
2876	The data definition of this data access page has been corrupted and can't be repaired. You must recreate the page. Save has been disabled.
2877	In a Microsoft Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Access project (.adp), you can't group on a control bound to a field that has an Image or Text data type.
2878	You cannot add a bound field to a caption or record navigation section.
2879	Caption and record navigation sections cannot contain bound fields.
2880	Can't edit pages that contain framesets.

Error Number	Error Description
2881	This web page contains XML namespaces that may conflict with Access namespaces. You should edit the HTML source to ensure that all namespaces have a unique prefix.
2882	@The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@@1
2883	A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@@1
2884	Cannot find the database or some database objects that this page refers to. Update the connection information of the page, or fix the references to the missing database objects.
2885	This page uses a database which is not supported. You will not be able to make data changes until you connect to a supported database
2886	Components necessary for data access pages are not installed.
2887	@The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@@1
2888	Microsoft Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.
2889	This section cannot be deleted.
2890	You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@@1
2892	You can't move the group filter control to another section. Delete the group filter control from the current section and create it in a different section.
2893	A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@@1
2894	The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@@1
2895	This page was designed with a version of the Microsoft Office Web Components that is not currently installed on this machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location.
2896	The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@@1
2897	You have opened a page that was last modified using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components. Do you want Access to convert this page by saving it using a more recent version of the Microsoft Office Web Components?
2898	Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is: ' 1'
2899	Microsoft Access could not create a backup copy of your original page. This page cannot be opened.
2900	Microsoft Access could not upgrade the Office Web Components on your page. This page cannot be opened.
2901	Error loading ActiveX control ' 1' on form or report ' 2'.
2902	Access is unable to save the   object because it does not support persistence, or your computer may have run out of disk space.
2903	Do you want to set this folder as the default location for data access pages?@ @@19@@@1
2904	You must match each field on the left with a field on the right.@@@1@@@1
2905	You must choose a linking field for every parameter.@@@1@@@1
2906	' ' contains no fields that can participate in a relationship.@The contents of the RecordSource property may be invalid, or the RecordSource may contain only fields that are not acceptable for use in a join.@Correct the RecordSource property for this form or report and try your field operation again.@1@@@1
2907	Do you want to revert to the saved ' '?@@@19@@@1
2908	The Control ID ' ' is already in use. Specify a different ID for the control.
2909	This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@1@@@1
2910	This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@1@@@1
2911	You cannot change the data access page path while it is open.@Please close the page and try again.@@1@@@1
2912	If you create a Data Access Page in this version of Access, you cannot open it in Design view in Access 2000.@If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@3@@@1
2913	Cannot save to a URL address with a bookmark.@Please specify a valid path.@@1@@@1

Error Number	Error Description
2914	Microsoft Access could not link to a connection file.@A connection string will be embedded in the page.@@1@@@1
2915	Microsoft Access is unable to connect to the data source specified in the connection string of this page.@The server may not exist on the network, or there may be an error in the connection string information for this page.@@1@@@1
2916	You cannot edit HTML pages created using PowerPoint in Microsoft Access.
2917	Invalid HTML color value.
2918	Unable to open or read this connection file.@Either the file has been damaged or the file format is not valid.@@1@@@1
2919	You can't place this control in the section you specified.
2920	Microsoft Access is unable to load the database schema.@Save has been disabled.@Either repair or reinstall Microsoft Office.@1@@@1
2921	Microsoft Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Access.
2922	Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components. The backup page name is: '1'
2923	You do not have the correct permissions. Contact the server administrator.
2924	You cannot compact a file that was opened from a Web Server.
2925	You cannot encrypt a file that was opened from a Web Server.
2926	Because of your security settings and current security policy, this control is disabled. To modify your policy and enable the database, use the Message Bar.
3000	Reserved error ({}); there is no message for this error.
3001	Invalid argument.
3002	Could not start session.
3003	Could not start transaction; too many transactions already nested.
3005	' ' is not a valid database name.
3006	Database ' ' is exclusively locked.
3007	Cannot open library database ' '.
3008	The table ' ' is already opened exclusively by another user, or it is already open through the user interface and cannot be manipulated programmatically.
3009	You tried to lock table ' ' while opening it, but the table cannot be locked because it is currently in use. Wait a moment, and then try the operation again.
3010	Table ' ' already exists.
3011	The Microsoft Access database engine could not find the object ' '. Make sure the object exists and that you spell its name and the path name correctly. If ' ' is not a local object, check your network connection or contact the server administrator.
3012	Object ' ' already exists.
3013	Could not rename installable ISAM file.
3014	Cannot open any more tables.
3015	Index not found.
3016	Field will not fit in record.
3017	The size of a field is too long.
3018	Could not find field.
3019	Operation invalid without a current index.
3020	Update or CancelUpdate without AddNew or Edit.
3021	No current record.
3022	The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship. Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again.
3023	AddNew or Edit already used.
3024	Could not find file ' '.
3025	Cannot open any more files.
3026	Not enough space on disk.
3027	Cannot update. Database or object is read-only.
3028	Cannot start your application. The workgroup information file is missing or opened exclusively by another user.

Error Number	Error Description
3029	Not a valid account name or password.
3030	' ' is not a valid account name.
3031	Not a valid password.
3032	Cannot perform this operation.
3033	You do not have the necessary permissions to use the ' ' object. Have your system administrator or the person who created this object establish the appropriate permissions for you.
3034	You tried to commit or rollback a transaction without first beginning a transaction.
3035	System resource exceeded.
3036	Database has reached maximum size.
3037	Cannot open any more tables or queries.
3038	System resource exceeded.
3039	Could not create index; too many indexes already defined.
3040	Disk I/O error during read.
3041	Cannot open a database created with a previous version of your application.
3042	Out of MS-DOS file handles.
3043	Your network access was interrupted. To continue, close the database, and then open it again.
3044	' ' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides.
3045	Could not use ' '; file already in use.
3046	Could not save; currently locked by another user.
3047	Record is too large.
3048	Cannot open any more databases.
3049	Cannot open database ' '. It may not be a database that your application recognizes, or the file may be corrupt.
3050	Could not lock file.
3051	The Microsoft Access database engine cannot open or write to the file ' '. It is already opened exclusively by another user, or you need permission to view and write its data.
3052	File sharing lock count exceeded. Increase MaxLocksPerFile registry entry.
3053	Too many client tasks.
3054	Too many Memo, OLE, or Hyperlink Object fields.
3055	Not a valid file name.
3056	Could not repair this database.
3057	Operation not supported on linked tables.
3058	Index or primary key cannot contain a Null value.
3059	Operation canceled by user.
3060	Wrong data type for parameter ' '.
3061	Too few parameters. Expected  .
3062	Duplicate output alias ' '.
3063	Duplicate output destination ' '.
3064	Cannot open action query ' '.
3065	Cannot execute a select query.
3066	Query must have at least one destination field.
3067	Query input must contain at least one table or query.
3068	Not a valid alias name.
3069	The action query ' ' cannot be used as a row source.
3070	The Microsoft Access database engine does not recognize ' ' as a valid field name or expression.
3071	This expression is typed incorrectly, or it is too complex to be evaluated. For example, a numeric expression may contain too many complicated elements. Try simplifying the expression by assigning parts of the expression to variables.
3073	Operation must use an updateable query.
3074	Cannot repeat table name ' ' in FROM clause.
3075	1 in query expression ' 2'.
3076	in criteria expression.
3077	in expression.



Error Number	Error Description
3078	The Microsoft Access database engine cannot find the input table or query ' '. Make sure it exists and that its name is spelled correctly.
3079	The specified field ' ' could refer to more than one table listed in the FROM clause of your SQL statement.
3080	Joined table ' ' not listed in FROM clause.
3081	Cannot join more than one table with the same name ( ).
3082	JOIN operation ' ' refers to a field that is not in one of the joined tables.
3083	Cannot use internal report query.
3084	Cannot insert data with action query.
3085	Undefined function ' ' in expression.
3086	Could not delete from specified tables.
3087	Too many expressions in GROUP BY clause.
3088	Too many expressions in ORDER BY clause.
3089	Too many expressions in DISTINCT output.
3090	Resultant table not allowed to have more than one AutoNumber field.
3091	HAVING clause ( ) without grouping or aggregation.
3092	Cannot use HAVING clause in TRANSFORM statement.
3093	ORDER BY clause ( ) conflicts with DISTINCT.
3094	ORDER BY clause ( ) conflicts with GROUP BY clause.
3095	Cannot have aggregate function in expression ( ).
3096	Cannot have aggregate function in WHERE clause ( ).
3097	Cannot have aggregate function in ORDER BY clause ( ).
3098	Cannot have aggregate function in GROUP BY clause ( ).
3099	Cannot have aggregate function in JOIN operation ( ).
3100	Cannot set field ' ' in join key to Null.
3101	The Microsoft Access database engine cannot find a record in the table ' 2' with key matching field(s) ' 1'.
3102	Circular reference caused by ' '.
3103	Circular reference caused by alias ' ' in query definition's SELECT list.
3104	Cannot specify fixed column heading ' ' in a crosstab query more than once.
3105	Missing destination field name in SELECT INTO statement ( ).
3106	Missing destination field name in UPDATE statement ( ).
3107	Record(s) cannot be added; no insert permission on ' '.
3108	Record(s) cannot be edited; no update permission on ' '.
3109	Record(s) cannot be deleted; no delete permission on ' '.
3110	Could not read definitions; no read definitions permission for table or query ' '.
3111	Could not create; no modify design permission for table or query ' '.
3112	Record(s) cannot be read; no read permission on ' '.
3113	Cannot update ' '; field not updateable.
3114	Cannot include Memo, OLE, or Hyperlink Object when you select unique values ( ).
3115	Cannot have Memo, OLE, or Hyperlink Object fields in aggregate argument ( ).
3116	Cannot have Memo, OLE, or Hyperlink Object fields in criteria ( ) for aggregate function.
3117	Cannot sort on Memo, OLE, or Hyperlink Object ( ).
3118	Cannot join on Memo, OLE, or Hyperlink Object ( ).
3119	Cannot group on Memo, OLE, or Hyperlink Object ( ).
3120	Cannot group on fields selected with '*' ( ).
3121	Cannot group on fields selected with '*'.
3122	You tried to execute a query that does not include the specified expression ' ' as part of an aggregate function.
3123	Cannot use '*' in crosstab query.
3124	Cannot input from internal report query ( ).
3125	' ' is not a valid name. Make sure that it does not include invalid characters or punctuation and that it is not too long.
3126	Invalid bracketing of name ' '.
3127	The INSERT INTO statement contains the following unknown field name: ' '. Make sure you have typed the name correctly, and try the operation again.

Error Number	Error Description
3128	Specify the table containing the records you want to delete.
3129	Invalid SQL statement; expected 'DELETE', 'INSERT', 'PROCEDURE', 'SELECT', or 'UPDATE'.
3130	Syntax error in DELETE statement.
3131	Syntax error in FROM clause.
3132	Syntax error in GROUP BY clause.
3133	Syntax error in HAVING clause.
3134	Syntax error in INSERT INTO statement.
3135	Syntax error in JOIN operation.
3136	The LEVEL clause includes a reserved word or argument that is misspelled or missing, or the punctuation is incorrect.
3137	Missing semicolon (;) at end of SQL statement.
3138	Syntax error in ORDER BY clause.
3139	Syntax error in PARAMETER clause.
3140	Syntax error in PROCEDURE clause.
3141	The SELECT statement includes a reserved word or an argument name that is misspelled or missing, or the punctuation is incorrect.
3142	Characters found after end of SQL statement.
3143	Syntax error in TRANSFORM statement.
3144	Syntax error in UPDATE statement.
3145	Syntax error in WHERE clause.
3146	ODBC--call failed.
3151	ODBC--connection to ' ' failed.
3154	ODBC--could not find DLL ' '.
3155	ODBC--insert on a linked table ' ' failed.
3156	ODBC--delete on a linked table ' ' failed.
3157	ODBC--update on a linked table ' ' failed.
3158	Could not save record; currently locked by another user.
3159	Not a valid bookmark.
3160	Table is not open.
3161	Could not decrypt file.
3162	You tried to assign the Null value to a variable that is not a Variant data type.
3163	The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.
3164	Field cannot be updated.
3165	Could not open .inf file.
3166	Cannot locate the requested Xbase memo file.
3167	Record is deleted.
3168	Invalid .inf file.
3169	The Microsoft Access database engine could not execute the SQL statement because it contains a field that has an invalid data type.
3170	Could not find installable ISAM.
3171	Could not find network path or user name.
3172	Could not open Paradox.net.
3173	Could not open table 'MSysAccounts' in the workgroup information file.
3174	Could not open table 'MSysGroups' in the workgroup information file.
3175	Date is out of range or is in an invalid format.
3176	Could not open file ' '.
3177	Not a valid table name.
3179	Encountered unexpected end of file.
3180	Could not write to file ' '.
3181	Invalid range.
3182	Invalid file format.
3183	The query cannot be completed. Either the size of the query result is larger than the maximum size of a database (2 GB), or there is not enough temporary storage space on the disk to store the query result.

Error Number	Error Description
3184	Could not execute query; could not find linked table.
3185	SELECT INTO on a remote database tried to produce too many fields.
3186	Could not save; currently locked by user ' 2' on machine ' 1'.
3187	Could not read; currently locked by user ' 2' on machine ' 1'.
3188	Could not update; currently locked by another session on this machine.
3189	Table ' 1' is exclusively locked by user ' 3' on machine ' 2'.
3190	Too many fields defined.
3191	Cannot define field more than once.
3192	Could not find output table ' '. (expression)
3196	The database ' ' is already in use by another person or process. When the database is available, try the operation again.
3197	The Microsoft Access database engine stopped the process because you and another user are attempting to change the same data at the same time.
3198	Could not start session. Too many sessions already active.
3199	Could not find reference.
3200	The record cannot be deleted or changed because table ' ' includes related records.
3201	You cannot add or change a record because a related record is required in table ' '. Could not save; currently locked by another user.
3202	
3203	Subqueries cannot be used in the expression ( ).
3204	Database already exists.
3205	Too many crosstab column headers ( ).
3206	Cannot create a relationship between a field and itself.
3207	Operation not supported on a Paradox table with no primary key.
3208	Invalid Deleted setting in the Xbase key of the Windows Registry.
3210	The connection string is too long. The connection string cannot exceed 255 characters.
3211	The database engine could not lock table ' ' because it is already in use by another person or process.
3212	Could not lock table ' 1'; currently in use by user ' 3' on machine ' 2'.
3213	Invalid Date setting in the Xbase key of the Windows Registry.
3214	Invalid Mark setting in the Xbase key of the Windows Registry.
3215	Too many Btrieve tasks.
3216	Parameter ' ' specified where a table name is required.
3217	Parameter ' ' specified where a database name is required.
3218	Could not update; currently locked.
3219	Invalid operation.
3220	Incorrect collating sequence.
3221	Invalid settings in the Btrieve key of the Windows Registry.
3222	Query cannot contain a Database parameter.
3223	' ' is invalid because it is too long, or contains invalid characters.
3224	Cannot read Btrieve data dictionary.
3225	Encountered a record locking deadlock while performing a Btrieve operation.
3226	Errors encountered while using the Btrieve DLL.
3227	Invalid Century setting in the Xbase key of the Windows Registry.
3228	Selected collating sequence not supported by the operating system.
3229	Btrieve--cannot change field.
3230	Out-of-date Paradox lock file.
3231	ODBC--field would be too long; data truncated.
3232	ODBC--could not create table.
3234	ODBC--remote query timeout expired.
3235	ODBC--data type not supported on server.
3238	ODBC--data out of range.
3239	Too many active users.
3240	Btrieve--missing Btrieve engine.

Error Number	Error Description
3241	Btrieve--out of resources.
3242	Invalid reference in SELECT statement.
3243	None of the import field names match fields in the appended table.
3244	Cannot import password-protected spreadsheet.
3245	Could not parse field names from the first row of the import table.
3246	Operation not supported in transactions.
3247	ODBC--linked table definition has changed.
3248	Invalid NetworkAccess setting in the Windows Registry.
3249	Invalid PageTimeout setting in the Windows Registry.
3250	Could not build key.
3251	Operation is not supported for this type of object.
3252	Cannot open a form whose underlying query contains a user-defined function that attempts to set or get the form's RecordsetClone property.
3254	ODBC--Cannot lock all records.
3256	Index file not found.
3257	Syntax error in WITH OWNERACCESS OPTION declaration.
3258	The SQL statement could not be executed because it contains ambiguous outer joins. To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement.
3259	Invalid field data type.
3260	Could not update; currently locked by user ' 2' on machine ' 1'.
3261	Table ' ' is exclusively locked by user ' 2' on machine ' 1'.
3262	Could not lock table
3263	Invalid Database object.
3264	No field defined--cannot append TableDef or Index.
3265	Item not found in this collection.
3266	Cannot append a Field that is already a part of a Fields collection.
3267	Property can be set only when the Field is part of a Recordset object's Fields collection.
3268	Cannot set this property once the object is part of a collection.
3269	Cannot append an Index that is already a part of an Indexes collection.
3270	Property not found.
3271	Invalid property value.
3272	Object is not a collection.
3273	Method not applicable for this object.
3274	External table is not in the expected format.
3275	Unexpected error from external database driver ( ).
3276	Invalid database object reference.
3277	Cannot have more than 10 fields in an index.
3278	The Microsoft Access database engine has not been initialized.
3279	The Microsoft Access database engine has already been initialized.
3280	Cannot delete a field that is part of an index or is needed by the system.
3281	Cannot delete this index or table. It is either the current index or is used in a relationship.
3282	Operation not supported on a table that contains data.
3283	Primary key already exists.
3284	Index already exists.
3285	Invalid index definition.
3286	Format of memo file does not match specified external database format.
3287	Cannot create index on the given field.
3288	Paradox index is not primary.
3289	Syntax error in CONSTRAINT clause.
3290	Syntax error in CREATE TABLE statement.
3291	Syntax error in CREATE INDEX statement.
3292	Syntax error in field definition.

Error Number	Error Description
3293	Syntax error in ALTER TABLE statement.
3294	Syntax error in DROP INDEX statement.
3295	Syntax error in DROP TABLE or DROP INDEX.
3296	JOIN expression not supported.
3297	Could not import table or query. No records found, or all records contain errors.
3298	There are several tables with that name. Please specify owner in the format 'owner.table'.
3299	ODBC Specification Conformance Error ( ). Report this error to the developer of your application.
3300	Cannot create a relationship.
3301	Cannot perform this operation; features in this version are not available in databases with older formats.
3302	Cannot change a rule while the rules for this table are in use.
3303	Cannot delete this field. It is part of one or more relationships.
3304	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.
3305	Invalid connection string in pass-through query.
3306	You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause. Revise the SELECT statement of the subquery to request only one field.
3307	The number of columns in the two selected tables or queries of a union query do not match.
3308	Invalid TOP argument in select query.
3309	Property value is too large.
3310	This property is not supported for external data sources or for databases created with a previous version of Microsoft Jet.
3311	Property specified already exists.
3312	Validation rules and default values cannot be placed on system or linked tables.
3313	Cannot place this validation expression on this field.
3314	You must enter a value in the ' ' field.
3315	Field ' ' cannot be a zero-length string.
3317	One or more values are prohibited by the validation rule ' 2' set for ' 1'. Enter a value that the expression for this field can accept.
3318	Values specified in a TOP clause are not allowed in delete queries or reports.
3319	Syntax error in union query.
3320	in table-level validation expression.
3321	No database specified in connection string or IN clause.
3322	Crosstab query contains one or more invalid fixed column headings.
3323	The query cannot be used as a row source.
3324	The query is a DDL query and cannot be used as a row source.
3325	Pass-through query with ReturnsRecords property set to True did not return any records.
3326	This Recordset is not updateable.
3327	Field ' ' is based on an expression and cannot be edited.
3328	Table is read-only.
3329	Record in table ' ' was deleted by another user.
3330	Record in table ' ' is locked by another user.
3331	To make changes to this field, first save the record.
3332	Cannot enter value into blank field on 'one' side of outer join.
3333	Records in table ' ' would have no record on the 'one' side.
3334	Can be present only in version 1.0 format.
3335	DeleteOnly called with non-zero cbData.
3336	Btrieve: Invalid IndexDDF option in initialization setting.
3337	Invalid DataCodePage option in initialization setting.
3338	Btrieve: Xtrieve options are not correct in initialization setting.
3339	Btrieve: Invalid IndexDeleteRenumber option in initialization setting.
3340	Query ' ' is corrupt.
3341	The current field must match the join key ' ' in the table that serves as the 'one' side of one-to-many relationship. Enter a record in the 'one' side table with the desired key value, and then make the entry with the desired join key in the 'many-only' table.
3342	Invalid Memo, OLE, or Hyperlink Object in subquery ' '.

Error Number	Error Description
3343	Unrecognized database format ' ' .
3344	The database engine does not recognize either the field ' 1' in a validation expression, or the default value in the table ' 2'.
3345	Unknown or invalid field reference ' ' .
3346	Number of query values and destination fields are not the same.
3347	Cannot add record(s); primary key for table ' '  not in recordset.
3348	Cannot add record(s); join key of table ' '  not in recordset.
3349	You cannot record your changes because a value you entered violates the settings defined for this table or list (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
3350	Object is invalid for operation.
3351	The ORDER BY expression ( ) includes fields that are not selected by the query. Only those fields requested in the first query can be included in an ORDER BY expression.
3352	No destination field name in INSERT INTO statement ( ).
3353	Btrieve: Cannot find file Field.ddf.
3354	At most one record can be returned by this subquery.
3355	Syntax error in default value.
3356	You attempted to open a database that is already opened exclusively by user ' 2' on machine ' 1'. Try again when the database is available.
3357	This query is not a properly formed data-definition query.
3358	Cannot open the Microsoft Access database engine workgroup information file.
3359	Pass-through query must contain at least one character.
3360	Query is too complex.
3361	Unions not allowed in a subquery.
3362	Single-row update/delete affected more than one row of a linked table. Unique index contains duplicate values.
3363	Record(s) cannot be added; no corresponding record on the 'one' side.
3364	Cannot use Memo, OLE, or Hyperlink Object field ' '  in the SELECT clause of a union query.
3365	Property value not valid for REMOTE objects.
3366	Cannot append a relation with no fields defined.
3367	Cannot append. An object with that name already exists in the collection.
3368	Relationship must be on the same number of fields with the same data types.
3370	Cannot modify the design of table ' ' . It is in a read-only database.
3371	Cannot find table or constraint.
3372	No such index ' 2' on table ' 1'.
3373	Cannot create relationship. Referenced table ' '  does not have a primary key.
3374	The specified fields are not uniquely indexed in table ' ' .
3375	Table ' 1' already has an index named ' 2'.
3376	Table ' '  does not exist.
3377	No such relationship ' 2' on table ' 1'.
3378	There is already a relationship named ' '  in the current database.
3379	Cannot create relationships to enforce referential integrity. Existing data in table ' 2' violates referential integrity rules in table ' 1'.
3380	Field ' 2' already exists in table ' 1'.
3381	There is no field named ' 2' in table ' 1'.
3382	Size of field ' '  is too long.
3383	Cannot delete field ' ' . It is part of one or more relationships.
3384	Cannot delete a built-in property.
3385	User-defined properties do not support a Null value.
3386	Property ' '  must be set before using this method.
3387	Cannot find TEMP directory.
3388	Unknown function ' 2' in validation expression or default value on ' 1'.
3389	Query support unavailable.
3390	Account name already exists.
3391	An error has occurred. Properties were not saved.
3393	Cannot perform join, group, sort, or indexed restriction. A value being searched or sorted on is too long.

Error Number	Error Description
3394	Cannot save property; property is a schema property.
3396	Cannot perform cascading operation. Since related records exist in table ' ', referential integrity rules would be violated.
3397	Cannot perform cascading operation. There must be a related record in table ' '.
3398	Cannot perform cascading operation. It would result in a null key in table ' '.
3399	Cannot perform cascading operation. It would result in a duplicate key in table ' '.
3400	Cannot perform cascading operation. It would result in two updates to field ' 2' in table ' 1'.
3401	Cannot perform cascading operation. It would cause field ' ' to become Null, which is not allowed.
3402	Cannot perform cascading operation. It would cause field ' ' to become a zero-length string, which is not allowed.
3403	Cannot perform cascading operation: ' '.
3404	Cannot perform cascading operation. The value entered is prohibited by the validation rule ' 2' set for ' 1'.
3405	Error ' ' in validation rule.
3406	The expression you are trying to use for the DefaultValue property is invalid because ' '. Use a valid expression to set this property.
3407	The server's MSysConf table exists, but is in an incorrect format. Contact your system administrator.
3408	Too many FastFind Sessions were invoked.
3409	Invalid field definition ' ' in definition of index or relationship.
3411	Invalid entry. Cannot perform cascading operation in table ' 1' because the value entered is too large for field ' 2'.
3412	Cannot perform cascading update on the table because it is currently in use by another user.
3413	Cannot perform cascading operation on table ' 1' because it is currently in use by user ' 3' on machine ' 2'.
3414	Cannot perform cascading operation on table ' 1' because it is currently in use.
3415	Zero-length string is valid only in a Text or Memo field.
3417	An action query cannot be used as a row source.
3418	Cannot open ' '. Another user has the table open using a different network control file or locking style.
3419	Cannot open this Paradox 4.x or 5.x table because ParadoxNetStyle is set to 3.x in the Windows Registry.
3420	Object invalid or no longer set.
3421	Data type conversion error.
3422	Cannot modify table structure. Another user has the table open.
3423	You cannot use ODBC to import from, export to, or link an external Microsoft Access or ISAM database table to your database.
3424	Cannot create database because the locale is invalid.
3425	This method or property is not currently available on this Recordset.
3426	This action was cancelled by an associated object.
3427	Error in DAO automation.
3428	A problem occurred in your database. Correct the problem by repairing and compacting the database.
3429	Incompatible version of an installable ISAM.
3430	While loading the Microsoft Excel installable ISAM, OLE was unable to initialize.
3431	This is not a Microsoft Excel 5.0 file.
3432	Error opening a Microsoft Excel 5.0 file.
3433	Invalid setting in Excel key of the Engines section of the Windows Registry.
3434	Cannot expand named range.
3435	Cannot delete spreadsheet cells.
3436	Failure creating file.
3437	Spreadsheet is full.
3438	The data being exported does not match the format described in the Schema.ini file.
3439	You attempted to link or import a Microsoft Word mail merge file. Although you can export such files, you cannot link or import them.
3440	An attempt was made to import or link an empty text file. To import or link a text file, the file must contain data.
3441	Text file specification field separator matches decimal separator or text delimiter.
3442	In the text file specification ' 1', the  2 option is invalid.
3443	The fixed width specification ' 1' contains no column widths.
3444	In the fixed width specification ' 1', column ' 2' does not specify a width.
3445	Incorrect version of the DLL file ' ' was found.

Error Number	Error Description
3446	VBAJET32.dll is missing. Try reinstalling the Microsoft Access database engine.
3447	VBAJET32.dll failed to initialize when called. Try reinstalling the Microsoft Access database engine.
3448	A call to an OLE system function was not successful. Try reinstalling the application that returned the error.
3449	No country/region code found in connection string for a linked table.
3450	Syntax error in query. Incomplete query clause.
3451	Illegal reference in query.
3452	You cannot make changes to the design of the database at this replica.
3453	You cannot establish or maintain an enforced relationship between a replicated table and a local table.
3455	Cannot make the database replicable.
3456	Cannot make the  2 object in  1 container replicable.
3457	You cannot set the KeepLocal property for an object that is already replicated.
3458	The KeepLocal property cannot be set on a database; it can be set only on the objects in a database.
3459	After a database has been replicated, you cannot remove the replication features from the database.
3460	The operation you attempted conflicts with an existing operation involving this member of the replica set.
3461	The replication property you are attempting to set or delete is read-only and cannot be changed.
3462	Failure to load a DLL.
3463	Cannot find the .dll ' 2'.
3464	Data type mismatch in criteria expression.
3465	The disk drive you are attempting to access is unreadable.
3468	Access was denied while accessing dropbox folder ' 2'.
3469	The disk for dropbox folder ' 2' is full.
3470	Disk failure accessing dropbox folder ' 2'.
3471	Failure to write to the Synchronizer log file.
3472	Disk full for path ' 1'.
3473	Disk failure while accessing log file ' 1'.
3474	Cannot open the log file ' 1' for writing.
3475	Sharing violation while attempting to open log file ' 1' in Deny Write mode.
3476	Invalid dropbox path ' 2'.
3477	Dropbox address ' 2' is syntactically invalid.
3478	The replica is not a partial replica.
3479	Cannot designate a partial replica as the Design Master for the replica set.
3480	The relationship ' ' in the partial filter expression is invalid.
3481	The table name ' ' in the partial filter expression is invalid.
3482	The filter expression for the partial replica is invalid.
3483	The password supplied for the dropbox folder ' 2' is invalid.
3484	The password used by the Synchronizer to write to a destination dropbox folder is invalid.
3485	The object cannot be replicated because the database is not replicated.
3486	You cannot add a second Replication ID AutoNumber field to a table.
3487	The database you are attempting to replicate cannot be converted.
3488	The value specified is not a ReplicaID for any member in the replica set.
3489	The object specified cannot be replicated because it is missing a necessary resource.
3490	Cannot create a new replica because the ' 2' object in ' 1' container could not be replicated.
3491	The database must be opened in exclusive mode before it can be replicated.
3492	The synchronization failed because a design change could not be applied to one of the replicas.
3493	Cannot set the specified Registry parameter for the Synchronizer.
3494	Unable to retrieve the specified Registry parameter for the Synchronizer.
3495	There are no scheduled synchronization's between the two Synchronizers.
3496	Replication Manager cannot find the ExchangeID in the MSysExchangeLog table.
3497	Unable to set a schedule for the Synchronizer.
3499	Cannot retrieve the full path information for a member of the replica set.
3500	You cannot specify two different Synchronizers to manage the same replica.
3502	The Design Master or replica is not being managed by a Synchronizer.
3503	The Synchronizer's Registry has no value set for the key you queried.



Error Number	Error Description
3504	The Synchronizer ID does not match an existing ID in the MSysTranspAddress table.
3505	You attempted to delete or get information about a partial filter that does not exist in MSysFilters.
3506	The Synchronizer is unable to open the Synchronizer log.
3507	Failure writing to the Synchronizer log.
3508	There is no active transport for the Synchronizer.
3509	Could not find a valid transport for this Synchronizer.
3510	The member of the replica set you are attempting to synchronize is currently being used in another synchronization.
3512	Failed to read the dropbox folder.
3513	Failed to write to the dropbox folder.
3514	Synchronizer could not find any scheduled or on-demand synchronization's to process.
3515	The Microsoft Access database engine could not read the system clock on your computer.
3516	Destination synchronizer is not configured to support indirect synchronronization, and the destination replica is unavailable for direct synchronization.
3517	Synchronizer could not find any messages to process.
3518	Could not find Synchronizer in the MSysTranspAddress table.
3519	Failed to send a message.
3520	The replica name or ID does not match a currently managed member of the replica set.
3521	Two members of the replica set cannot be synchronized because there is no common point to start the synchronization.
3522	Synchronizer cannot find the record of a specific synchronization in the MSysExchangeLog table.
3523	Synchronizer cannot find a specific version number in the MSysSchChange table.
3524	The history of design changes in the replica does not match the history in the Design Master.
3525	Synchronizer could not access the message database.
3526	The name selected for the system object is already in use.
3527	The Synchronizer or Replication Manager could not find the system object.
3528	There is no new data in shared memory for the Synchronizer or Replication Manager to read.
3529	The Synchronizer or Replication Manager found unread data in the shared memory. The existing data will be overwritten.
3530	The Synchronizer is already serving a client.
3531	The wait period for an event has timed out.
3532	Synchronizer could not be initialized.
3533	The system object used by a process still exists after the process has stopped.
3534	Synchronizer looked for a system event but did not find one to report to the client.
3535	Client has asked the Synchronizer to terminate operation.
3536	Synchronizer received an invalid message for a member of the replica set that it manages.
3537	The Synchronizer's client is no longer present and cannot be notified.
3538	Cannot initialize Synchronizer because there are too many applications running.
3539	A system error has occurred or your swap file has reached its limit.
3540	Your swap file has reached its limit or is corrupted.
3541	Synchronizer could not be shut down properly and is still active.
3542	Process stopped when attempting to terminate Synchronizer client.
3543	Synchronizer has not been set up.
3544	Synchronizer is already running.
3545	The two replicas you are attempting to synchronize are from different replica sets.
3546	The type of synchronization you are attempting is not valid.
3547	Synchronizer could not find a replica from the correct set to complete the synchronization.
3548	GUIDs do not match or the requested GUID could not be found.
3549	The file name you provided is too long.
3550	There is no index on the GUID column.
3551	Unable to delete the specified Registry parameter for the Synchronizer.
3552	The size of the Registry parameter exceeds the maximum allowed.
3553	The GUID could not be created.

Error Number	Error Description
3555	All valid nicknames for replicas are already in use.
3556	Invalid path for destination dropbox folder.
3557	Invalid address for destination dropbox folder.
3558	Disk I/O error at destination dropbox folder.
3559	Failure to write because destination disk is full.
3560	The two members of the replica set you are attempting to synchronize have the same ReplicaID.
3561	The two members of the replica set you are attempting to synchronize are both Design Masters.
3562	Access denied at destination dropbox folder.
3563	Fatal error accessing a local dropbox folder.
3564	Synchronizer cannot find the source file for messages.
3565	There is a sharing violation in the source dropbox folder because the message database is open in another application.
3566	Network I/O error.
3567	Message in dropbox folder belongs to the wrong Synchronizer.
3568	Synchronizer could not delete a file.
3569	This member of the replica set has been logically removed from the set and is no longer available.
3570	The filters defining a partial replica have been changed. The partial replica must be repopulated.
3571	The attempt to set a column in a partial replica violated a rule governing partial replicas.
3572	A disk I/O error occurred while reading or writing to the TEMP directory.
3573	The directory you queried for a list of replicas is not a managed directory.
3574	The ReplicaID for this member of the replica set was reassigned during a move or copy procedure.
3575	The disk drive you are attempting to write to is full.
3576	The database you are attempting to open is already in use by another application.
3577	Cannot update replication system column.
3578	Failure to replicate database; cannot determine whether the database is open in exclusive mode.
3579	Could not create replication system tables needed to make the database replicable.
3580	Could not add rows needed to make the database replicable.
3581	Cannot open replication system table ' ' because the table is already in use.
3582	Cannot make a new replica because the  2 object in  1 container could not be made replicable.
3583	Cannot make the  2 object in  1 container replicable.
3584	Insufficient memory to complete operation.
3585	Cannot replicate the table; the number of columns exceeds the maximum allowed.
3586	Syntax error in partial filter expression on table  1.
3587	Invalid expression in the ReplicaFilter property.
3588	Error when evaluating the partial filter expression.
3589	The partial filter expression contains an unknown function.
3590	Violates the rules for partial replicas.
3591	Log file path ' 1' is invalid.
3592	You cannot replicate a password-protected database or set password protection on a replicated database.
3593	You cannot change the data master attribute for the replica set.
3594	You cannot change the data master attribute for the replica set. It allows data changes only at the Design Master.
3595	The system tables in your replica are no longer reliable and the replica should not be used.
3600	Aggregation expressions cannot use GUIDs.
3605	Synchronizing with a non-replicated database is not allowed. The ' ' database is not a Design Master or replica.
3607	The replication property you are attempting to delete is read-only and cannot be removed.
3608	Record length is too long for an indexed Paradox table.
3609	No unique index found for the referenced field of the primary table.
3610	Same table ' ' referenced as both the source and destination in make-table query.
3611	Cannot execute data definition statements on linked data sources.
3612	Multi-level GROUP BY clause is not allowed in a subquery.
3613	Cannot create a relationship on linked ODBC tables.
3614	GUID not allowed in Find method criteria expression.
3615	Type mismatch in expression.

Error Number	Error Description
3616	Updating data in a linked table is not supported by this ISAM.
3617	Deleting data in a linked table is not supported by this ISAM.
3618	Exceptions table could not be created on import/export.
3619	Records could not be added to exceptions table.
3620	The connection for viewing your linked Microsoft Excel worksheet was lost.
3621	Cannot change password on a shared open database.
3622	You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an IDENTITY column.
3623	Cannot access the FoxPro 3.0 bound DBF file '  '.
3624	Could not read the record; currently locked by another user.
3625	The text file specification '  ' does not exist. You cannot import, export, or link using the specification.
3626	The operation failed. There are too many indexes on table '  '. Delete some of the indexes on the table and try the operation again.
3627	Cannot find the executable file for the Synchronizer (mstran40.exe).
3628	Partner replica is not managed by a Synchronizer.
3629	Synchronizer ' 1' is also using the same File System dropbox ' 2'.
3630	Synchronizer ' 1' is also using the same File System dropbox ' 2'.
3631	Invalid Table Name In Filter
3632	Internet Transport not enabled on the remote Synchronizer.
3633	Cannot load DLL: '  '.
3634	Cannot create a replica using a partial replica.
3635	Cannot create partial replica of a system database.
3636	Cannot populate the replica or change the replica's filter because the replica has conflicts or data errors.
3637	Cannot use the crosstab of a non-fixed column as a subquery.
3638	A Source Controlled database cannot be made replicable.
3639	Cannot create a replica of a System database.
3640	The fetch buffer was too small for the amount of data you requested.
3641	There are fewer records remaining in the recordset than you requested.
3642	A cancel was performed on the operation.
3643	One of the records in the recordset was deleted by another process.
3645	One of the binding parameters is incorrect.
3646	The specified row length is shorter than the sum of the column lengths.
3647	A column requested is not being returned to the recordset.
3648	Cannot synchronize a partial replica with another partial replica.
3649	The language-specific code page was not specified or could not be found.
3650	Either the Internet is very slow or there is some problem in the replication manager setup on the internet server machine.
3651	Invalid internet address.
3652	Internet login failure.
3653	Internet not set up.
3654	Internal internet failure.
3655	The wininet.dll cannot be loaded or initialized.
3656	Error in evaluating a partial expression
3657	Error in evaluating the boolean filter expression for table ' 1'.
3658	Binary column '  ' cannot be used in a boolean filter.
3659	Relationship ' 1' is unenforced. Relationship in a partial filter expression must be enforced.
3660	Requested exchange failed because ' 1'.
3661	Requested exchange failed because ' 1'.
3663	This operation requires a different cursor library.
3664	An asynchronous OpenConnection call is not yet complete; you cannot yet reference the returned connection object until it is complete.
3665	You cannot modify the replication system object '  '.
3666	You cannot modify the replication system object '  '.

Error Number	Error Description
3667	A different operation is preventing this operation from being executed.
3668	Cannot perform this operation because there is no active connection.
3669	Execution cancelled.
3670	Cursor is not valid.
3671	Cannot find table to update.
3672	Failed to load RDOCURS.DLL.
3673	This table contains cells that are outside the range of cells defined in this spreadsheet.
3674	Internet dll (wininet.dll) could not be found or loaded.
3675	Failure to read from an internet handle. Try the operation again.
3676	Failure to write to an internet handle. Try the operation again.
3677	Failure to execute the HTTP request to start internet synchronizer on the internet server. Use Replication Manager to configure internet synchronizer on the internet server.
3678	Failure to connect to the FTP service on the internet server. Make sure that FTP service is running properly on the server and supports anonymous connections.
3679	Failure to do open file using FTP service. Make sure that FTP dropbox has read permissions.
3680	Failure in getting a file from the server using FTP. Make sure that FTP dropbox has read permissions.
3681	Failure in putting a file to the server using FTP. Make sure that FTP dropbox has write permissions.
3682	Failure to delete a file on the server using FTP. Make sure that FTP dropbox has read and write permissions.
3683	Internet synchronizer exited unexpectedly on the server. Look at the partner replica exchange history on the internet server to figure out the problem.
3684	There is no suitable replica with which to exchange.
3685	Invalid HTTP address.
3686	Invalid replica path or name.
3687	Invalid SQL syntax - expected token: Option.
3688	Invalid SQL syntax - expected token: For.
3689	Invalid SQL syntax - expected token: Privileges.
3690	Invalid SQL syntax - expected a table right/privilege.
3691	Invalid SQL syntax - expected an object name.
3692	Invalid SQL syntax - related tokens did not match. The Microsoft Access database engine expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.
3693	Invalid SQL syntax - expected user or group name.
3694	Invalid SQL syntax - expected token: Grant.
3695	Invalid SQL syntax - GRANT/REVOKE syntax error.
3696	Invalid SQL syntax - expected token: User (or) Group.
3697	Invalid SQL syntax - expected token: Password.
3698	Invalid SQL syntax - expected password.
3699	Invalid SQL syntax - expected token: User.
3700	Invalid precision for decimal data type.
3701	Invalid scale for decimal data type.
3702	The width of a Unicode text column must be an even number of bytes.
3703	Operation not supported on replicable databases that have not been converted to the current version.
3704	You attempted to open a database that is already opened by user ' 2' on machine ' 1'. Try again when the database is available.
3705	Cannot make the  2 table replicable - too many columns.
3706	Cannot make the  2 table replicable - too many indexes.
3707	The cascading options for the new reference conflict with existing reference ' '.
3708	Syntax error in Transaction statement. Expected TRANSACTION, WORK, or nothing.
3709	The search key was not found in any record.
3710	MAPI folder or address book not found.
3711	Recovered replicable data. This row was recovered from a corrupted replicable database. Verify that the record contents are correct and then reinsert the record, or delete this conflict record.
3712	Other. This record was rejected due to an undefined replication conflict problem.
3713	Update/update conflict. Another replica also updated this record. This record lost the conflict. Either resubmit your update or delete this conflict record.

Error Number	Error Description
3714	Locked table. This record could not be applied during synchronization since the table was locked by another user. Resubmit this conflict record.
3715	Unique key violation. This record has the same key value as another record, whereas only unique values are permitted. Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record.
3716	TLV violation. This record contains a field value that does not meet the table level validation constraint. Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record.
3717	Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record.
3718	Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record.
3719	Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record.
3720	Cannot change field ' '. It is part of one or more relationships.
3721	Invalid SQL syntax - expected constraint name.
3722	Invalid SQL syntax - expected token: DEFAULT.
3723	Invalid SQL syntax - expected token: COMPRESSION to follow WITH.
3724	Invalid SQL syntax - expected token: UPDATE or DELETE.
3725	Invalid SQL syntax - expected token: CASCADE, SET NULL, or NO ACTION.
3726	Invalid SQL syntax - expected token: NULL.
3727	Invalid SQL syntax - only one update rule and/or one delete rule allowed.
3728	Invalid SQL syntax - expected token: AS.
3729	Invalid SQL syntax - expected token: SELECT.
3730	VIEW cannot contain a parameter.
3731	The number of aliases specified shall be the same as the number of output columns.
3732	Expected query name after EXECUTE.
3733	The database has been placed in a state by an unknown user that prevents it from being opened or locked.
3734	The database has been placed in a state by user ' 2' on machine ' 1' that prevents it from being opened or locked.
3735	Too many columns in inverted index.
3736	Update/delete conflict. This updated record was deleted at another replica. Either reinsert this conflict record or delete it.
3737	Cannot create this type of replica from the given source replica.
3738	Local or Anonymous replicas must synch only to their designated hub replica.
3739	The proxy replica has been removed.
3740	Cannot add a new column to conflict table ' '. Delete obsolete columns and compact the database.
3741	Invalid partner synchronizer. Local or anonymous replica must synchronize with designated hub replica.
3742	An internet function timed out.
3743	Replica has not been synchronized within the replica set retention period.
3744	Counter columns in replicable tables cannot be modified.
3745	The combined length of Internet Server Name, HTTP Share name, and FTP alias name should not be greater than 252 characters.
3746	Syntax error in parameters clause. Make sure the parameter exists and that you typed its value correctly.
3747	Parameter has no default value.
3748	Parameter   has no default value.
3749	The object is not a stored procedure.
3750	Object   is not a stored procedure.
3751	Requested row locking, but DB is in page lock mode.
3752	Requested page locking, but DB is in row lock mode.
3753	Cannot create replica of a Microsoft Access database engine SQL replica.

Error Number	Error Description
3754	Cannot delete from a Prevent Deletes Replica.
3755	CHECK constraint ' ' does not exist.
3756	CHECK constraint ' ' already exists.
3757	The Microsoft Access database engine sorting DLLs could not be loaded properly.
3758	Scaling of decimal value resulted in data truncation.
3759	Scaling of decimal value resulted in data truncation.
3760	Scaling of decimal value resulted in data overflow.
3761	The decimal field's precision is too small to accept the numeric you attempted to add.
3762	Invalid SQL syntax - expected token: ACTION.
3763	Concurrent schema changes caused the create replica operation to fail. Try again.
3764	Failed to re-create one or more indexes.
3765	Syntax error in CHECK constraint clause.
3766	Only simple SELECT queries are allowed in VIEWS.
3767	Table ' ' could not be made replicable because it could not be opened exclusively.
3768	FastFind cannot search on non-column references.
3769	Conflict tables cannot be renamed.
3770	Counter definition not in valid range.
3771	Local or Anonymous replicas cannot be made the design master.
3772	Without Administer permission, replica priority must be in the range 0 -  .
3773	Cannot delete one or more objects:  .
3774	Pin value is not valid.
3775	Unable to load Microsoft Access database SQL Server Reconciler - MSRPJT40.dll.
3776	Unable to exchange between two Microsoft Access database SQL Server Replicas.
3777	Illegal Operation performed on a Microsoft Access database SQL Server Replica.
3778	The Microsoft Access database is wrong or missing for this SQL/Microsoft Access database replica set.
3779	Unable to change Column Level Tracking Property on objects that are already Replicable.
3780	Invalid SQL syntax - expected a view name.
3781	Invalid SQL syntax - expected a procedure name.
3782	Invalid SQL syntax - currently only one column-level CHECK constraint is allowed.
3783	Invalid SQL syntax - cannot use multiple columns in a column-level CHECK constraint.
3784	Database is already replicable.
3785	Invalid SQL syntax - expected token: Database.
3786	Invalid SQL syntax - expected a database privilege, such as CREATEDB or CONNECT.
3787	This operation is not allowed in subqueries.
3788	Cannot create an index on this MAPI folder/addressbook.
3789	Illegal column-level constraint.
3790	This object requires a newer version of the Microsoft Access database engine.
3791	This index requires Microsoft Access database engine  .
3792	The index ' 2' requires Microsoft Access database engine  1.
3793	The column ' 2' requires Microsoft Access database engine  1.
3794	This table requires Microsoft Access database engine  .
3795	The table ' 2' requires Microsoft Access database engine  1.
3796	The version of AceRecr.DLL that was loaded was too old. Run setup again to get the correct version of this file.
3797	The SQL/Microsoft Access database engine exchange failed, look in the SQLServer Agent history for details.
3798	CHECK constraints are not allowed on replicable databases.
3799	Could not find field ' '.
3800	' ' is not an index in this table.
3801	The object ( ) cannot be used in a CHECK constraint clause.
3802	Error evaluating   CHECK constraint.
3803	DDL cannot be completed on this table because it is referenced by constraint   on table  .
3804	There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.
3805	CHECK constraints on table   will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.

Error Number	Error Description
3806	Cannot set multiple NULL, NOT NULL attributes.
3807	Query   contains an ambiguous column name that is conflicting with the correlation (alias) name  . Either fully qualify the column name or change the correlation (alias) name.
3808	Need a version 4.x or greater format system database to perform this operation.
3809	Query   was created with a later release of Microsoft Access database engine and may have syntax that this version of Microsoft Access database engine cannot execute. This query can only be executed with the version of Microsoft Access database that created it.
3810	Unrecognized keyword WHEN.
3811	Query could not be executed.
3812	You cannot update this field because the value you're trying to apply is not valid or would break a data integrity rule. Please correct and try again.
3813	SQL pass through queries are disabled.
3814	Columns that accept multiple values for a record cannot be included in a multiple-column relationship.
3815	Columns that accept multiple values for a record cannot be included in a multiple-column index.
3816	The unique index on the ' ' column cannot be deleted.
3817	The multi-valued field ' ' is not valid in a CROSSTAB query.
3818	Operation cannot be completed on this database because it uses attachments or multi-valued lookup fields.
3819	Find cannot be executed on columns that accept multiple values for a record.
3820	You cannot enter that value because it duplicates an existing value in the multi-valued lookup or attachment field. Multi-valued lookup or attachment fields cannot contain duplicate values.
3821	You cannot change a multi-valued lookup field to the selected data type.
3822	The value cannot be added to this new row until the row has been committed. Commit the row first, and then try adding the value.
3823	You cannot edit this field because it resides in a linked Excel spreadsheet. The ability to edit data in a linked Excel spreadsheet has been disabled in this Access release.
3824	An INSERT INTO query cannot contain a multi-valued field.
3825	SELECT * cannot be used in an INSERT INTO query when the source or destination table contains a multi-valued field.
3826	An UPDATE or DELETE query cannot contain a multi-valued field.
3827	Cannot perform an aggregate function on a multi-valued column when a JOIN clause contains a different multi-valued column.
3828	Cannot reference a table with a multi-valued field using an IN clause that refers to another database.
3829	The multi-valued field ' ' cannot be used in an ORDER BY clause.
3830	The multi-valued field ' ' cannot be used in a GROUP BY clause.
3831	The multi-valued field ' ' cannot be used in a WHERE or HAVING clause.
3832	The current file format no longer supports user-level security. The conversion or compaction process has removed any user-level permissions.
3833	The multi-valued field ' ' is not valid in the specified JOIN clause.
3834	The multi-valued field ' 1' is not valid in the expression ' 2'.
3835	The DISTINCT keyword cannot be used with the multi-valued field ' '.
3836	You are attempting to work with a Paradox file that requires the Borland Database Engine (BDE). Microsoft Access cannot load the BDE, or the BDE is not correctly installed. To correct this, run the setup program for the BDE.
3837	The multi-valued field ' ' cannot be used in a UNION query.
3838	Multi-valued fields are not allowed in SELECT INTO statements.
3839	The specified file exists already.
3840	The attachment you are adding exceeds the system resources available.
3841	Cannot connect to the SharePoint site ' '. Try again later.
3842	The expression ' ' must be part of an aggregate function.
3843	An INSERT INTO query that contains a multivalued field cannot contain another field.
3844	Cannot reference a multi-valued field in an UPDATE or DELETE statement that contains other fields.
3845	Microsoft Access does not support linking to an Access database or Microsoft Office Excel workbook saved in a format that is a later version than the current database format.
3846	The multi-valued field ' ' in an ORDER BY must also appear in the SELECT list.
3847	ODBCDirect is no longer supported. Rewrite the code to use ADO instead of DAO.

Error Number	Error Description
3848	You cannot record your changes because a value you entered violates the settings defined for field ' ' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
3849	Replication is only supported on Access 2000 or Access 2002-2003 format databases. Use the conversion feature in your application to convert the database to the proper format.
3850	This file was created in a previous beta version of Excel 2007. Open the file with Excel 2007 to save it to the most recent version of the Excel 2007 file format before opening the file in Access 2007 or greater.
3851	The schema for this table has changed. You must refresh the table before editing or adding new records.
3852	Cannot update a multivalued field if its parent recordset is not in edit mode. To place the parent recordset in edit mode use the AddNew or Edit method.
3853	Microsoft Access cannot create the database in the specified format because of a Group Policy set by your administrator. Create the database using a different file format or contact your administrator.
3854	This operation will fail because the text file you are about to import contains more than 255 columns. We recommend that you first make a backup copy of your source file, reduce the number of columns to 255 or less, and then try again.
3855	The Microsoft Access database engine cannot read the data in  1. The minimum required version to read the data is  2.
3856	The Microsoft Access database engine cannot update the data in  1. The minimum required version to update the data is  2.
3857	The Microsoft Access database engine cannot change the design of  1. The minimum required version to change the design is  2.
3858	Expression not supported for conversion
3859	The expression   cannot be used in a calculated column.
3860	The expression   cannot be converted in a query.
3861	The expression   cannot be converted in the results of a query.
3862	The expression   cannot be converted in a UI macro.
3863	The expression   cannot be converted in a default value.
3864	The expression   cannot be converted in a validation rule.
3865	The expression cannot be saved because it contains a circular reference.
3866	The expression cannot be saved because it refers to itself.
3867	The expression cannot be saved because it refers to another table.
3868	There is no data macro AXL stored for the specified table.
3869	The data macro AXL is incompatible with the server with which you are trying to synchronize.
3870	Microsoft Access cannot interpret the text you are pasting as a data macro. Correct the text and then try again.
3871	The specified argument is invalid.
3872	A data macro resource limit was hit. This may be caused by a data macro recursively calling itself. The Updated() function may be used to detect which field in a record has been updated to help prevent recursive calls.
3873	The ' 1' action failed because it is not supported from a ' 2' event.
3874	Type mismatch on field ' '.
3875	The data macro ' ' could not be found.
3876	The 'ExitForEachRecord' action is only available in a ForEachRecord loop.
3877	The 'SendEmail' action failed because no recipients were specified.
3878	The 'SendEmail' action failed because the current database is not trusted.
3879	The password is invalid; the message was not sent.
3880	The mail session could not be opened. You may be out of memory. Close other applications, and then try again. You may also want to check your mail application to ensure that it's working correctly.
3881	The e-mail could not be sent. Please ensure that your computer is configured to send and receive e-mail messages.
3882	This calculated column needs to be recalculated.
3883	This calculated column contains an invalid expression.
3884	The Microsoft Access database engine encountered an error while connecting to Data Services: ' '.
3885	The type of field ' ' cannot be used as part of a calculated column. Examples of unsupported types include multi-value and binary fields.
3887	A calculated column cannot be saved without a valid expression in the Expression property.
3888	Calculated columns cannot be used in system relationships.
3889	The variable ' ' could not be found.
3890	The identifier ' ' could not be found.



Error Number	Error Description
3891	Queries that contain linked tables, action queries, and database references are not allowed in data macros.
3892	The function ' ' is not valid for expressions used in data macros.
3893	Invalid constant ' ' in data macro expression.
3894	Invalid text ' ' in data macro expression.
3895	You cannot record your changes because a value you entered violates the settings defined for field ' ' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
3896	The limit of 20 recursive events has been exceeded. This can be caused by an After Update event that changes data on the table that triggers it. You can use the Update() function to determine which fields were changed in the record.
3897	The alias ' ' could not be found.
3898	There is no data context in which to perform the action. This error can be caused by using the RunDataMacro action to run a data macro that calls DeleteRecord or EditRecord with no alias specified.
3899	The list item could not be inserted or updated because duplicate values were found for one or more fields in the list.
3900	The delete operation is not allowed because a child record still exists.
3901	At least one relationship lookup field points to non-existent items in this list.
3902	Cached links cannot be added because the database ' ' cannot be opened in exclusive mode.
3903	The database ' ' cannot be opened in exclusive mode because it contains links in cached mode.
3904	A table cannot be updated because there is no connection to a SharePoint site. Try the update again when the connection to the server is restored.
3905	The table ' ' cannot be updated because there is no connection to a SharePoint site. Try the update again when the connection to the server is restored.
3906	Linked table is unavailable. Microsoft Access cannot contact the server. Check your network connection or contact the server administrator.
3907	Linked table ' ' is unavailable. Microsoft Access cannot contact the server. Check your network connection or contact the server administrator.
3908	Data cannot be added, updated or deleted until all related data has been fetched from the server.
3909	Data cannot be added, updated or deleted because data table ' ' has not been fetched from the server.
3910	Your encryption settings are not valid. Re-install Microsoft Access or contact your administrator for more information.
3911	Microsoft Access cannot open this file because the contents have been damaged.
3912	A table is not synchronized with the SharePoint site. Close and reopen the table to retrieve the most recent data from the SharePoint site.
3913	The table ' ' is not synchronized with the SharePoint site. Close and reopen the table to retrieve the most recent data from the SharePoint site.
3914	Selected collating sequence not supported with the specified file format.
3915	The expression   cannot be converted in a data macro.
3916	The property ' ' can only be set or changed by the Microsoft Access database engine.
3918	Microsoft Access does not support this operation for this IISAM type. To perform this action, you must use the 2007 Microsoft Office system or earlier.
3919	The Microsoft Access database engine encountered an error while communicating with SharePoint. More detailed information: ' '
3920	Unable to execute query. Invalid operation or syntax using multi-value field.
3921	Cannot reference a table with a multi-valued field using a FROM clause that refers to another database.
3922	The expression   cannot be converted in a form.
3923	The inclusion of constant expressions in an outer join operation is not supported.
3924	Access was unable to convert the query for use on the Web.
3925	The definition of the query is invalid, so the query object cannot be created.
3926	Access was unable to convert the query for use on the Web because it uses an unsupported query type, unsupported expressions, unsupported criteria, or other features that are not supported on the Web.
3927	Access was unable to convert the query for use on the Web because it contains a sub-query.
3928	Access was unable to convert the query for use on the Web because it relies on a different query that is not Web compatible.
3929	Access was unable to convert the query for use on the Web because it doesn't include any fields in its results.
3930	Access was unable to convert the query for use on the Web because it displays too many fields in its results.

Error Number	Error Description
3931	Access was unable to convert the query for use on the Web because it relies on an ORDER BY clause that is not supported on the Web.
3932	Access was unable to convert the query for use on the Web because it specifies a JOIN type that is not supported on the Web.
3933	Access was unable to convert the query for use on the Web because it is a cross-product query.
3934	Access was unable to convert the query for use on the Web because it does not specify which table to SELECT FROM.
3935	Access was unable to convert the query for use on the Web because the query results contain multiple fields with the same name.
3936	Access was unable to convert the query for use on the Web because some of its parameters could not be converted for use on the Web.
3937	Access was unable to convert the query for use on the Web because some of its parameters are displayed as result fields or used in ORDER BY statements.
3938	The expression could not be saved because its result is an invalid type, such as NULL.
3940	Could not coerce argument number  1 to an integer for the  2 action.
3941	Could not coerce argument number  1 to a string for the  2 action.
3942	Could not coerce argument number  1 to a Boolean for the  2 action.
3943	Missing parameter ' 1' when attempting to run a named data macro.
3944	The type of field ' ' cannot be used in a validation rule for Web tables. Invalid types include Memo, Binary and Lookup.
3945	System tables cannot contain data macros.
3946	The OnError action cannot be used with Go To set to Macro Name in before events.
3947	The server does not support the type of field ' ' as part of a calculated column. Examples of unsupported types include multi-value, memo, hyperlink, binary, AutoNumber and lookup fields.
3948	The expression could not be saved because its result type, such as binary or NULL, is not supported by the server.
3949	The Microsoft Access database engine cannot compact the data in  1 because it contains objects from a newer version.
3950	Syntax error in expression.
3951	The application has changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file and then synchronize the application with the server.
3952	The data macro failed to run because its AXL definition was invalid.
3953	The local var name ' 1' is invalid. Local variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]/\:.*?"<> 2#{}%&.
3954	The parameter name ' 1' is invalid. Parameter names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]/\:.*?"<> 2#{}%&.
3955	The data macro name ' 1' is invalid.
3956	The database you are trying to open requires a newer version of Microsoft Access.
3957	The field could not be added on the server. Synchronize with the server and remove any references to hidden, lookup, AutoNumber, hyperlink and memo fields.
3958	The field could not be deleted on the server. Synchronize with the server and verify that no other field references this field.
3959	Calculated columns are not allowed in SELECT INTO statements.
3960	The expression   cannot be converted for the Apply Filter macro action.
3961	The maximum number of parameters for named data macros, ForEachRecord, and LookupRecord is 255.
3962	EditRecord failed due to repeated data conflicts when attempting to commit data.
3963	The action ' 1' is not valid inside of CreateRecord or EditRecord.
3964	The action ' 1' is not valid outside of CreateRecord and EditRecord.
3965	The field ' 1' could not be changed because the record is not currently updatable. Use EditRecord to make the record updatable.
3966	The field ' 1' could not be changed. In the BeforeChange event only the record being changed is updatable.
3967	EditRecord failed because the alias ' 1' represents a record which is read only.
3968	EditRecord failed because the default alias represents a record which is read only.
3969	Attachments cannot be added to new rows until the rows have been committed to the server. Commit the row first, and then try attaching the document to it.

Error Number	Error Description
3970	The expression could not be saved because it would be longer than 255 characters when published.
3971	Linked table cannot be opened. You do not have permission to view the entire list because it is larger than the list view threshold enforced by the server administrator.
3972	Linked table ' ' cannot be opened. You do not have permission to view the entire list because it is larger than the list view threshold enforced by the server administrator.
3973	Values stored in multi-value and attachment fields are not supported within data macro queries.
3974	The field ' 1' could not be read because it is a multi-value or attachment field.
3975	The field ' 1' could not be set because it is a multi-value or attachment field.
3976	The column ' 1' could not be read because it is a calculated column in a record that was retrieved from ForEachRecord or LookupRecord and has been modified by EditRecord.
3977	URL data ' 1' in field ' 2' could not be sent to the server. The URL may be invalid or longer than 255 characters.
3978	The calculation of day or time difference with a + or - sign is not supported. Please use the DateAdd() function instead.
3979	The linked table has been changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file, then synchronize the linked table with the server by right-clicking on the linked table, choosing More options and clicking Refresh List.
3980	The linked table ' ' has been changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file, then synchronize the linked table with the server by right-clicking on the linked table, choosing More options and clicking Refresh List.
3981	There were errors executing the bulk query or sending data to the server. Reconnect the tables to resolve the conflicts or discard the pending changes.
3982	The field ' 1' could not be read because it is the primary key of the record being created. This field's value will be available in the LastCreateRecordIdentity variable after the CreateRecord block has completed.
3983	An argument to the Updated function was invalid. The field name must be provided as a string value enclosed in quotation marks.
3984	Access was unable to convert the query for use on the Web because it contains a cyclical join.
3985	Within a ForEachRecord only the records of the outermost ForEachRecord may be edited or deleted.
3986	CreateRecord cannot be used inside of a ForEachRecord.
3987	Data cannot be inserted because there is no matching record.
3988	The table is too large for this change to be saved.
3989	You don't have permission to modify the design of this list.
3990	A data macro on table ' 1' failed to execute, since it has not yet been synchronized with the server. Please synchronize this table with the server using the "Sync All" command and try again.
3991	The query failed to execute because the identifier ' 1' could not be found.
3992	The validation rule contains a syntax error and cannot be saved. A field or function may be misspelled or missing.
3993	A timeout prevented the change from saving to the server.
3994	The field ' ' cannot be modified because it contains invalid characters, invalid punctuation, or an existing field name. Correct the name on the server and refresh the table.
3995	This table already has the maximum number of fields with the data type specified. For the purposes of this calculation, Number and Currency are considered the same data type.
3996	Microsoft Access cannot reconnect one or more of the disconnected tables. Please check network connectivity and server availability.
3997	Microsoft Access detected changes to an open object. Please close and reopen the object to get updates.
3998	The Updated function is not supported for memo, rich text, hyperlink, OLE Object, multi-value, or attachment fields.
3999	You cannot reference rows created when you are disconnected from the server because this violates the lookup settings defined for this table or list. Please reconnect all tables with the server and try again.
4001	One or more values are prohibited by the validation rule set for ' 1'. Enter a value that the expression for this field can accept.
4002	The ' 1' value is not available because the field is of type memo, rich text, hyperlink, or OLE Object.
4003	The maximum number of return variables is 255.
4004	The return variable name ' 1' is invalid. Return variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters, including CR, LF or TAB: .![]/\:*?"<> 2#{}%&.
4005	The return variable ' 1' is too long. The return variable string cannot exceed  2 characters.
6000	Errors were encountered during the save operation.@@@1@@@1

Error Number	Error Description
6001	A form or report cannot be the subdatasheet of a table or query. @Only a table or query can be inserted into another table or query. @1@@@1
6002	Microsoft Access cannot expand this subdatasheet because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the File tab, and then click Access Options) is set to All Records. @Reset the value to No Locks or Edited Record, as appropriate. @1@1@472@1
6003	The setting for the Precision property must be from 1 through 28. @@@1@@@@1
6004	The setting for the Scale property must be from 0 through 28. @@@1@@@@1
6005	The table or query name ' ' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist. @If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name. @1@@@@1
6006	Filter by selection of a partial value is only supported for fields containing character data. @@@1@@@@1
6007	Cannot open a form bound to a stored procedure in server filter by form mode. @@@1@@@@1
6008	Microsoft Access encountered an error closing your connection. @Please close all of your application windows before trying again. @1@@@@1
6009	Invalid connection string. @You may need to specify a valid connection string and try it again. @1@@@@1
6010	Invalid use of Move method. @The Move method is not applicable to subforms or subreports. @1@@@@1
6011	Do you want to save the data changes on form ' '? @@@13@@@@4
6012	Microsoft Access can't set this property to No right now. @You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time. @Set one of the other properties to Yes before changing this one to No. @1@@@@1
6013	Unable to remove item. ' ' not found in list. @@@1@@@@1
6014	The RowSourceType property must be set to 'Value List' to use this method. @@@1@@@@1
6015	Can't add this item. The index is too large. @@@1@@@@1
6017	Microsoft Access doesn't support the requested property for this type of database object. @The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database. @1@@@@1
6018	The form or report template is open in Design view. Before creating a new form or report, close the corresponding template. @@@1@@@@1
6020	This format does not support objects named ' '. Rename the object and try again. @@@1@@@@1
6021	Microsoft Access cannot build a form or report based on the data returned by the function object that you have currently selected. @Select a table, query, form, or report, and try again. @1@@@@1
6023	The Maximum Record Count setting cannot be a negative number. @@@1@@@@1
6024	The Maximum Record Count setting cannot contain text - please enter a number. @@@1@@@@1
6025	The Requery action cannot be used on a control bound to a Recordset. @@@1@@@@1
6026	The RowSourceType property must be set to 'Table/Query' to use this method. @@@1@@@@1
6028	The OLE object failed to persist itself. You will not be able to undo this operation. @@@1@@@@1
6029	@@@1@@@@1
6030	The current record in  1  2 must be saved before you can complete this operation. @Do you want to save the current record in  1  2? @3@@@@1
6031	You can't modify the structure of table ' ', because it is already in use by another person or process. @@@1@@@@1
6032	The value you entered isn't valid for this field. @For example, you may have entered a null value. @1@@@@1
6033	The ' 1' form does not exist. @Enter the name of an existing form in the List Items Edit Form property of the ' 2' control or leave the property empty. @1@@@@1
6034	This property is only available for attachment controls bound to attachment fields. @@@1@@@@1
6035	Layout view is unavailable for this  . @@@1@@@@1
6036	You cannot add a form to another form that shows multiple items. @@@1@@@@1
6037	This object was saved in an invalid format and cannot be read. @@@1@@@@1
6038	Microsoft Access was not able to update the value list. @The table may be locked by another user, it may be read-only, or you may not have permission to modify the table. @1@@@@1
6039	Do you want to save the datasheet so that it will be available for use by other forms and reports? @@@33@1@151798@4
6040	Because dependency checking is not enabled on this database, Access cannot verify whether this datasheet is used on other forms or reports. @Do you want to save the datasheet so that it will be available for use by other forms and reports? @33@1@151798@4
6041	Grouping information can only be changed in Layout View and Design View. @@@1@2@5054@1

Error Number	Error Description
6042	Deleting the  1 control will permanently remove filter, grouping, or sort order settings that are based on the control from the form or report.@Are you sure you want to delete the  1 control?@@20@1@5833@4
6043	Deleting the selected controls will permanently remove filter, grouping, or sort order settings that are based on those controls from the form or report.@Are you sure you want to delete the controls?@@20@1@5833@4
6044	You will not be able to undo the creation or deletion of this object.@Do you still want to continue?@@20@1@@4
6045	Microsoft Access cannot save the form or report, because it displays characters from a language that cannot be saved in your current system locale.@Switch your system locale to the language in the form or report, and then try again.@@1@2@5054@1
6046	Your changes cannot be saved because the field ' ' has been updated by another user.
6047	The number of fields from your currently selected table or query exceeds the maximum height in Microsoft Access forms.@Microsoft Access will create a new form with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2
6048	The number of fields from your currently selected table or query exceeds the maximum width in Microsoft Access forms and reports.@Microsoft Access will create a new form or report with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2
6049	Since databases in the current format do not support the Attachment control, you will not be able to complete this operation.
6050	Microsoft Access could not instantiate the Web Browser Control.
6051	Web Browser could not parse the transform
6052	Web Browser cannot apply the transform.
6053	To apply this change, close and reopen the form or report
6054	The macro action BrowseTo requires a valid Path argument. A valid Path argument is of the form: MainForm1.Subform1>Form1.Subform1
6055	This form already has a navigation control.@You will not be able to complete this operation.@@1@@@1
6056	The Web browser control is not supported in a report or a continuous form.
6057	Because databases in the current format do not support the Empty Cell control, you will not be able to complete this operation.
6058	The Navigation control is not supported by the current database format.
6059	Cannot create a Web   based on a source that is not Web compatible.
6060	The navigation control is not supported on reports.
6061	Some controls on this object shared the same name.@These controls have been given unique names.@@1@@@1
6062	You must be in Design or Layout View to create or delete controls.@@@1@2@5054@1
6063	The report position change was stopped
6064	Invalid menu command.
7700	Microsoft Access is unable to complete the operation.@Try the operation again. If the error persists, restart Microsoft Access.@@1@@@1
7701	Microsoft Access can't synchronize with Synchronizer ' 1'.@A possible reason for the failure to synchronize with ' 1' is that both the Synchronizer and Microsoft Access were trying to write to the current database at the same time. Try synchronizing with ' 1' again.@Do you want to continue synchronizing with the remaining Synchronizers?@19@@@2
7702	The user-supplied function named ' ', the program to assist you in resolving conflicts, could not be found.@Contact the author of this customized database application.@@1@@@3
7703	There are no synchronization conflicts to resolve.@@@1@@@1
7704	You can't modify the design of ' ' at a replica.@Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only?@@19@@@2
7705	This member of the replica set has conflicts from synchronizing changes with other members.@Do you want to resolve these conflicts now?@@19@@@2
7708	' 1' was the last designated Design Master for the replica set. Has ' 2' been moved, renamed, deleted, or corrupted?@You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly.@Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted.@13@@@2
7709	To make this replica the Design Master for the replica set, on the Database Tools tab, in the Database Tools group, click Replication Options, click Synchronize Now, enter the path to ' ' (the current Design Master), and then select the Make ... The Design Master check box.@@@1@@@1

Error Number	Error Description
7710	To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set. @This ensures that this replica includes all design changes made at the previous Design Master. If you have already synchronized this replica, do you want to make it the Design Master? @19@@@2
7711	This member of the replica set is now the Design Master. Microsoft Access will now close and reopen the database in order for the changes to take effect. @1@@@1
7712	This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set. @Delete this replica set member and create a new replica. @1@@@1
7713	This member of the replica set will expire in   days because it has not been synchronized with another member of the replica set. @If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set. @You should synchronize this member with another member as soon as possible. To synchronize, on the the Database Tools tab, in the Database Tools group, click Replication Options, and then click Synchronize Now. @1@@@1
7714	Microsoft Access cannot close the database at this time. @Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication. @1@@@1
7715	Microsoft Access cannot complete this operation because it can't find or initialize the dynamic-link library AceRclr. @Rerun Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@3
7716	The database must be closed prior to synchronization. @Do you want Microsoft Access to close the database and synchronize with ' 1'? @19@@@2
7717	All open objects must be closed before synchronizing. @Do you want Microsoft Access to close the objects? @19@@@2
7718	Microsoft Access can't synchronize this member of the replica set because one or more objects are open. @Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. @Close all objects and try again. @1@@@1
7719	You can't save design changes to ' ' at a replica. @Design changes to replicated objects can be made only at the Design Master. @1@@@1
7720	You can't save design changes to ' 1' at a replica. @Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object? @19@@@2
7721	You can't delete or rename ' ' at a replica. @These operations can't be performed on a replica; they can be performed only at the Design Master. @1@@@1
7724	Microsoft Access has converted ' 1' to the Design Master for the replica set. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
7725	Microsoft Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
7726	Microsoft Access has created a replica at ' 2'. @1@@@1
7727	Microsoft Access can't create a replica because this database is already open in exclusive mode. @Do you want Microsoft Access to close the database? @19@@@2
7728	Microsoft Access can't overwrite ' 1': the replica can't be created at this location. @The file you are trying to overwrite may be open. @Close any other applications that might be using this file. @1@@@1
7729	Microsoft Access can't make a new replica at ' 1' because the source has the same path and file name. @Choose a different path or file name for the new replica. @1@@@1
7730	The synchronization was completed successfully. @1@@@1
7731	Microsoft Access cannot synchronize this member of the replica set because it is open in Exclusive mode. @To open the database in Shared mode, close and reopen the database. @1@@@1
7732	' ' is saved as a local table. Changes made to the table will not be sent to the replicas in the set. @To make this table available to other members of the replica set, close the table, right-click it in the Navigation Pane, click Table Properties on the shortcut menu, and then select the Replicated check box. @1@@@1
7733	The synchronization request has been received, and the Synchronizer will complete the process as resources become available. @Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur. @1@@@1
7734	Microsoft Access has saved the design of table ' 1,' but it will not be made replicable until the Table window is closed. @1@@@1

Error Number	Error Description
7735	Changes to this object can be made only at the Design Master. @Any changes you make will be discarded when the form is closed. @To save your changes, click the File tab, point to Save As, and then save the object under a different name. @1@@@0
7737	Microsoft Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Access to close and reopen the database now? @19@@@2
7738	Microsoft Access has successfully created a replica at ' 2'. @However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Access to close and reopen the database now? @19@@@2
7739	Microsoft Access has deleted ' 1' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Please close and reopen the database when you are finished synchronizing replicas. @1@@@1
7740	Microsoft Access cannot synchronize with a database from a previous version. @Convert the database you are trying to synchronize with, before synchronizing. @1@@@1
7741	Microsoft Access can't make a new replica at ' 1' because the value entered for priority is out of range. @Priority for new replicas should be in the range of 0-100. @1@@@1
7742	Microsoft Access cannot replicate a password-protected database.
7743	Backup, restore, and drop database operations are available only when you have a version of Microsoft SQL Server supported by Microsoft Access installed on your local computer. See the Microsoft Office Update Web site for the latest information and downloads.
7744	Microsoft Access can't make a new replica at ' 1' because the value entered for priority is out of range. @Priority for anonymous replicas should be 0. @1@@@1
7745	You can't copy local objects in a replica. Design changes to replicated objects can be made only at the Design Master.
7746	The Database administrative components failed to load or initialize. Verify that the components are installed and registered locally.
7747	Database Replicas cannot be converted to prior versions of Microsoft Access.
7748	This stage of the conversion process is finished. To complete the conversion process, synchronize this replica to the (converted) Design Master.
7749	Open the Design Master and sync to this replica before opening.
7750	In Datasheet view, you can't set a control property if the control is part of an option group. @1@@@1
7751	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame. @Microsoft Access doesn't display the OLE object in the object frame in Design view. @Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property. @1@@@1
7752	Microsoft Access cannot apply the filter because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the File tab, and then click Access Options) is set to All Records. @Reset the value to No Locks or Edited Record, as appropriate. @1@1@472@1
7753	@1@2@7236@1
7754	You cannot position columns between two frozen columns in a datasheet. @To unfreeze all columns, on the Home tab, in the Records group, click More, and then click Unfreeze All Columns. @1@1@9174@1
7755	This feature isn't installed, or has been disabled. @To install this feature, rerun the Microsoft Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. @1@@@3
7758	This ActiveX control isn't enabled in Form view. @You can't set the Enabled or TabStop properties to True. @1@@@1
7759	This ActiveX control isn't visible in Form view. @You can't set the Visible or TabStop properties to True. @1@@@1
7760	This property is locked and can't be changed. @1@@@1
7761	An error occurred when you changed the control. @1@@@1
7762	The pattern string is invalid. @2@1@10109@1
7763	This feature isn't installed, or has been disabled. @To install this feature, rerun the Microsoft Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the File tab, and then click Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. @1@@@3
7766	This control can't be changed to the type you requested. @1@@@1

Error Number	Error Description
7767	An error occurred while Microsoft Access was creating a section.@@@1@@@1
7768	In order to change data through this form, the focus must be in a bound field that can be modified.@@@1@@@1
7769	The filter operation was canceled. The filter would be too long.@@@1@@@1
7770	Microsoft Access didn't apply the filter.@Microsoft Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway?@If you click Yes, Microsoft Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.@19@@@2
7771	You can't set the ColumnOrder property when you are in Form view or Print Preview.@@@1@@@1
7773	Microsoft Access can't set the LimitToList property to No right now.@The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column.@Adjust the ColumnWidths property first, and then set the LimitToList property.@1@1@929@1
7774	You can't set the MenuBar property while an OLE object is in-place active.@@@1@@@1
7775	There are too many controls on the form to allow Filter By Form.@@@1@@@1
7777	You've used the ListIndex property incorrectly.@@@2@1@6997@1
7778	You can't save an object when you are in the Filter By Form window.@Switch to Form view, and then save the object.@@1@@@1
7779	You cannot set a form's MenuBar property from its menu bar macro.@@1@@@1
7780	You're trying to insert into a section that can't grow enough for the control you're trying to add.@The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm).@Remove, or reduce the height of, at least one section. Then try to add the control again.@1@@@1
7782	You can't create a new instance of this form or report while it is in Design view.@@@1@@@1
7784	The object you have selected is already open for design as a subform or subreport. To open this object in Design view, select the subform or subreport in the object in which it is already open, and then on the Design tab, in the Tools group, click Subform in New Window.
7785	Microsoft Access didn't build the filter.@There is an error in the current field. Do you want to close the filter anyway?@If you click Yes, Microsoft Access will undo the changes to the filter, and then close the Filter By Form window.@19@@@2
7789	Type mismatch.@@@1@@@1
7790	Microsoft Access can't create the  1.@Either there was an error getting information from the table or query you selected, or a new  2 could not be created.@@@1@@@1
7791	There was an error creating your  1.@Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the  2.@@@1@@@1
7792	You can't open a subform or subreport when it is also open in Design view.@@@1@@@1
7793	You must save the form ' ' before you can embed it.@@@1@@@1
7794	Microsoft Access could not find the toolbar ' 1'.@@@1@@@1
7795	The custom toolbar ' ' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in.@@@1@@@1
7796	The process failed because there is no printer installed.@Because Microsoft Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer: In Microsoft Windows XP, click Start, and then click Printers and Faxes. Under Printer Tasks, click Add a printer. In Microsoft Windows 2000, click Start, point to Settings, and then click Printers. Double-click Add Printer. Follow the instructions in the wizard.@@@1@@@1
7797	You must save new objects in the database before you can save them to this external format.@@@1@@@1
7798	You can only save select, crosstab, and union queries to this format.@@@1@@@1
7799	This form or report is based on a query that exceeds the limit for data in a single record.@Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.@@@1@@@1
7800	You can't create a Microsoft Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Access. Then create the MDE database.@@@1@@@1
7801	This database is in an unrecognized format.@The database may have been created with a later version of Microsoft Access than the one you are using. Upgrade your version of Microsoft Access to the current one, then open this database.@@@1@@@1
7802	The command you specified is not available in an .mde, .accde, or .ade database.@@@1@@@1
7803	Microsoft Access can't rename  1 to  2. The convert operation failed.@@@1@@@1
7805	This is already an MDE database.@@@1@@@1
7806	This database does not have a Visual Basic project, so it can't be made into an MDE file.@Open the database in Microsoft Access to create the Visual Basic project.@@@1@@@1



Error Number	Error Description
7807	You cannot convert the open database to an MDE file by running a macro or Visual Basic code. @Instead of using a macro or code, on the Database Tools tab, in the Database Tools group, click Make MDE. @1@@@1
7808	Microsoft Access can't replace an existing file as a result of converting the Microsoft Access database. You must select a new file name. @@1@@@1
7809	You cannot rename a  1 object in the client/server version of Microsoft Access. @@@1@@@1
7810	You cannot compact the open database by running a macro or Visual Basic code. @Instead of using a macro or code, click the File tab and then click Compact and Repair Database. @1@@@0
7811	Microsoft Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later. @@@1@@@1
7812	Microsoft Access projects can only be connected to Microsoft SQL Server
7815	Microsoft Access was unable to create an ADE database. @@@1@@@1
7816	Microsoft Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server. @@@1@@@1
7817	The database file ' ' is already open. You cannot encode to an open file. @@@1@@@1
7819	You have chosen a database template file that is not supported in the current version of Microsoft Access. @To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon. @1@@@1
7821	The TEMP environment variable isn't defined. Microsoft Access can't find the temporary file directory. @@@1@@@1
7822	Microsoft Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine. @@@1@@@1
7823	The source or destination database name is missing. The transfer operation can't continue. @@@1@@@1
7824	The source or destination server name is missing. The transfer operation can't continue. @@@1@@@1
7825	Microsoft Access cannot find the server ' 1'. @@@1@@@1
7826	The database object type isn't supported by the Microsoft Access transfer operation. @@@1@@@1
7827	The current database ' 1' has  2 active connections. Microsoft Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? &Disconnect Cancel@@35@@@
7828	The object ' 1' is not a valid Microsoft SQL Server database object. Microsoft Access can't transfer this object. @@@1@@@1
7829	The SQL script used to create database objects is corrupted. Microsoft Access can't create the new objects. @@@1@@@1
7830	The SQL script used to create database object ' 1' is corrupted. Microsoft Access can't create the new object. @@@1@@@1
7831	Microsoft Access cannot create the file ' 1'. @@@1@@@1
7832	The current database ' ' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file. @@@1@@@1
7833	The current database ' ' has more than one data file and can't be copied. @@@1@@@1
7834	The Transfer Database Wizard didn't provide enough information to perform the transfer operation. @@@1@@@1
7835	Microsoft Access can't copy the database file because one or more objects are open. Do you want to close all the objects? @@@1@@@1
7836	Microsoft Access can't copy the database file because one or more objects are open. Close all objects and try again. @@@1@@@1
7837	Invalid argument in script. @@@1@@@1
7838	There were errors during the database transfer operation. Open the transfer log file for details. @@@1@@@1
7839	Errors occurred during the database transfer operation. @@@1@@@1
7840	The database transfer operation failed. The destination database ' ' was created and is in an unknown state. What would you like to do with the destination database? &Keep &Delete@@35@@@
7841	The destination file ' ' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file. @@@1@@@1
7842	This database operation is available only when you have a version of Microsoft SQL Server supported by Microsoft Access installed on your local computer. See the Microsoft Office Update Web site for the latest information and downloads. @@@1@@@1
7843	You can only copy a database that is on your local computer. To make a copy of a database on a remote computer, click the File tab, point to Server Tasks, and then click Transfer Database. @@@1@@@0

Error Number	Error Description
7844	Microsoft Access can't copy the database file because there are active connections to the current database.@@@1@@@1
7845	@@@1@@@1
7846	Microsoft Access can't compact and repair the current database.@@@1@@@1
7847	1' already exists. Microsoft Access must create a backup of your file before you perform the repair operation. Enter a name for the backup file.@@@1@@@1
7848	The transfer operation has been cancelled. The destination database ' ' was created and is in an unknown state. What would you like to do with the destination database? &Keep &Delete@@@35@@@
7849	The repair operation has been canceled because Microsoft Access could not create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, click the File tab, point to Manage, and then click Compact and Repair Database.@@@1@@@1
7850	The wizard you've requested is not installed or is in a bad state. Please install or reinstall the wizard. If you do not have permission to do this on your computer, please contact your help desk representative.@@@1@1@153723@1
7851	The toolbar name ' ' you entered already exists.@Enter a unique name for this toolbar.@@1@@@1
7852	The toolbar name ' 1' you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1
7853	The default column width must be at least 0.1 inch.@@@1@@@1
7854	You can't export database objects (except tables) from the current version of Microsoft Access to earlier versions of Microsoft Access.@@@1@@@1
7855	You must have a database open to create custom toolbars, and the database can't be read-only.@@@1@@@1
7856	' ' cannot be imported, exported, or copied to Access project files.@@@1@@@1
7858	The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32.@@@1@@@1
7859	Microsoft Access can't start because there is no license for it on this machine.
7860	The profile ' ' that you specified on the command line doesn't exist in the Windows Registry.@@@1@@@1
7861	' ' cannot be imported, exported, or copied to Access database files.@@@1@@@1
7862	Microsoft Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. @To reenale this wizard, click the File tab, and click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or Microsoft Office Setup program to reinstall the wizards. If the missing wizard is not a Microsoft Access wizard, reinstall it using the Add-in Manager.@@1@@@3
7863	Links can only be created between Microsoft Access database files.
7865	There is already an existing database with the name you entered. Give the new database a unique name.
7866	Microsoft Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.
7867	You already have the database open.
7868	You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@@1@@@1
7869	The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1
7870	Microsoft Access can't find the database ' 1'.@Check the database name (and path, if specified) to make sure you entered it correctly.@@@1@@@1
7871	The table name you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1
7872	This recordset is not updatable.
7873	' ' cannot be imported, exported, or copied to another database or project file.@@@1@@@1
7874	Microsoft Access can't find the object ' 1'.@* You misspelled the object name. Check for missing underscores ( _ ) or other punctuation, and make sure you didn't enter leading spaces. * You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@@1@@@1
7875	The table ' 1' already exists.@You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.@@@1@@@1
7876	There isn't enough temporary disk space to complete the operation.@Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@1@9009@3

Error Number	Error Description
7877	Microsoft Access can't sort on the Memo, OLE Object, or Hyperlink '1'.@The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@1@@@1
7878	The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1
7879	An invalid IDA has been passed to Microsoft Access error handling.@Please report this error and the steps that caused it.@1@@@1
7880	The value you entered is the wrong data type for this field.@Enter an integer.@1@@@1
7881	The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.@1@@@2
7882	You can't convert, enable, or encode an Access Project file.@@@1@@@1
7883	You can't set the MenuBar property unless a database is open.@@@1@@@1
7884	You can't export an object to itself.@Select a different database to export to, or give the object a new name.@1@@@1
7886	Microsoft Access can't find the dynamic-link library (DLL) Mso.@Rerun the Microsoft Access or Microsoft Office Setup program.@1@@@3
7887	A unique record identifier can't consist of more than 10 fields.@@@1@@@1
7888	You must set the default font size to a number from 1 through 2.@For more information on the FontSize property, click Help.@@2@2@5477@1
7889	The file '1' does not exist.@@@1@@@1
7890	The file '1' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@1@@@1
7892	An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1
7893	You cannot import objects into a database created in an earlier version of Microsoft Access.@To convert the database to the current version of Microsoft Access, click the File tab, and then click Convert@1@1@9029@0
7895	Microsoft Access was unable to create a window.@The system is out of resources or memory.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@3
7896	Error '1' in the validation rule.@@@2@1@687@1
7897	Error '1' in the default value.@@@2@1@2264@1
7898	Execution of this application has stopped due to a run-time error.@The application can't continue and will be shut down.@1@@@3
7899	Microsoft Access can't be started.@Microsoft Access was unable to initialize the Windows Registry.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.@1@@185309@3
7900	Microsoft Access can't convert the database because it can't create an error table.@@@1@@@1
7901	Microsoft Access can't convert the database because it can't write to the error table.@@@1@@@1
7902	Errors occurred converting 1 validation rules and default values.@See error table '2' for a list of errors.@1@@@1
7903	Microsoft Access can't insert this field.@There are too many fields in the table. The limit is 255.@1@@@1
7904	An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Access is unable to run the new version. Reinstall Microsoft Access to correct the error.@1@@185309@1
7905	Microsoft Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1
7906	Microsoft Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Access or the Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@1@@@1
7907	You don't have permission to modify the design of this table.@For more information on permissions and who can set them, click Help.@@2@1@10222@1
7908	You can't modify this table now because someone else is using it.@@@1@@@1
7909	Microsoft Access can't add another column to this table.@You can have up to 255 columns in your table.@1@@@1
7910	Microsoft Access can't delete this column.@Tables must have at least one column.@1@@@1

Error Number	Error Description
7911	Microsoft Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@@1
7912	Once you save the change to the data type of this column, you will not be able to change back to the previous data type.@Are you sure you want change the data type?@20@@@2
7913	You can't change a random-valued AutoNumber field to an incremental AutoNumber field.@The values of random-valued AutoNumber fields aren't continuous.@1@@@1
7914	You can't convert ReplicationID values to other data types.@@@1@@@1
7915	You can't delete the field ' '; it is a replication system field.@Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help.@@2@1@9993@1
7916	Microsoft Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@@1
7917	' ' cannot be created because the project is disconnected.@To connect the project to a database, click Connection under Server Tasks on the File menu.@@1@@@1
7919	The default data type you selected is not supported in all versions of Microsoft SQL Server.@If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.@@1@@@1
7920	The ' ' lookup column was changed to store multiple values. You cannot reverse this setting.@@@1@@@1
7921	You have changed the ' ' lookup column to store multiple values. You will not be able to undo this change once you save the table.@Do you want to change ' ' to store multiple values?@19@@@2
7922	You have changed the ' ' lookup column to be displayed by a text box. After you save the table, this change will make the column read-only and lose the lookup properties.@Do you want to change ' ' to be displayed by a text box?@19@@@2
7923	The data type of field ' 1' is  2. This data type cannot be changed once the field has been saved.
7924	You cannot set ' 1' to the  2 data type.@Use Add Field in the Modify Fields ribbon to add a field with the  2 data type.@@1@@@1
7925	The table or query you are exporting contains more than one attachment column. Microsoft SharePoint Foundation only supports one attachment column. Remove all but one attachment column, and then retry exporting the table or query.
7926	You can't change the column ' ' to store multiple values; it is part of a multiple column relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1
7927	You can't change the column ' ' to store multiple values; it is part of an enforced relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1
7928	The calculated field cannot be created.@Verify that expression ' 1' includes fields that exist in the current table.@@1@@@1
7929	There are calculated columns in this table that depend on the column ' 1'.@Changing or deleting this column may cause errors in one or more of the dependent calculated columns.@Do you want to continue?@19@@@2
7930	' ' cannot be removed from the list definition.
7931	The data type of ' ' cannot be changed.
7932	Microsoft SharePoint Foundation does not support this data type change.
7933	An error prevents the data type change of field ' '.
7934	The Web does not support multiple attachment columns.
7935	An error has occurred trying to save the formula for the calculated column.@There may be an error in the formula, or a disallowed field type might have been used. Memo fields, hyperlink fields, and fields with a table or query lookup cannot be used in a calculation.@@1@@@1
7951	You entered an expression that has an invalid reference to the RecordsetClone property.@For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.@@1@1@7393@1
7952	You made an illegal function call.@Check the syntax of the function you are trying to use.@@1@@@1
7953	The value you entered doesn't match the type required. * The variable, property, or object may not be of the correct type. * You may have used an If TypeOf construct with something other than a control.@@1@@@1
7954	The expression you entered requires the control to be in the active window.@Try one of the following: * Open or select a form or report containing the control. * Create a new control in the active window, and try the operation again.@@1@@@1
7955	There is no current code context object.@@@1@@@1
7956	The syntax of the subquery in this expression is incorrect.@Check the subquery's syntax and enclose the subquery in parentheses.@@2@1@9989@1

Error Number	Error Description
7957	The LIKE syntax in the expression is not valid.
7958	The expression contains a malformed GUID constant.
7959	The expression contains an ambiguous name. Verify that each name in the expression refers to a unique object.
7960	There was an error compiling this function.@The Visual Basic module contains a syntax error.@Check the code, and then recompile it.@1@@@1
7961	Microsoft Access can't find the module ' 1' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1
7962	The index number you used to refer to the module is invalid.@Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.@@1@@@1
7963	Microsoft Access cannot run the macro or callback function ' 1'.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1
7964	You entered an expression that has an invalid reference to the Recordset property.@You can only use a dynaset or snapshot recordset to set this property.@@1@1@7393@1
7965	The object you entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@1@7393@1
7966	The format condition number you specified is greater than the number of format conditions.@Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.@@1@@@1
7967	A required minimum or maximum value is missing.@@@1@@@1
7968	The format condition Type you specified is invalid.@Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.@@1@@@1
7969	The format condition Operator you specified is invalid.@Valid values for the Operator property are 0 to 7.@@1@@@1
7971	Microsoft Access cannot follow the hyperlink to ' 1'.@Please verify the destination.@@1@@@1
7972	Microsoft Access encountered an error while trying to show the Hyperlink dialog.@@@1@@@1
7974	Microsoft Access failed to insert a hyperlink at the current location.@@@1@@@1
7975	You chose an invalid control type for use with hyperlinks.@You can only use hyperlinks with labels, images, command buttons, or bound text boxes.@@1@@@1
7976	There is no stored hyperlink in this control.@@@1@@@1
7977	Microsoft Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1
7978	Microsoft Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1
7979	You can't use the hyperlink property builder with more than one control selected.@@@1@@@1
7980	The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.@@@1@@@1
7981	The values for 'File or Web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1
7983	Microsoft Access can't follow the hyperlink.@@@1@@@1
7990	You entered an invalid project name.@You may have deleted the default project name and forgotten to specify a new one.@@1@@@3
7991	The Microsoft Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3
7992	The Microsoft Access Source Code Control Add-in could not be started.@@@1@@@3
7993	The object   is currently checked in and is therefore read-only.@To modify the object, close it first, then check it out and reopen it.@@1@@@1
7994	There was a problem communicating with the Source Code Control Add-in.@@@1@@@3
7995	The menus on your form or report that are based on Microsoft Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Navigation Pane, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1
7996	Microsoft Access could not create the Data and Misc. objects because the linked table ' 1' could not be found.@To create the data and miscellaneous objects, use the Linked Table Manager (on the Database Tools tab, in the Database Tools group) to update the link to the source table or file, or delete the link from your current database.@@1@@@1
7997	You can't save the standard module ' ' over a class module with the same name.@Save the standard module to a different name, or delete the class module first.@@1@@@1
7998	You can't save the class module ' ' over a standard module with the same name.@Save the class module to a different name, or delete the standard module first.@@1@@@1

Error Number	Error Description
7999	Microsoft Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@1@@@1
8000	The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing  ?@@20@@@2
8001	' ' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. * To save this version of the object with another name, click No.@19@@@2
8003	You must save the   before you can create a new object based on it.@Do you want to save the   and create a new object?@@13@@@2
8004	The layout of ' ' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. * To cancel saving this version of the object, click No.@19@@@2
8006	The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing  ? You will not be able to undo this operation.@@20@@@2
8007	You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.@@@1@@@1
8008	The stored procedure executed successfully but did not return records.
8050	Do you want to save changes to the design of  ?@@@13@@@2
8052	Do you want to delete the  1 and empty the Clipboard?@You tried to delete a database object that is currently on the Microsoft Access Clipboard. If you delete it from your database, you won't be able to paste it later.@@20@@@2
8053	Do you want to delete the  ? Deleting this object will remove it from all groups.@For more information on how to prevent this message from displaying every time you delete an object, click Help.@@21@1@9058@2
8054	This action will cause Microsoft Access to empty the Clipboard. Do you want to continue?@@@19@@@2
8055	Microsoft Access can't change the working directory to ' 1'.'@Verify that the drive is valid and the path is 260 characters or less in length.@@1@@@1
8058	Do you want to save changes to the layout of  ?@@@13@@@2
8059	Do you want to remove the link to the  1?@If you delete the link, you delete only the information Microsoft Access uses to open the table, not the table itself.@@19@@@2
8060	The toolbar ' 1' is partly unreadable.@ Microsoft Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Access will then update the toolbar to the latest format.@1@1@10064@1
8061	Are you sure that you want to restore the default settings to the built-in toolbar or menu bar  1?@If you previously customized, moved, changed the visibility, or otherwise changed the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2
8063	The source application is not responding. Do you want to continue waiting?@The DDE channel has been established, but the data exchange was not completed in the amount of time specified in the OLE/DDE Timeout setting in the Access Options dialog box (click the File tab and then click Access Options).@* To continue waiting for the data exchange to be completed, click Yes. * To cancel the data exchange and try again later, click No .@20@@@1
8064	This linked table has indexes that use an unsupported sort order.@If you modify this table, the Microsoft Access database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results.@Try one of the following: * Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. * Use this table on a read-only basis.@1@1@9057@1
8065	You can't delete the table ' 1' until its relationships to other tables have been deleted.@Do you want Microsoft Access to delete the relationships now?@@19@@@2
8067	Do you want to permanently delete the  ?@If you click Yes, you won't be able to undo the deletion.@@19@@@2
8069	Microsoft Access couldn't create the custom toolbar ' 1'.'@@@1@@@3
8071	Would you like to remove the compacted database from Source Code Control?@@@19@@@2
8072	Microsoft Access must close the  1 in order to complete this operation.@Would you like Microsoft Access to close it now?@@19@@@1

Error Number	Error Description
8073	You do not have the  1 checked out.@Microsoft Access can't check out an object while it is open, and you can't make design changes until you check it out.@If you want to make design changes to this object, first close it, check it out, and then reopen it.@1@@@1
8074	Microsoft Access must save the  1 in order to complete this operation.@Would you like Microsoft Access to save it now?@@19@@@1
8075	You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.@@@1@@@1
8076	To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.@@@1@@@2
8077	Are you sure you want to cut the  ?@@@19@@@2
8078	This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?@@20@@@2
8079	Microsoft Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' 1'.@1@@@1
8080	An error occurred while trying to create the linked table ' '.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@@1
8081	You have set  1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Access adds  2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@@1
8082	Microsoft Access must save the  1 to the current database in order to complete this operation.@Would you like Microsoft Access to save it now?@@19@@@2
8086	An error occurred trying to add one or more references from the source code control project.@The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires.@@1@@@1
8087	Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup?@@19@@@2
8088	Dropping a database requires that no one is currently using the database.@Do you want to close all open objects, and drop the database?@@19@@@2
8090	Are you sure you want to delete the conflict table  ?@You will not be able to undo this operation.@@19@@@2
8091	This database is enabled for publication.@Do you want to delete existing publications and drop the database?@@19@@@2
8092	Access could not save your project.@Do you want to cancel the close operation? *To cancel the close operation, click Yes. *To close without saving, click No. @@19@@@2
8096	Microsoft Access can't change the working directory to ' 1'.@Please enter a non-Internet location.@@1@@@1
8097	The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path.@&Don't show this warning again@553714119@@@1
8098	Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Access is recommended.@@@1@@@1
8100	The report is still more than one page wide.@To fit the report on one page decrease the report width or increase the page width.@You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.@1@@@1
8101	The report is still more than one page wide.@To fit the report on one page decrease the report width or increase the page width.@You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.@1@@@1
8103	Do you want to discard the pending changes and delete the link to the list  ?@The linked list you are attempting to delete has changes that have not been saved to the server. Do you still want to delete the linked list and lose these pending changes?@@19@@@2
8104	The name you supplied is a reserved word. Reserved words have a specific meaning to Microsoft Access or to the Microsoft Access database engine. @If you use a reserved word, you may receive an error when referring to this field.@@5@1@141675@1
8105	You must close and reopen the current database for the specified option to take effect.
8106	Encrypting with a block cipher is incompatible with row level locking. Row level locking will be ignored.

Error Number	Error Description
8107	Microsoft Access cannot save the database to the  1 file format.@The specified database sort order,  2, is not supported for the target database format.@@1@@@1
8400	The database ' ' is read-only.@You won't be able to save changes made to data or object definitions in this database.@@3@1@9033@1
8401	You cannot make changes to the database objects in the database ' '1.@This database was created in an earlier version of Microsoft Access.@To convert this database to the current version of Microsoft Access, click the File tab, and then click Convert.@3@1@9029@0
8402	The file ' ' already exists.@Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.@@20@@@2
8403	The setting you entered is invalid.@The database's sort order cannot be updated. The setting you entered for the New database sort order option (Personalize category) of the Access Options dialog box (click the File tab and then click Access Options) is not a valid sort order for the version of the database you are compacting.@@1@@@1
8404	You can't open ' '1' for exclusive use because another user has the database open or because you do not have permissions to open exclusively.@Microsoft Access will open the database for shared access.@@3@@@1
8405	This database was created using a previous version of Microsoft Access.@- You can share the database with users of previous versions of Microsoft Access, however some enhancements will be unavailable. - You can open the database, view objects and modify records using this release of Microsoft Access, but design changes will be disabled. - To make design changes you must use an earlier version of Microsoft Access that supports the old database format, or upgrade the database.@@1@@@1
8406	Does the first row of your data contain column headings?@@20@@@1
8409	Microsoft Access has made a backup of database  1 at  2. Note: Only server-related objects have been backed up. To back up your project, click Back Up Project on the File menu
8410	Microsoft Access successfully restored database  1 from its backup at  2
8412	The name you entered already exists for another shortcut in this group. @Do you want to replace the existing shortcut ' ?'@20@@@2
8414	Microsoft Access encountered one or more errors during conversion. To view a summary of these errors, open the ' '1' table.@@@2@1@553714191@1
8415	The HTML file associated with this link has been moved, renamed, or deleted.@File: ' ' &Update Link... Cancel@@35@@@2
8416	Renaming this user-defined function removes any existing permissions and extended properties.@Do you want to complete the rename action?@@20@@@2
8417	The file ' ' cannot be opened because it has been locked by another user.@Try again when the file is available.@@3@@@1
8500	A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Access will reset the property to Single Form.@@1@@@1
8501	You can't modify this field because it is read-only.@Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.@@1@1@865@1
8502	Microsoft Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@@2
8503	Microsoft Access has reached the beginning of the records.@Do you want to continue searching from the end?@@19@@@2
8504	Microsoft Access finished searching the records. The search item was not found.@@@1@@@1
8505	Do you want to continue to search or replace?@@@19@@@2
8507	There isn't enough memory to execute the macro that updates the active filter.@Microsoft Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3
8508	Microsoft Access can't find ' '1.@The text string you entered in the Find What box can't be evaluated against the current field.@Reenter the text string so that it conforms to the data type of the field.@1@@@1
8509	You won't be able to undo this Replace operation.@There isn't enough free memory to use the Undo command. Do you want to continue?@@19@@@2
8510	Microsoft Access can't save the current record.@Do you want to undo the changes to the record and continue the Paste operation?@@19@@@2
8511	Records that Microsoft Access was unable to paste have been inserted into a new table called ' '1.@In the Navigation Pane, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1



Error Number	Error Description
8512	None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?@@21@1@11022@2
8513	Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?@@19@1@11022@2
8514	Do you want to suppress further error messages telling you why records can't be pasted?@If you click No, a message will appear for every record that can't be pasted.@@13@@@2
8515	You copied a large amount of data onto the Clipboard.@When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?@@19@@@2
8516	You selected more records than can be copied onto the Clipboard at one time.@Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.@@1@@@1
8517	Do you want to suppress further error messages telling you why records can't be deleted?@If you click No, a message will appear for every record that can't be deleted.@@13@@@2
8518	You won't be able to undo this Replace operation.@Do you want to continue?@@19@@@2
8519	You are about to delete   record(s).@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@@2
8520	You are about to paste   record(s).@Are you sure you want to paste these records?@@19@@@2
8521	You won't be able to undo this Delete operation.@The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?@@19@@@2
8522	All timers are in use.@Set the TimerInterval property back to zero so that you can start another timer.@@2@1@6342@1
8523	Do you want to delete the custom palette information from this form or report and revert to the default palette?@@@20@@@2
8524	Do you want to remove this picture from this control?@@@20@@@2
8525	The remote data isn't accessible.@You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application. Do you want to start the application  ?@@19@@@2
8526	Microsoft Access encountered a problem while trying to switch views and must close this window.@@@1@@@1
8527	Do you want to delete the group section for the database object ' ' and its contents?@The group header or footer you want to delete contains controls which will be deleted along with the section.@@20@@@2
8528	Deleting these sections will also delete all controls in them. You will not be able to undo this action.@Do you want to delete these sections anyway?@@20@@@2
8529	The grouping level that you are trying to delete has a group header or group footer section. The section contains controls that will also be deleted.@Do you want to continue?@@20@@@2
8530	Relationships that specify cascading deletes are about to cause   record(s) in this table, along with related records in related tables, to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2
8531	The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank.@For example, the report width may be wider than the page width.@@3@@@1
8532	Do you want to remove this picture from the form?@@@20@@@2
8533	Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.@@3@@@1
8534	When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2
8539	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2
8540	@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@@2
8541	Microsoft Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.

Error Number	Error Description
8542	Microsoft Access did not detect a relationship between the fields you have chosen. @Do you want a relationship to be created for you now?@@19@@@3
8544	You won't be able to undo this paste operation.@Do you want to continue?@@19@@@2
8546	Current object must first be saved before exporting data to XML. @Would you like to save ' ' and then continue?@@19@@@2
8547	Do you want to save the changes made to the macro and update the property?@@@13@1@4309@2
8548	To complete this operation, Access must modify the RecordSource property of the current form or report.@Access will create a new query and embed it directly into the form's or report's RecordSource property. The form or report will no longer be based on the ' ' query.@Do you want to accept this change?@19@@@2
8549	This table contains one or more Lookup fields. Display values for Lookup fields cannot be changed by using the Replace operation.@@@1@1@865@1
8550	A table or query needed in order to create the new form, report, or query is currently open in Design view.@Save or discard the changes to this table or query and open it in Datasheet view, then try again.@@1@@@1
8551	Do you want to remove this picture from the report?@@@20@@@2
9502	Microsoft Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2
9504	The file ' ' is not readable by the Access database engine. @If you think you have a valid Access database, this is most likely because of the recent file format change. Do you want to attempt to upgrade the database format?@@19@@@2
9505	Microsoft Access has detected that this database is in an inconsistent state, and will attempt to recover the database. During this process, a backup copy of the database will be made and all recovered objects will be placed in a new database. Access will then open the new database. The names of objects that were not successfully recovered will be logged in the "Recovery Errors" table.@@@1@@@2
9507	Microsoft Access was unable to load all the library modules.@@@1@@@1
9508	Microsoft Access couldn't close database '1.'@Your last change may not have been saved because a record was locked by another user. To avoid losing data, wait for the other user to finish editing the record, then click OK again. If you click Cancel, you will lose unsaved changes.@@3@@@2
9509	You can't undo this command and, once it's completed, you won't be able to edit this object.@Do you want to continue anyway?@@19@@@2
9511	@@@1@@@1
9513	Microsoft Access was unable to completely repair the ' 1' table and deleted some Memo, OLE Object, or Hyperlink field values.@To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'.@@1@@@1
9514	One or more records were unrecoverable and were deleted from the ' ' table.@@@1@@@1
9515	The ' ' table was truncated; data was lost.@@@1@@@1
9516	One or more indexes from the ' ' table couldn't be repaired and were deleted.@@@1@@@1
9517	The Save As command can't process any subforms contained in your report.@Do you want to proceed anyway?@@19@@@2
9518	An error occurred while adding this word to the custom dictionary. @* The dictionary file may be read-only. * There may be a disk error.@@1@@@1
9519	An error occurred while adding this word to the Change All list.@The dictionary may be full.@@1@@@1
9520	An error occurred while adding the word to the Ignore All list.@The dictionary may be full.@@1@@@1
9521	The specified word is too large.@Words can't exceed 64 characters.@@1@@@1
9523	Microsoft Access can't open the ' 1' custom dictionary.@@@1@@@1
9524	Microsoft Access can't start the spelling checker because it isn't installed.@@@1@@@1
9525	Microsoft Access can't open the main dictionary file.@Verify that this file has been correctly installed.@@1@@@1
9526	The spelling checker only works on text fields that contain text data.@You're trying to check a field with a data type other than Text or Memo.@@1@@@1
9527	The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form.@@@1@@@1
9529	Microsoft Access cannot run the spell checker because the data in this form or query is not updatable.@@@2@1@9932@1

Error Number	Error Description
9530	An error occurred while trying to modify the contents of field ' '.@The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help.@@2@1@10222@1
9532	The ' ' field can't be modified because it's a read-only field.@@@1@@@1
9533	An error occurred while trying to add the word pair to the AutoCorrect list.@@@1@@@1
9534	The current selection does not contain any fields that can be checked for spelling errors.@You can check the spelling of text box controls with Text or Memo data types.@@1@@@1
9535	You entered an invalid main dictionary.@Please select a valid entry.@@1@@@1
9536	The spelling check is complete.@@@1@@@1
9537	You must restart the spelling checker for the dictionary change to take effect.@@@1@@@1
9539	You have specified a word that isn't found in the main or custom dictionary.@Do you want to use this word and continue checking?@@20@@@1
9541	The spelling checker can't undo your last change.@The data in field ' ' has been modified by another user. To resume the spelling check, click OK.@@1@@@1
9542	This database must be closed before you can create a replica.@Do you want Microsoft Access to close this database and create the replica? If you proceed, Microsoft Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2
9543	The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.@@@1@@@1
9544	Microsoft Access can't register the ' 1' custom dictionary.@@@1@@@1
9545	After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@1@553714162@1
9547	After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 or later will not be available in Access 2000.@For more information about conversion, click Help.@@2@1@553714162@1
9548	After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost.@For more information about conversion, click Help.@@2@1@553714162@1
9549	This Database has been upgraded to the Access 2007 File Format. The new database cannot be shared with users of Access 2003 or earlier versions.@For more information about conversion, click Help.@@2@1@553714162@1
9550	The Text Format property of the bound field ' ' is not currently Rich Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Rich Text before you change the property of the bound field, some data that is not valid HTML might not be displayed.@Do you want to continue?@@19@@@2
9551	The Text Format property of the bound field ' ' is not currently Plain Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Plain Text before you change the property of the bound field, some data might be displayed as HTML tags.@Do you want to continue?@@19@@@2
9552	The application is already in sync with the server.
9553	There are pending updates to this application that must be applied before you can save your changes to the server. Do you want to apply these updates now?
9554	The site ' ' already exists. Please select another name.
9555	This connection file contains definitions that conflict with connections already installed in your database. Click OK to overwrite the existing connection definition. Click Cancel to keep the existing connection definition and cancel the installation.
9556	Deleting this object from your database will cause associated linked tables and expressions to cease functioning.
10000	You must first save the table.@Do you want to save the table now?@@19@@@1
10001	You must first save the view.@Do you want to save the view now?@@19@@@1
10002	You must first save the stored procedure.@Do you want to save the stored procedure now?@@19@@@1
10003	You must first save the query.@Do you want to save the query now?@@19@@@1
10004	Do you want to permanently delete the selected field(s) and all the data in the field(s)?@To permanently delete the field(s), click Yes.@@19@@@2
10005	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database. Do you want to create a primary key now?@@13@@@2
10006	Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Access will delete the indexes that include that field. Do you want to continue anyway?@@20@@@2

Error Number	Error Description
10007	Deleting field '1' requires Microsoft Access to delete the primary key.@Do you want to delete this field anyway?@@19@@@2
10008	Deleting field '1' requires Microsoft Access to delete one or more indexes.@If you click Yes, Microsoft Access will delete the field and all its indexes. Do you want to delete this field anyway?@@19@@@2
10009	Either an object bound to table '1' is open or another user has the table open. Do you want to open the table as read-only?@To open the table as read-only, click Yes.@To open the table as read/write, click No, make sure the table and all objects bound to it are closed, and then try opening it again in Design view.@19@@@2
10010	Table '1' is a linked table whose design can't be modified. If you want to add or remove fields or change their properties or data types, you must do so in the source database.@Do you want to open it anyway?@@19@@@2
10011	Microsoft Access encountered errors while converting the data.@The contents of fields in 1 record(s) were deleted. Do you want to proceed anyway?@@19@@@2
10012	Microsoft Access cannot retrieve field properties from the system tables.@This database needs to be repaired. If you click Yes, Microsoft Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but we recommend that you restore the database from a backup copy, or close it and use the Compact and Repair Database command (click the File tab and point to Manage). Do you want to continue?@@20@@@1
10013	Microsoft Access can't save property changes for linked tables.@Do you want to continue anyway?@@19@@@2
10014	Microsoft Access was unable to append all the data to the table.@The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. * If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. * If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?@@22@1@922@1
10015	Changing to this data type requires removal of the primary key.@Do you want to continue anyway?@@19@@@2
10016	Some data may be lost.@The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2
10017	Your computer is out of disk space.@You won't be able to undo this paste append. Do you want to continue anyway?@@19@@@2
10018	Microsoft Access was unable to append all the data to the table.@The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. * If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. * If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.@@2@1@922@1
10019	Microsoft Access can't find the database containing the linked table '1.'@The properties set in Microsoft Access for the linked table will be lost. Do you want to continue with the conversion anyway?@@19@@@2
10020	Data integrity rules have been changed; existing data may not be valid for the new rules.@This process may take a long time. Do you want the existing data to be tested with the new rules?@@13@@@2
10021	Existing data violates the new record validation rule.@Do you want to keep testing with the new rule? * To keep the new rule and continue testing, click Yes. * To revert to the old rule and continue testing, click No. * To stop testing, click Cancel.@@13@@@1
10022	Existing data violates the new setting for the '1' property for field '2.'@Do you want to keep testing with the new setting? * To keep the new setting and continue testing, click Yes. * To revert to the old setting and continue testing, click No. * To stop testing, click Cancel.@@13@@@2
10023	Microsoft Access deleted 1 indexes on the converted fields.@Some data did not convert properly.@@1@@@1
10024	You must save the table first.@Microsoft Access can't test your data until you save the design changes you made. Do you want to save the table now?@@19@@@2
10025	This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table.@This process may take a long time. Do you want to continue anyway?@@19@@@2
10026	All data was valid for all rules.@@@1@@@1
10027	Existing data violates the new record validation rule.@Do you want to continue testing data with this new rule? * To continue testing for other new rule violations, click Yes. * To continue to test only the old validation rules, click No. * To stop testing, click Cancel.@@13@@@2
10028	The existing data violates the '1' property for field '2.'@If you continue testing, Microsoft Access will inform you if data violates any other property settings in the table. Would you like to continue testing?@@19@@@2

Error Number	Error Description
10030	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?@@13@@@2
10031	You must first save the function.@Do you want to save the function now?@@19@@@1
10032	This field will be converted to Plain Text and all the formatting in the field will be removed.@Do you want to convert the column to Plain Text?@@20@@@2
10033	This field will be converted to Rich Text, and all the data it contains will be HTML encoded.@If your data already contains valid HTML Rich Text, you can remove any extra HTML encoding by using the PlainText function in an update query.@Do you want to convert the column to Rich Text?@20@@@2
10034	Warning: This change will cause all history for column ' ' to be lost.@Do you want to continue?@@19@@@2
10035	After this change, you will not be able to switch back to the current data type.@Do you want to continue with this data type change?@19@@@1
10250	You can't print the scrollable (unfrozen) columns on the datasheet.@The frozen columns are wider than the page. Do you want to print just the frozen columns?@If you want to print the unfrozen columns, try one or more of the following: * Decrease the column width and increase the row height of the frozen columns. * Change the page orientation to Landscape in the printer Properties dialog box. * Decrease the size of the left and right page margins in the Page Setup dialog box.@21@1@9172@2
10251	The column heading is too tall to fit on the page. Part of the heading will be cut off.@Do you want to print the incomplete heading?@To prevent headings from being cut off, try one or more of the following: * Change the page orientation to Portrait in the printer Properties dialog box. * Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2
10252	At least one column is too wide to fit on the page. Data in that column will be cut off.@Do you want to print the column with incomplete data?@To prevent data from being cut off, try one or more of the following: * Decrease the column width and increase the row height. * Change the page orientation to Landscape in the printer Properties dialog box. * Decrease the size of the left and right page margins in the Page Setup dialog box.@19@@@2
10253	The row height exceeds the space between the top and bottom margins.@Do you want to print the columns with incomplete data?@To prevent data from being cut off, try one or more of the following: * Increase the column width and decrease the row height. * Change the page orientation to Portrait in the printer Properties dialog box. * Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2
10500	You are about to run an update query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@1@9058@2
10501	You are about to run an append query that will modify data in your table.@Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help.@@21@1@9058@2
10502	You are about to run a make-table query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@1@9058@2
10503	You are about to run a delete quer that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@1@9058@2
10504	You are about to run a data-definition query that may modify data in your table.@Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later.@@19@@@2
10505	You are about to update   row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records?@@19@@@2
10506	You are about to append   row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows?@@19@@@2
10507	You are about to paste   row(s) into a new table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records?@@19@@@2
10508	You are about to delete   row(s) from the specified table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?@@19@@@2
10509	Microsoft Access can't update all the records in the update query.@Microsoft Access didn't update  1 field(s) due to a type conversion failure,  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10019@2

Error Number	Error Description
10510	Microsoft Access can't append all the records in the append query.@Microsoft Access set  1 field(s) to Null due to a type conversion failure, and it didn't add  2 record(s) to the table due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10020@2
10511	Microsoft Access can't add all the records in the update or append query.@It set  1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.@@19@1@922@2
10512	Microsoft Access can't delete  2 record(s) in the delete quer due to key violations and  3 record(s) due to lock violations.@Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10016@2
10513	The existing   will be deleted before you run the query.@Do you want to continue anyway?@@20@@@2
10514	You won't be able to undo the changes this action query is about to make to the data in a linked table or tables.@Do you want to run this action query anyway?@@19@@@2
10515	Microsoft Access was unable to update all the records in the update query.@Microsoft Access didn't update  1 field(s) due to a type conversion failure,  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10019@1
10516	Microsoft Access can't append all the records to the table.@Microsoft Access set  1 field(s) to Null due to a type conversion failure, and it didn't add  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10020@1
10517	Microsoft Access can't add all the records in the make-table query.@It set  1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error.@@1@1@922@1
10518	Microsoft Access can't delete all the records in the delete quer.@Microsoft Access didn't delete  2 record(s) due to key violations and  3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help.@@2@1@10016@1
10519	There isn't enough disk space or memory to undo the data changes this action query is about to make.@Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'.@@19@@@2
10520	Do you want to save the changes made to the SQL statement and update the property?@The RecordSource or RowSource property contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@@13@1@4309@2
10521	Do you want to save the changes made to the query and update the property?@The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified.@To close the Query Builder without changing the original query, click No.@@13@1@4309@2
10522	You invoked the Query Builder on a table.@Do you want to create a query based on the table?@@19@@@2
10523	You are about to run a pass-through query that may modify data in your table.@Are you sure you want to run this type of an SQL query? For information on how to prevent this message from displaying every time you run an SQL query, click Help.@@21@1@9058@2
10524	output column(s) in the query were unnamed and will not show any data.@@@1@@@@1
10526	Do you want to save the changes made to the SQL Statement and update the text editor?@The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@@13@1@4309@2
10600	Are you sure you want to permanently delete the selected relationship from your database?@@@19@@@2
10601	A relationship already exists.@Do you want to edit the existing relationship? To create a new relationship, click No.@@13@@@2
10602	The field name is missing in row  .@You haven't selected a matching field for this relationship in each row of the grid.@Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.@@1@@@1
10603	This relationship has been modified or deleted by another user since you opened the Relationships window.@Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.@@19@@@2

Error Number	Error Description
10604	This relationship has already been deleted by another user.@To update your view, click OK.@@1@@@1
10605	The layout of the Relationships window will be cleared.@Do you want to continue?@@19@@@2
10606	You cannot display queries or linked tables in the Relationships window for this database.@The database ' 1' was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, click the File tab, and then click Convert.@@1@@@0
10607	The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field.@You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate.@@2@1@11617@1
10608	To create a relationship, use the mouse to drag a field from one table to another.@@@1@@@1
10700	This document was previously formatted for the printer  1 on  2, but that printer isn't available. Do you want to use the default printer  3?@@@19@@@1
10701	This document was previously formatted for the printer ' 1 on  2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer ' 3'.@Do you want to continue?@@19@@@1
10702	Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data. Microsoft Access might not respond for some time.@Do you want to continue?@* To reduce the amount of time required, hide most or all of the detail data in the view. * For more information, consult Microsoft Knowledge Base article Q282315.@3@@@1
10750	You must save the macro before you run it.@Do you want to save the macro now? * To save the macro and then run it, click Yes. * To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No.@@19@@@2
10751	Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database.@@@1@@@1
10800	Microsoft Access finished adding the index ' 1'.@Add another index from the Select Index Files dialog box, or click Close.@@1@@@1
10801	The Microsoft Access index information (.inf) file for ' 1' already exists.@Do you want to replace the existing Microsoft Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@* To create a new .inf file, click Yes. * To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.@17@1@9186@2
10803	The object ' ' already exists.@Do you want to replace the existing object with the one you are exporting? If you want to export this object without replacing the existing object, click No. You can then choose a new name in the Export dialog box.@@20@@@2
10804	Not all of the import specifications could be imported due to name conflicts. Conflicts existed in   of the specifications.@Rename the conflicting import specifications, and try the import operation again.@@1@@@1
10806	Related data is not supported with the live data option.
10807	Please specify XML export location.
10808	The current record was not unique. All identical records were exported.
10892	A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms.@You tried to add a bound ActiveX control to a form in Design view. Microsoft Access will reset the DefaultView property to Single Form.@@1@@@1
10896	You have chosen to permanently delete the link to the data access page. Delete &Link Cancel@@@27@@@
10897	@There is a problem with Internet Explorer registry settings.@Please reinstall Internet Explorer.@1@@@1
10898	Microsoft Access data access pages can only be viewed in Windows Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@@
10899	A link to this data access page could not be created because the Data and Misc. Objects are not checked out.@@@1@@@1
10950	Are you sure you want to delete this account?@You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).@@20@@@2
10951	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to save a copy of the object as a new object?@@21@1@10222@1
10952	You don't have permission to view this macro.@To view a macro, you must have Read Design permission for it. Do you want to continue to run the macro?@@21@1@10222@2
10953	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to open it as read-only?@@21@1@10222@1

Error Number	Error Description
10954	You changed the permissions of '1' for '2.'@Do you want to assign these permissions now?@19@@@2
10955	You don't have permission to open '1' for exclusive use.@Microsoft Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@5@1@10222@1
10956	;LCID=0x0409
10957	You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?@@@20@@@1
10958	The file ' ' already exists. Replace existing file?@@@20@@@1
10959	Workgroup Files (*.mdw)
10960	Select Workgroup Information File
10961	Open
10962	You have successfully created the workgroup information file ' '.@@@1@@@4
10964	You have successfully joined the workgroup defined by the workgroup information file ' '.@@@1@@@2
10968	Microsoft Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@1@@@2
10974	Modifications to the database or project have invalidated the associated digital signature.@This may require you to make a trust decision the next time you open the database or project. @@2@1@553714150@1
13000	Switching fields will lose rule changes that have not been applied. Continue and &Discard Changes Continue and &Apply Changes Cancel@@@28@@@1
13001	Publishing an application will unencrypt your data and remove the database password. Do you want to continue?
13002	Unable to create or send email for collecting data. Outlook is not configured to collect data via email; please contact your system administrator.
13003	Access cannot perform the export operation. Verify that the export table and related tables have numeric primary keys.
13004	The Force New Page property cannot be changed on Web reports that contain multiple columns.
13005	Microsoft Access is unable to link to list '1'. The list is not a standard SharePoint list.@@@1@@@3
13006	Microsoft Access was unable to connect to the Web application because your Internet settings are configured to Work Offline.
13007	The site ' ' was not found.
13008	The server is busy. Try again later.
13009	Web queries support only the Select query type.
13010	Web queries must have relationships between all tables. Add relationships or remove the tables that you do not need.
13011	The alias name specified is not valid for Web queries. Please ensure the name does not contain special characters and is not longer than 64 characters.
13012	Web queries cannot sort or filter on complex data columns.
13013	Microsoft Access was unable to publish the database because your Internet settings are configured to Work Offline.
13014	The SetOrderBy action cannot sort on the ' ' field.
13015	Local variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]\.:*?"<> #{}%~&.
13016	' ' is not in the list of sites your administrator has allowed for publishing or syncing Access Services applications.
13017	This expression was last modified using another design environment and contains an unsupported function. The expression cannot be modified here.
13018	An error occurred when trying to save the database as a template because the table '1' could not be exported to a Web compatible format. Run the Compatibility Checker, fix any reported issues, then try again.
13019	Data bars are supported only for tables and named queries.
13020	This action will delete the template from your hard drive. Do you want to continue?
13021	Your template has been successfully saved in ' '
13022	This database was created with the 64-bit version of Microsoft Access. Please open it with the 64-bit version of Microsoft Access.
13023	This database was created with the 32-bit version of Microsoft Access. Please open it with the 32-bit version of Microsoft Access.
13024	Network connectivity was lost while changing caching mode. Some tables may not have changed modes. You will be prompted to change modes again next time your database is closed and opened.
13025	All data changes made in disconnected tables will be permanently discarded.@If you discard your changes, you will automatically be reconnected to the SharePoint site if a connection exists.@Do you want to continue?@3@@@1



Error Number	Error Description
13026	This macro appears to have been changed in an older version of Access. Do you want to convert the macro to a format compatible with Access 2010? You may lose the current macro formatting. If you would like to keep the formatting and potentially lose changes made in the older version select 'No'.
13027	In a Web form, if the Inherit Value List property is false, then the Allow Value List Edits property must also be false.
13028	The SetProperty macro action cannot set the Value property on the ' ' control.
13029	The SetProperty macro action cannot set the Value property because the solution contains links to external data and the database is not trusted.
13030	The RunDataMacro macro action failed because the solution contains links to external data and the database is not trusted.
13031	The lookup field was not created. The database engine could not lock the table ' '1' because it is already in use by another person or process. Verify that the table ' '1' and the forms, queries, and reports that use it are closed before creating this lookup field.
13032	Your change to the data integrity was not saved. The database engine could not lock the table ' '1' because it is already in use by another person or process. Verify that the table ' '1' and the forms, queries, and reports that use it are closed before making this change.
13033	The ' ' link is used by Microsoft Access to maintain your Web application. It may not be deleted or renamed.
13034	Created a local copy of ' '2' at ' '1'.
13035	The control ' ' cannot be used in Web reports because it uses padding.
13036	Either the Web location or application name entered was invalid.
13037	Operation did not succeed. Some table properties and data macros could not be saved because there is not a connection to a SharePoint site. To ensure that the properties and macros are saved, restore the connection to the SharePoint site. Data macros can be copied to the Clipboard and pasted back into the macro designer when the connection is restored.
13038	Only form, report, or query Web objects can be saved as client objects.
13039	Only ACCDB files that are not yet Web databases can be prepared for Web publish.
13040	Microsoft Access encountered an error while checking the database ' ' for Web compatibility.@The conversion failed.@@1@@@1
13041	Any data changes made while your application was disconnected from the server will be discarded when the database is closed. To save these changes, click the Cancel button and reconnect with the server. Do you want to continue to close the database and discard your data?
13042	The server returned a response that Microsoft Access was unable to understand. Please contact your server administrator.
13043	The table ' ' is in use and cannot be converted to a local table. Close open objects that may have dependencies on this table and ensure no other user has it open.
13044	The Outlook task could not be created.
13045	The maximum number of nesting levels has been reached.
13046	The ' '1' argument value is not valid for the macro action ' '2'.@A Macro with parameters cannot be an error handler.@@1@@@1
13047	This property cannot be changed because one or more of the tab pages contains a shared or linked image.
13048	The Unique property could not be set on the table because duplicate values exist in the field. Remove the duplicate values and try again.
13049	Microsoft Access cannot export your object to the database you have selected. Please select a different database or a different object to export.
13050	Microsoft Access cannot import the selected objects into the current database because one or more of them are not web compatible. Fix the compatibility errors and try again, or select different objects to import.
13051	Microsoft Access cannot export the objects to the selected database because one or more of them are not web compatible.@A log table containing the errors encountered can be found in the database to which the export was attempted.@Fix the compatibility errors and try again, or select different objects to export.@1@@@1
13052	Object must be open.
13053	Object not found.
13054	Object not supported.
13055	The value of a Display Form property was invalid and was not saved.
13056	Web queries may not have more than one join between the same two tables.@Extra joins must be removed from this query.@Changes to the joins in the query will not affect table relationships.@1@@@1
13057	You can't delete the ' '1' field. This field is used to identify and store the rows in your table.

Error Number	Error Description
13058	The data macro did not run because the table is not on the server. Synchronize the application with the server and then run the data macro.
13059	The lookup field was not created. At least one value is needed for a value list.
13060	Only Web databases may be published to Access Services. Run "Prepare for Web" on this database first.
13061	The Web location you specified does not support Access Services.
13062	The data type cannot change on a field that is indexed. Consider setting the index property to false before changing the data type.
13063	The Submacro with same name already exists. Enter a different name.
13064	Cannot convert the expression ' ' for use on the Web.
13065	The table is too large for this change to be saved.
13066	The change could not be saved to the server.
13067	A timeout prevented the change from saving to the server.
13068	Fields of type Memo, Binary and Lookup cannot be used in a validation rule for Web tables.
13069	Renaming the table failed because there is not a connection to a SharePoint site. Restore the connection to the SharePoint site, synchronize the application with the server, and try the rename operation again.
13070	The expression that you entered is not valid for Web-compatible default values.
13071	The expression that you entered is not valid for Web-compatible table validation rules.
13072	The expression that you entered is not valid for Web-compatible field validation rules.
13073	The expression that you entered is not valid for Web-compatible forms.
13074	The expression that you entered is not valid for Web-compatible reports.
13075	The expression that you entered is not valid for Web-compatible macros.
13076	The expression that you entered is not valid for Web-compatible databases.
13077	The expression that you entered is not valid for Web-compatible data macros.
13078	The expression that you entered is not valid for Web-compatible calculated columns.
13079	This template contains client-only information and may not be imported into a Web database.
13080	LoadFromAXL is not available when you have disconnected tables. Please reconnect all of your tables before attempting to use LoadFromAXL.
13081	The  2 database was not synced because the site ' 1' is unavailable.
13082	The update to the field did not complete because a dependent form, query, or report is open. Synchronize with the server to complete the update.
13083	The server ' ' does not support Access Services.
13084	The VBA project is password-protected.
13085	You can't delete the table ' '; it is participating in one or more relationships.@If you want to delete this table, first delete any lookups in this table or that reference this table.@@1@@@1
13086	Lookup field ' 1' contains values that do not exist in the related table ' 2'.
13087	The RunDataMacro action failed to invoke a data macro on the server. Please check your connectivity to the server.
13088	Unable to insert control. The selected control is not valid in web reports.
13089	The object cannot be imported because the database is read-only.
13090	The table ' ' cannot be converted to a local table because it is not web compatible. Fix the compatibility errors and try again.
13091	The server requires lookup fields with data integrity to be indexed.
13092	Close and reopen the table to see the changes.
13093	One or more web compatibility issues were found. The issues are listed in table ' 1'.
13094	There was an error evaluating web compatibility. Any compatibility issues found before the error are listed in table ' 1'.
13095	This template's objects are saved in a format that is no longer supported by Access 2010. Open the template in an older version to view its contents.
13096	This template's objects are saved in a format that requires a newer version of Access.
13097	' ' did not respond. Either the server does not exist, Microsoft Access Services are not enabled on the server, or the server is using an older version of Microsoft Access Services that is not compatible with Access 2010.
13098	The version of Microsoft Access Services installed on the server ' ' is a newer version that is not compatible with the version of Microsoft Access you are using. You must upgrade Microsoft Access in order to publish to it.
13099	Your application was not upgraded to the current version of Microsoft Access. Try again by selecting the Upgrade button.

Error Number	Error Description
13100	This table already has the maximum number of fields with the same data type as ' '. For the purposes of this calculation, Number and Currency are considered the same data type.
13101	Microsoft Access was unable to close database objects. @Please close all opened database objects before trying again.@1@@@1
13102	Microsoft Access cannot reconnect one or more of the disconnected tables. Please check network connectivity and server availability.
13103	The validation rule contains a syntax error and cannot be saved. A field or function may be misspelled or missing.
13104	Unable to insert control. The selected control is not valid in reports.
13105	The form or report has run out of memory. New macros cannot be added to the object. Please convert the embedded macros on the object into standalone macros and call them from the embedded macro using the RunMacro macro action.
13106	Table properties and data macros could not be saved because the application has changed on the server.@Synchronize with the server before making changes.@To save your current data, copy and paste your last entered row to another file. Data macros can be copied to the Clipboard and pasted back into the macro designer once you have synchronized.@1@@@@1
13107	An error has occurred in an AfterDelete data macro. The delete which triggered the event completed successfully. Please check in the USysApplicationLog table for more details.@@@@1@@@@1
13108	This template may contain potentially harmful content that will run on creation. If you trust the contents of this template and would like to enable it, click Yes.
13109	The OpenReport macro action does not support passing query parameters to the report when the View argument is set to Print.
13110	This operation is not supported for Microsoft SQL Server 2008 and later.
13111	Referential integrity cannot be enforced between linked tables and local tables.@Enforcement of referential integrity will be dropped on all relationships between tables converted to local and tables that remain as links.@@5@1@6013@1
13112	Web compatibility errors prevented the upgrade from succeeding.@Your application has been restored to its pre-upgrade state.@To complete the upgrade, you must make a local copy of your application, resolve the compatibility errors, and republish your application to a different site.@1@@@@1
13113	The upgrade operation was cancelled.@Your application has been restored to its pre-upgrade state and will remain read-only. Save a local copy of your application to make changes.@@1@@@@1
13114	Your application was not upgraded to the current version of Microsoft Access.@Your application has been restored to its pre-upgrade state and will remain read-only.@You can try again by selecting the Upgrade button, or save a local copy of your application to continue working with it.@1@@@@1
13115	Your application was successfully upgraded to the current version of Microsoft Access.@A local backup copy of your application has been saved in ' '.@1@@@@1
13116	Your application was successfully upgraded to the current version of Microsoft Access.
13117	Microsoft Access was unable to retrieve data for one or more tables on the server. Some data may be missing or out of date.
13118	The column ' 1' cannot be changed or deleted because a calculated field or record validation rule depends on it.
13119	Your data macro changes could not be saved because someone else has modified the data macros of this table.@To save your changes and overwrite the other user's changes, click "Overwrite".@If you click Cancel, you can re-enter the macro designer and copy your changes to the Clipboard, then synchronize with the server, enter the macro designer again and paste your changes back in. &Overwrite Cancel@36@@@@2
13120	The ' ' action requires a valid control name that corresponds to a subform.@@@@1@@@@1
13121	The  1 event is not available for controls on datasheet Web forms.
13122	This form or report contains changes that are incompatible with the current database format. The form or report was not saved.@In order to save your changes, you must remove any layouts that have empty cells in them and/or set the HasModule property for the form or report to No.@@1@@@@1
29000	There isn't enough memory to create an input area.@Close unneeded programs. Then try to create the input area again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@@1
29001	Microsoft Access failed to save module ' 1'.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@1@@@@3
29002	Microsoft Access failed to create the Visual Basic module ' 1'.@If your database is on a network drive, check your network connection, and then try again.@@1@@@@1

Error Number	Error Description
29003	Microsoft Access failed to convert or enable your code modules.@Your computer may be low on disk space or memory.@1@@@1
29004	The new procedure name you provided is invalid.@@@2@1@11738@1
29005	The procedure ' ' already exists.@Choose another procedure name.@@1@@@1
29006	Microsoft Access failed to create a Debug window toolbar.@The system may be out of resource memory.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1
29007	During the paste or import operation, Microsoft Access failed to convert the ' '1' module from an earlier version of a Microsoft Access database.@Your computer may be low on disk space or memory.@@1@@@1
29008	Microsoft Access couldn't create storage space for a Visual Basic module.@If your database is on a network drive, check your network connection, and then try again.@@1@@@3
29009	Microsoft Access couldn't open the storage space for a Visual Basic module.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3
29010	The function name is too long.@Microsoft Access will truncate the function name to 255 characters.@@1@1@11738@1
29011	Microsoft Access failed to save the database.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3
29013	This action will reset the current code in break mode.@Do you want to stop the running code?@* To halt the execution of the program so the Module window can be closed, select Yes. * To leave the code in the current state, select No.@20@@@1
29014	You can't add a reference to a Microsoft Access workgroup.@@@2@1@13780@1
29015	You can't remove this reference.@Microsoft Access needs this reference in order to work properly.@@1@@@1
29016	You can't add a reference to the open database.@@@1@@@1
29017	The database  1 was created in an earlier version of Microsoft Access.@Convert this database to the current version of Microsoft Access by using the Convert Database command on the Tools menu (Database Utilities submenu).@@1@@@1
29018	You can't use a standard module for this operation.@@@1@@@1
29019	The module name ' ' is invalid.@* The module name may start with the prefix Form_ or Report_. * The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars, References, or DoCmd. * The module name may have too many characters.@@2@1@11734@1
29020	Another user has modified this database.@To see the current version, close the database and open it again.@@1@@@1
29021	This operation isn't available while there is a module in break mode.@Reset the executing code and try the operation again.@@1@@@1
29022	There were compilation errors during the conversion or enabling of this database.@The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Access will need to recompile the database for each session. For information on improving performance, click Help.@@2@1@11705@1
29023	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Change your code to call equivalent 32-bit dynamic-link libraries (.dll).@2@1@11961@1
29024	The current user account doesn't have permission to convert or enable this database.@To convert or enable a database, ensure the following: * You must join the workgroup that defines the user accounts used to access the database. * Your user account must have Open/Run and Open Exclusive permissions for the database object. * Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database. * Your user account must have Read Design permission for all objects in the database. * Request that other users close the database.@@2@2@77316@
29025	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Translate these calls to equivalent 32-bit dynamic-link libraries.@2@1@11961@
29026	The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following: * Request that other users close the database. * Using the version of Microsoft Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively. Multiple users can share the database after you convert it, or after you open it for the first time.@1@1@9027@1

Error Number	Error Description
29027	Microsoft Access was unable to save the project.@Another user is saving the project now. Do you want to retry?@@23@@@1
29028	The Save operation failed.@@@1@@@1
29029	You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database. * The database file's read-only attribute may be set; clear this attribute. * You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database. * Your license to use this application may have expired.@@1@@@1
29030	Microsoft Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1
29031	Microsoft Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1
29032	The ' ' module is open; Microsoft Access can't set the permissions on an open module.@@@1@@@1
29033	Microsoft Access can't add references to a replicated database; changes will be ignored.@@@1@@@1
29034	Microsoft Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@@1
29040	Microsoft Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@@1
29041	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1
29042	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1
29043	Microsoft Access has converted the code in ' 1' to your current version of Visual Basic.@To improve the performance of this database, do the following: 1. Open any module in this database in Design view. 2. On the Debug menu, click Compile And Save All Modules.@@1@@@1
29044	DAO version 3.0 is not compatible with this version of Microsoft Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@1@13780@1
29045	You can't import, export, create, modify, or rename any forms, reports, pages or modules in an ACCDE, MDE or ADE database.@@@1@@@1
29046	You can't create a module for a form or report if it is read-only, or if the database is read-only.@@@1@@@1
29047	Microsoft Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1
29048	MDE databases can't reference MDB databases.@MDE databases can only reference other MDE databases or type libraries.@@1@@@1
29049	To add a code module to a form or report, you must switch to Design view and set the HasModule property of the form or report to Yes.@@@1@@@1
29050	Microsoft Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Access will need to recompile the database for each session.@For information on improving performance, click Help.@@2@1@11705@1
29051	The current user account doesn't have permission to make an MDE file from this database.@To make an MDE file, do the following: * Join the workgroup that defines the user accounts used to access the database. * Make sure the user account has Open/Run and Open Exclusive permissions for the database object. * Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database. * Request that other users close the database.@@1@@@1
29052	The Visual Basic for Applications project in the database ' ' can't be converted to the current Visual Basic format.@If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.@@1@@@1
29053	Microsoft Access can't create any more controls on this form or report.@If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.@@1@@@1
29054	Microsoft Access can't add, rename, or delete the control(s) you requested.@@@1@@@1
29055	The form or report ' 1' has too many controls.@Reduce the number of controls on the form or report before using it in this version of Microsoft Access.@@1@@@1

Error Number	Error Description
29056	Someone else is using ' ' and the Visual Basic for Applications project does not match your version of Visual Basic.@You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database.@@1@@@1
29057	The database ' ' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic.@You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database.@@1@@@1
29058	You can't create a module for a form or report while an instance of the form or report is in browse mode.@@@1@@@1
29059	Microsoft Access was unable do display the module.@@@1@@@1
29060	File not found.@@@1@@@1
29061	There were compilation errors during the conversion or enabling of this database.@This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help. @@@2@1@11705@1
29062	The module name ' ' is misspelled or refers to a module that doesn't exist.@If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name.@@1@@@1
29063	The Visual Basic for Applications project in the database is corrupt.
29064	You do not have exclusive access to the database at this time. If you proceed to make changes, you may not be able to save them later.
29065	Microsoft Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.
29066	You do not have exclusive access to the database. Your design changes cannot be saved at this time. Do you want to close without saving your changes?
29067	You do not have exclusive access to the database. You cannot convert this database at this time.
29068	Microsoft Access cannot complete this operation. You must stop the code and try again.
29069	Microsoft Access cannot save the digital signature at this time.* You may be in a database under Source Code Control. * You may be in a database which is read only. * The database uses either the *.accdb or *.accde file name extension. To sign such a database, click the File tab, point to the Publish menu, and then click Package and Sign.@@1@@@0
29070	Your Microsoft Access database or project contains a missing or broken reference to the file ' 1' 2@* To ensure that your database or project works properly, you must fix this reference. @@@1@2@5043@1
29071	Missing or broken VBE reference to the file ' 1 '.
29072	Microsoft Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Click the File tab, point to Manage and then click Compact and Repair Database. If you are currently trying to repair this corruption, you need to recreate this file or restore it from a previous backup.@@@2@1@553714192@1
29073	You do not have exclusive access to the database. You cannot continue with the Source Code Control command.
29074	Microsoft Access failed to create the Visual Basic module.@If your database is on a network drive, check your network connection, and then try again.@@1@@@1
29075	Access cannot add a digital signature to a file created in Access 97 or earlier.@Convert the file to Access 2000 or later file format, and then add a digital signature.@@1@@@1
29076	There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded.@@@1@@@1
29079	Microsoft Access is unable to read the VBA modules in this database and cannot recover the modules because the file is read-only. To recover the VBA modules, close the database and make a backup copy of the database. Then open the database with read/write permission.@@@2@2@553713744@1
29080	The VBA modules in this database appear to have been saved with errors. Access can recover the modules, but you should backup the database first. To cancel so you can make a backup copy of the database, click Cancel. Then make a backup copy of the database. @If you have a backup copy of the database, click OK. When the database opens, examine the modules to see that they are correct. If they are not, you should revert to a recent backup.@@6@2@553713744@1
29081	The database cannot be opened because the VBA project contained in it cannot be read. The database can be opened only if the VBA project is first deleted. Deleting the VBA project removes all code from modules, forms and reports. You should back up your database before attempting to open the database and delete the VBA project.@To create a backup copy, click Cancel and then make a backup copy of your database. To open the database and delete the VBA project without creating a backup copy, click OK.@@6@2@553713744@1
29082	The version of Access used to save this database cannot be detected. This problem cannot be corrected because the database is read-only. Click OK, and after the database closes, make a backup copy of the database. Then open the database with read/write permission.@@@2@2@553713744@1

Error Number	Error Description
29083	The object '1' could not be imported because it contains elements from the namespace '2', which is no longer supported. Use an older version of Access to import the object.
29084	The object '1' could not be imported because it contains elements from the namespace '2', which is from a newer version of Access. Use a newer version of Access to import the object.
29085	The object '1' could not be imported because it contains elements from the namespace '2', which Access does not understand.
29086	The object '1' could not be imported from the file '2'. Ensure that the file exists and is in the correct format.
30000	Microsoft Access could not find the SQL Server specified. Verify that the server name is correct.
30001	Microsoft Access could not find the database on the server. Verify that the database name is correct.
30002	Microsoft Access could not log on to the server. Verify that the log on information is correct.
30004	The Default Max Records setting must be between 0 and 2147483647.
30005	Missing SQL command
30006	Access was not able to perform this operation because the project is not connected to a SQL Server database.
30007	Can't sort on one or more fields specified in 'Order By' property or sorting/grouping dialog.
30008	The server you are trying to access is case sensitive. Objects of the same name but of different case are not supported. Using these objects may result in a loss of data.
30009	Another user or application has deleted this record or changed the value of its primary key.
30010	Cannot apply Filter on one or more fields specified in the Filter property.
30011	Cannot get column information for the database object being browsed.
30012	A Server Filter cannot be applied to a stored procedure Record Source. Filter not applied.
30013	You can't update the record because another user or application deleted it or changed the value of its primary key.
30014	The data was added to the database but the data won't be displayed in the form because it doesn't satisfy the criteria in the underlying record source.
30015	The specified record source contains duplicate names for some output fields. Use aliases in your SELECT statement to give each field a unique name.
30016	The field '1' is read only.
30017	This database is not enabled for publication.
30018	Cannot create objects of type '1' against current SQL backend. Please check your permissions and server setup.
30019	Microsoft Access cannot copy a table with a name that is longer than 64 characters.
30020	Cannot find column '1'.
30021	Cannot use domain functions on stored procedures.
30022	The Access project could not be opened. You may not have adequate permissions, or the project may be read-only.
30023	Cannot use domain functions on scalar functions.
30024	Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. &Save Password Cancel@@36@1@553714179@
30025	Invalid SQL Statement. Check the server filter on the form record source
30026	Access is unable to connect to '1' database on the '2' server. Make sure that the database still exists and that the server is running.
30027	The value you entered is not consistent with the data type or length of the column.
30028	The database name for the attached database file is blank. Enter a name for your database.
30029	This version of Microsoft Access does not support design changes with the version of Microsoft SQL Server to which your Access project is connected. See the Microsoft Office Update Web site for the latest information and downloads. Your design changes will not be saved.
31000	You must specify criteria for all conditional formats.
31001	A conditional format expression can't be longer than 435 characters. @@@1@@@1
31002	Microsoft Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @1@@@1
31003	The setting for this property is too long. @You can enter up to either 255 or 2,048 characters for this property, depending on the data type. @1@@@1
31004	The value of an (AutoNumber) field cannot be retrived prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action. @@@1@@@1
31005	Access failed to evaluate one or more expressions because '1' was referenced in an expression. @Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode. @For more information on sandbox mode, search for "Sandbox mode" in Access Help. @1@@@1
31006	This method is not supported for Attachment controls in the current database file format.

Error Number	Error Description
31007	This operation is not supported for Web browser controls in the current database file format.
31008	This method is not supported for Empty Cell controls in the current database file format.
31009	This method is not supported for creating Empty Cell controls.
31010	This operation is not supported for navigation controls in the current database file format.
31011	The expression that you entered is not valid for Web-compatible queries.@@@1@1@11732@1
31012	You either have an error in your expression or you have attempted to use an undeclared parameter.@Check the expression for errors or enter the parameter ' ' in the Query Parameters dialog.@@2@1@11805@1
31500	Microsoft Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@@1
31501	The selected transform file ' ' cannot be found. Please select a different transform.
31502	Microsoft Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3
31503	The specified transform did not successfully convert the data. Select a different transform.
31504	The data was transformed in a format that cannot be imported.
31505	Are you sure you want to remove ' ' from the list of available transforms? This will not actually delete the transform file.
31506	The selected transform file cannot be found. Select a different transform or remove the transform. Then try to export again.
31507	Invalid field data type.
31508	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 9.0. Try going through set-up to re-install them@@1@@@3
31509	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 10.0. Try going through set-up to re-install them@@1@@@3
31510	Microsoft Access can't load the dynamic-link library  1. @You need to resolve the failure and start Access again.@@1@@@3
31511	You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: @* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.@5@1@24324@1
31512	Microsoft Access can't open the mail session.@You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.@@1@@@1
31513	All open objects must be closed prior to continuing this operation.@Do you want Microsoft Access to close the objects?@@19@@@2
31514	Microsoft Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@@3
31515	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean:@* Access 2000 users may not be able to see some queries. * Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@1@24324@1
31516	Microsoft Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Access than it was originally created with.@You can convert this database to a newer format, and then retry this operation with the newly converted database.@@1@@@1
31517	Microsoft Access can't convert this database to the requested version because it is from an older version of Microsoft Access.@You can convert this database to a newer format, and then retry this operation with the newly converted database.@@1@@@1
31518	The following controls contain expressions that can't be represented in a Microsoft Access project PivotTable or PivotChart view:  1.@Do you still want to switch to PivotTable or PivotChart view?@@19@@@2
31519	You cannot import this file.@You cannot import a text file unless it has one of these extensions:  .@@1@@@1
31520	You cannot import this file.@You cannot import a text file that has one of these extensions:  .@@1@@@1
31521	Cannot establish connection to the server.@@@1@@@1
31522	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Access.@@@1@@@1
31523	Microsoft Access was unable to open the file ' 1'. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.@@@1@@@1



Error Number	Error Description
31524	Microsoft Access can't transfer the user-defined function ' 1'. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@@1
31525	You can copy and paste this object only if at least Microsoft SQL Server 2000 is installed on both the source and destination servers.@@@1@@@1
31526	You cannot create a Microsoft Access ADE or MDE file from a database saved in Microsoft Access 2000 format.@Convert the database to the current version of Microsoft Access. Then create the ADE or MDE file.@@1@@@1
31527	Path not found:  .@@@1@@@1
31528	Table ' ' is in use. Please close the table and retry import.@@@1@@@1
31529	View ' ' is in use. Please close the view and retry import.@@@1@@@1
31530	Procedure ' ' is in use. Please close the procedure and retry import.@@@1@@@1
31531	Microsoft Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@@1
31532	Microsoft Access was unable to export the data.@@@1@@@1
31533	Invalid filename.@@@1@@@1
31534	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support. This will mean:@* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@1@24324@1
31535	Invalid parameters for ExportXML.@Press Help for more information.@@2@2@5170@1
31536	The XML schema properties do not match the existing table structures.@Overwrite existing structures?@@19@@@1
31537	There is already an object named ' ' in the database.@@@1@@@1
31538	Microsoft Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1
31539	There was an error loading the XSL transformation file ' 1'. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied.  2
31540	There was an error loading the XML data file ' 1'. Please make sure that the file is a properly formatted XML file.  2
31541	Microsoft Access cannot open this file.@This file is located outside your intranet or on an untrusted site. Microsoft Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@@1
31542	The startup action associated with this file may not be safe. Do you want to execute the startup action as you open the file?@@@22@@@1
31543	The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Access will not open the file. Do you want to execute the startup action and open the file?@@@22@@@1
31544	Microsoft Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1
31545	Microsoft Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Windows Internet Explorer or the appropriate Office System Pack.@2@@@1
31546	This database is a Microsoft Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to  1 and then converted to  2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2002 after the next synchronization.@@4@@@2
31547	Microsoft Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1
31548	Microsoft Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1
31549	Finished importing document ' '.
31550	Not all of your data was successfully imported. Error descriptions with associated row numbers of bad records can be found in the Microsoft Access table ' 1'.
31551	Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1

Error Number	Error Description
31552	The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Access.@XML Schema information created outside Microsoft Access is not supported. If you continue, Microsoft Access will only import the data, and ignore the XML Schema.@Would you like to continue?@19@@@1
31553	The Action Tag property value cannot exceed 1024 characters.
31554	You are attempting to apply too many Action Tags.@Please uncheck some of the selected tags.@@1@@@1
31555	The specified transform did not successfully convert the data. Would you like to save a copy of the Data to Export at ' ' for troubleshooting?
31556	To view object dependencies or change the Track name AutoCorrect info option, Microsoft Access must close all objects and update dependency information.@This could take several minutes. Do you want to continue?@@21@1@553713744@1
31557	Microsoft Access cannot update dependency information because one or more objects are open.@Close all objects and try again.@@1@@@3
31558	The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes.@Do you want to leave this option turned on?@3@@@1
31559	Microsoft Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
31560	The site you specified does not support linking to a Microsoft Access database. The site must be running Microsoft SharePoint Foundation.
31561	The site you specified does not support importing data to a Microsoft Access database. The site must be running Microsoft SharePoint Foundation.
31562	The site you specified does not contain any lists. Verify the address of the site, or contact your site administrator.
31563	Microsoft Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.@@@2@1@553713743@1
31564	To generate object dependencies, the Track name AutoCorrect info option must be turned on.@Enable name AutoCorrect and continue?@@5@1@553713744@1
31565	Dependency information needs to be updated before you can view object dependencies. This could take several minutes.@Do you want to continue?@@5@1@553713744@1
31566	The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@1@553713744@1
31567	The object that you have selected in the Object Dependencies pane no longer exists in the
31568	You do not have the necessary permissions to generate dependency information for the selected object.@@@2@1@553713744@1
31569	To view dependency information, you must select a table, query, form, or report.@@@1@1@553713742@1
31570	Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@1@553713744@1
31571	Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@1@553713744@1
31572	Microsoft Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@1@553713744@1
31573	Microsoft Access cannot generate dependency information for objects in a project.@@@1@@@1
31574	Microsoft Access cannot export unbound forms or reports as XML documents.
31575	All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Access to close the objects?@19@@@2
31576	Microsoft Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3
31577	Microsoft Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
31579	The table could not be exported because you do not have sufficient permissions. Please contact your site administrator.
31580	A list with the specified name already exists. Type a different name and try again.
31581	The list name cannot contain any of the following characters: \:*?<> . Type a different name and try again.
31582	Microsoft Access cannot generate dependency information for objects in a replica database.@@@1@@@1
31583	Finished importing from ' '.
31584	Finished linking to ' '.

Error Number	Error Description
31585	Finished exporting ' 1' to ' 2'.
31586	The site you specified does not support importing data from a Microsoft Access database. The site must be running Microsoft SharePoint Foundation.
31587	Microsoft Access cannot generate dependency information because the Track Name AutoCorrect Info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.@@@1@@@1
31588	Error exporting picture file ' 1' to specified path ' 2'.
31589	Specified transform failed to successfully transform your data.
31590	A list named ' 1' already exists. You must either use a different name or go to the site and delete the list.
31591	Microsoft Access is unable to export ' 1' to Microsoft SharePoint Foundation due to limitations on the number of times each data type can appear in a Microsoft SharePoint Foundation list.@See help to find out exactly what the restrictions are and for details on how to create a query that will define the Microsoft SharePoint Foundation list that you would like to create.@@2@1@553714173@1
31592	Cannot find the specified schema file ' 1'. Remove or update the file reference, and try again to import.@@@1@@@1
31593	Microsoft Access has encountered an error processing the XML schema in file ' 1'.  2@@@@1@@@@1
31594	Microsoft Access was unable to export XML data to ' 1'.@@@@1@@@@1
31595	This database was saved in the Microsoft Access   file format.@For information on how to import data from this database into a new file, click Office.com on the Getting Started with Microsoft Access page.@@1@@@@1
31596	Cannot load the specification ' 1'. Try re-creating the specification.@@@@1@@@@1
31597	The specification XML failed to validate against the schema. There is an error in the following line of the XML document:  .@@@@1@@@@1
31598	The specification XML failed to validate against the schema. There is an error in the following specification XML string:  1 Possible value could be one of following ' 2'.@@@@1@@@@1
31599	The specified name ' 1' cannot be set due to one of the following reasons: • The specified name is not unique. • The specified name is blank. • The specified name does not follow Microsoft Access object-naming rules.@@@@1@@@@1
31600	The specified description ' 1' is too long. The description cannot exceed 255 characters.@@@@1@@@@1
31601	The specification does not contain a description. ' 1'.@@@@1@@@@1
31602	The specification with the specified index does not exist. Specify a different index. ' 1'.@@@@1@@@@1
31603	The name ' 1' is already in use. Enter a different name or click on the Manage Data Tasks button to rename the existing specification. @@@@1@@@@1
31604	The required element is missing under and for a fixed width format.@@@@1@@@@1
31605	The Width attribute is required for all elements under or for a fixed width format.@@@@1@@@@1
31606	Cannot open the destination database. If the database is open, close it, and then try again.@@@@1@@@@1
31607	The Path attribute is required for all formats except ImportWSS, ImportOutlook and ExportXML.
31608	Specify a name for the import specification in the Save As box.
31609	Specify a name for the export specification in the Save As box.
31610	Do you want to delete ' 1'?
31611	Specify the name of the source or destination file in the File name box.
31612	The specification failed to execute. Try re-creating the specification.
31613	You have selected "Tables and Related Views" as the way to group objects in the database. Access needs to update information on object dependencies to create the groups. This will take some time for large databases.@Do you want to continue?@@3@@@@1
31614	Are you sure you want to delete the item ' 1' from the Categories list?@Note that the individual groups and the shortcuts to the objects in the database will be deleted, but the objects themselves will not be deleted.@@3@@@@1
31615	Are you sure you want to delete the group?@Note that only the shortcuts, and not the actual objects will be deleted.@@3@@@@1
31616	Duplicate Item Name@An item with the name   already exists in the Categories list. Specify a different name for the item.@@1@@@@1
31617	Duplicate Group Name@A group named   already exists. Specify a different name for the group.@@1@@@@1
31618	Blank Item Name@You have not specified a name for the item that you added to the Categories list.@@1@@@@1
31619	Blank Group Name@You have not specified a name for the group.@@1@@@@1
31620	This will clear all the contents in your MSysNavPaneXXX system tables.@Do you want to continue?@@3@@@@1
31621	There is already a shortcut named ' 1' to the ' 2' object in this group.@@@@1@@@@1

Error Number	Error Description
31622	The table description cannot be changed for a linked table
31623	Microsoft Access has imported 'Favorites' and other groups into the converted database. If you change the imported groups in Access 2007 or greater, you will not see those changes if you open the database in an older version of Access. Also, if you change the imported groups by using an older version of Access, you will not see those changes if you open the database in Access 2007 or greater. @@@1@@@1
31624	Enter a valid date.@@@1@@@1
31625	Enter a valid value.@@@1@@@1
31626	issues were found that could result in unwanted behavior or missing data.@Do you want to cancel the wizard and review the issues?@Click No to ignore the issues and continue with the migration.
31627	A copy of the database has moved to  . Continue opening current file?
31628	Moving to SharePoint is not supported for databases that have the AllowBypassKey property disabled.
31629	Template ' 1' could not be instantiated.@ 2@@@@@3
31630	Failed to set the database property ' '.
31631	The object name '  ' could not be used because it doesn't follow object-naming rules.
31632	Failed to load ' 1' into ' 2'.
31633	'  ' is not a supported AccessObject type.
31634	Failed to create relationship '  '.
31635	Manifest.xml does not match the defined schema.
31636	Tables.xml does not exist.
31637	This template cannot be used because it requires a later version of Microsoft Access. See Office.com for the latest templates you can use with your current version of Microsoft Access.
31638	Errors were encountered while loading Tables.xml.
31639	Manifest.xml does not exist.
31640	Relationships.xml does not match the required schema.
31641	An unexpected error occurred when opening the template.
31642	NavPane.xml does not match the required schema.
31643	'  ' is not a valid template.
31644	Failed to create a database with the specified CollatingOrder.
31645	Failed to set  1 on  2 ' 3'.
31646	Failed to load NavPane.xml.
31647	An error occurred while flipping  1 ' 2' right-to-left.
31648	An error occurred while performing Name AutoCorrect.
31649	An error occurred while fixing up the labels on  1 ' 2'.
31650	The source file ' 1' for  2 ' 3' does not exist.
31651	The object name '  ' could not be used because another object with the same name already exists.
31652	You do not have exclusive access to the database. Your SharePoint Lists can not be taken offline or cached at this time. Try again later.
31653	Microsoft Access is unable to take your lists offline. A circular relationship was detected.
31654	Access denied. You do not have permissions to SharePoint server. Verify permissions, and retry this operation.
31655	Microsoft Outlook could not be started. Make sure Outlook is installed and properly set up on your computer.
31656	You must have Microsoft Office Outlook 2007 or later on this computer to enable this feature.
31657	You cannot set up a collecting data using e-mail task, because your database has reached its maximum size limit. Free some disk space and try again.
31658	The selected table or query does not have any fields that support collecting data using e-mail.
31659	is read-only. You cannot use e-mail messages to collect or update data on this object.
31660	You cannot collect data for action queries, SQL-specific queries, and parameter queries by using e-mail messages.
31661	The e-mail address field you have specified does not contain any valid addresses. Specify another field.
31662	The value you have entered is not valid for the maximum number of replies.
31663	The value you have entered is not valid for the date and time to stop.
31664	The date and time to stop processing replies has to be greater than the current date and time.
31666	The UpdateDependencyInfo method could not update one or more objects. Microsoft Access has created a Name AutoCorrect Save Failures table in the current database with more information about the failing objects.@@@@@1@553713744@1

Error Number	Error Description
31667	Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@You cannot undelete forms, reports, and modules.@@20@@@1
31668	Microsoft Access does not support opening HTML pages. @To open a Data Access Page, use Windows Internet Explorer or Microsoft Access 2003 or earlier.@@2@@4294967294@1
31669	Design changes are not supported for Data Access Pages. @To change the design of a Data Access Page, use Microsoft Access 2003 or earlier.@@2@@4294967294@1
31670	Microsoft Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Access 2003 or earlier.@@@1@@@1
31672	This operation is not supported for SharePoint linked tables. To manage SharePoint linked tables, point to Get External Data on the Data menu, and then click SharePoint List.
31673	Changes have been made to this database by an older version of Access or by an external source. In order to use the Tables and Related Views group in the Navigation Pane the dependency tree must be rebuilt. This may take a few moments.@Do you want to continue?@3@@@@1
31674	Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@@@20@@@@1
31675	You cannot create an .accde or .mde file from a disabled (non-trusted) database. If you trust the source of this database, you can enable it by using the Message bar.@@@1@@@@1
32000	The ' 1' macro action cannot run with the specified ' 2' argument either when in disabled mode or when called from an embedded macro.@@@1@@@@1
32001	The '  RunCommand cannot be run in disabled mode.@@@1@@@@1
32002	Cannot open or run macro ' ', because it is not valid.@@@1@@@@1
32003	The ' ' action requires a valid control name that corresponds to a subform or subreport.@@@1@@@@1
32004	The control name ' ' is misspelled or refers to a control that doesn't exist.@If the invalid control name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct control name.@@1@@@@1
32005	One or more actions are unknown and cannot be pasted.@@@1@@@@1
32006	Microsoft Access could not understand the macro format.
32007	The ' 1' macro action needs a value for the ' 2' argument.@@@1@@@@1
32008	The ' 1' macro action has an invalid value for the ' 2' argument.@@@1@@@@1
32009	The SubMacro needs a valid name argument
32010	The text you entered is not an item in the list.
32011	Microsoft Access can't parse the expression: ' 1'.
32012	The ApplyOrderBy action requires a valid control name that corresponds to a subform or subreport.@@@1@@@@1
32013	An unknown error has occurred in a data macro.@@@1@@@@1
32014	Are you sure you wish to permanently delete  1 from your table? If the table is open, the change will not be committed until the table is saved.
32015	Deletion failed for ' 1'.
32016	Rename failed for ' 1'.
32017	The SQL statement is not valid.
32018	Changes may not have been saved.
32019	Time-out error. Server processing failed.
32020	An error occurred while checking for the status of a Data Macro.@To view the error, look up the DataMacroInstanceId ' 1' in the USysApplicationLog table.@@1@@@@1
32021	The If and Else If conditions are required arguments.
32022	The macro cannot be imported because it is invalid.
32023	The ' 1' action is not valid for the current context.
32024	The data macro cannot support any more parameters.
32500	The group ' ' you entered is invalid.@@@1@@@@1
32501	The category ' ' you entered is invalid.@@@1@@@@1
32502	The value you entered isn't valid for the field ' '.@For example, you may have entered text in a numeric field or a number that is greater than the FieldSize setting permits.@@1@@@@1
32503	Support for export to .PDF or .XPS is not installed on this computer.@@@1@@@@1
32504	The text you entered isn't an item in the list.@Do you want to edit the items in the list?@@20@@@@4
32505	Microsoft Access has recovered this database. Examine the database to verify that there are no missing database objects.@@@1@@@@1

Error Number	Error Description
32506	Microsoft Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. This table is currently displayed in the datasheet.@@@1@@@1
32507	Microsoft Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. @@@1@@@1
32508	The 'Save as Outlook Contact' command failed.@@@1@@@1
32509	The 'Add from Outlook' command failed.@@@1@@@1
32510	Microsoft Access could not find any fields that match the fields in a Microsoft Outlook Contact.@@@1@@@1
32511	Successfully added   contact(s).@@@1@@@1
32512	You cannot save this database in an earlier version format, because it uses features that require the current file format.@These features include attachments, multi-valued fields, offline data, data macros, calculated columns, links to unsupported external files, newer sort orders, newer encryption types, and navigation controls.@@1@@@1
32513	All open objects must be closed before you save the database.@Do you want Microsoft Access to close all open objects?@@19@@@2
32514	Microsoft Access can't save this database to a different version, because one or more objects are open.@Close all objects, and then try again.@@1@@@3
32515	You are about to delete the list and all its data from the SharePoint site. Do you want to continue?
32516	The filter string you entered is not valid or you cannot apply a filter at this time.
32517	This SharePoint list or one of related lists doesn't exist on the SharePoint site.
32518	The following errors have occurred:
32519	The value specified for the Type parameter is invalid. Specify one of the following: Report, Form, Query, or Table.
32520	The repair operation was cancelled. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.
32521	You can't change the value of this property in the OnPaint event.@@@1@@@1
32522	No contacts were imported. None of the fields have the necessary ' ' property specified.@@@1@@@1
32523	A custom macro in this report has failed to run, and is preventing the report from rendering.@@@1@@@1
32524	Access could not create ' 1'.@ 2@Make sure that the file name (and location, if provided) are in the correct format, such as c:\location\file name.@1@@@1
32525	Access could not download the template from Office.com.
32526	You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
32527	You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
32528	The application is disabled, and databases may not be created.
32529	This operation is not supported for parameterized queries or objects based on parameterized queries.@@@1@@@1
32530	Sharing to Microsoft SharePoint Foundation requires the database to be in an Access 2007 or greater format.
32531	Microsoft Access failed to create the SharePoint list. This could be because you don't have the necessary permissions.
32532	The project cannot be converted to this format. The project can only be converted to Access 2000 or newer format.
32533	Failed to create field ' 1' on table ' 2'
32534	Failed to delete predefined field ' 1' on table ' 2'
32535	Failed to rename the field ' 1' on the SharePoint list ' 2'
32536	The specified command (OutputTo) is not available now. Close objects open in Design View or Layout View and try again.@@@1@@@1
32537	Only 256 TempVars can be created. Be sure to remove any TempVars that are not needed.
32538	TempVars can only store data. They cannot store objects.
32539	TempVars can only store strings with up to 65,356 characters.
32540	The name of this TempVar is too long. TempVar names must be 256 characters or less. Use a shorter name.
32541	You must specify a name to set or remove a temporary variable.
32542	You must specify a value to set the temporary variable to.
32543	Do you want to connect to an existing SQL Server database?@Select No to create a new SQL Server database.@@16@@@4

Error Number	Error Description
32544	You are trying to convert an encoded database. Decode the database, and then try again. To protect the converted database, use the Encrypt with Password command.
32545	You are trying to convert a password protected database. Remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.
32546	You are trying to convert an encoded database that uses a password. Decode the database, remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.
32547	You are trying to convert a database that is encrypted with a password. Remove the password, and then try again. To protect the converted database, use the Set Database Password command.
32548	There was an error displaying the mail message. Make sure that there are no open dialogs in Outlook and try again.
32549	' ' contains over 10,000 rows. Processing may take several moments. Would you like to continue?
32550	' ' is an empty lookup field. You will not be able to collect data for this field. To continue, remove the empty lookup field from the list of fields to be included in this e-mail message.
32551	There was an error displaying the task. Make sure that there are no open dialogs in Outlook and try again.
32552	This command is not available when the database is opened from the Web server. Would you like to save a local copy of the database?
32553	To sign and deploy a database, you must use a database created with Microsoft Office Access 2007 or later. Convert the database to the Access 2007 format and start the signing process again.
32554	Microsoft Access could not create a deployment package with the current database. Check the path to the file.@@@1@@@1
32555	Microsoft Access could not sign the current database. Ensure that the digital certificate used to sign the database is valid.@@@1@@@1
32556	Microsoft Access could not extract the database. Check the file name and the path to the file.@@@1@@@1
32557	Microsoft Access could not download the packaged database. Network issues or issues with the Web site may have prevented the download. Start the download again or browse to the site and ensure that it is operating.@@@1@@@1
32558	You requested an invalid file. The file may be corrupt. Contact the person who created the file and request a new copy.@@@1@@@1
32559	The template is in an unknown format and cannot be opened.
32560	The specified template does not exist.
32561	' ' is not a valid database template.
32562	The specified template cannot be created in the specified file format. Specify a different file format for the new database.
32563	You cannot use a template file to create a database directly on a SharePoint site.
32564	This does not appear to be a template file. The file may have become corrupt, or the package format may contain an error.
32565	The  0' 1' could not be read from the template file. The object may be in an unrecognized format or contain invalid data.
32566	The table ' 0' in the template could not be associated with a SharePoint list with ID  1.
32567	The  0' 1' in the template could not be loaded from text because of a parsing error.  2
32568	The table  0 or one of its fields could not be successfully renamed.
32569	Failed to add the VBA reference  0
32570	A Design Master or Replica cannot be converted to the Access 2007 file format.@@@1@@@1
32571	The contents of the Navigation Pane may not be changed while it is locked.
32572	Access Projects do not support custom groups in the Navigation Pane. You may not import or export custom groups from an Access Project.
32573	Microsoft Access cannot perform the export operation.
32575	The acCmdExport command for RunCommand has been deprecated. Use the OutputTo action or one of the more specific RunCommands, such as acCmdExportExcel, acCmdExportRTF, and acCmdExportText.
32576	The acCmdImport command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
32577	The acCmdLinkTables command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
32578	Microsoft Access could not load the Access database engine. Run setup again and restart the application.@@@1@@@1
32579	You do not have permissions to write to this SharePoint site. Contact your site administrator for assistance.
32580	Cannot publish the file   as the file is either checked out or locked for editing by another user.

Error Number	Error Description
32581	SQL Distributed Management Objects (SQL-DMO) must be on the machine running Microsoft Access.
32582	The specified file name could not be used to create a database. Specify a different database name.
32583	An error occurred while trying to create the database.
32584	No object with the given name and type exists in the current database.
32585	This feature is only available in an ADP.@@@1@@@1
32586	This database object cannot be saved as a report.@@@1@@@1
32587	The Source value you have specified is not valid.@@@1@@@1
32588	The table which you are trying to append to is currently open and must be closed before proceeding. Do you want to save the changes and close the table?@@@20@@@2
32589	Microsoft Access encountered an error trying to close the table.@@@1@@@1
32590	You cannot link to a database that is stored on an Internet location. You should first save the database to a location that uses a Universal Naming Convention (UNC), such as a server share, and then link to it.@@@1@@@1
32591	The file path you specified is not valid. Please specify a full file path.@@@1@@@1
32592	The file name extension of ' ' is not valid for the format to which you are trying to export. This action is potentially unsafe. Do you want to continue? @@@20@@@2
32593	Overwrite existing table or query ' '?@@@20@@@2
32594	The Show Column History command is not available while you are working with a SharePoint list offline. Reconnect to the list and try again.@@@1@@@1
32595	Microsoft Access cannot delete the SharePoint list, because you don't have the necessary permissions to delete the list or the list has been renamed or no longer exists.
32596	The Microsoft Access Outlook Add-in is disabled in Microsoft Outlook. To collect data by using e-mail messages in Microsoft Access, verify that this add-in is installed and enabled from within Microsoft Outlook.
32597	This database contains links to lists on the selected SharePoint site. Do you want to be able to add shortcuts to each list's View menu? This will enable other people to open forms and reports from the SharePoint Web page.
32598	The name ' ' is already in use. Enter a different name. @@@1@@@1
32599	Only XML files can be imported from an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1
32600	The list  1 is already used by the  2 link table. Select a different list.
32601	You are about to change sites. Any changes you have made to link tables will be discarded. Do you want to continue without saving these changes?
32602	The SetProperty action or method failed because there was no form or report context.@To establish the correct context for SetProperty, call OpenForm or OpenReport before calling SetProperty, or call SetProperty from an event on a form or report.@@@1@@@1
32603	SharePoint List data will be cached in this database. If this database is shared, users who do not have permissions to view this data will be able to see it.
32604	There was an error publishing your database. Verify your publish URL and permissions, and then try again.
32605	Your data source contains more than 255 fields (columns). Access will import only the first 255 fields.
32606	Some field types, such as attachment fields and calculated fields, are not supported in the MDB or ADP database. Do you want to continue?
32607	Field types such as attachment fields and calculated fields, are not supported in the MDB or ADP database formats. If any unsupported field types exist in the source database tables, those fields will not be imported. Do you want to continue?
32608	This database file cannot be converted because it contains linked tables that refer to one or more files that cannot be found. To continue, delete these linked tables or repair the links.@@@1@@@1
32609	1 cannot load customization ' 2'. This customization name was already loaded.
32610	Automatic configuration of the current version of Microsoft Access has failed. Your database might not function correctly. This can occur if you do not have the necessary permissions to install Microsoft Access on this computer.@@@1@@@1
32611	The file ' ' already exists.@Do you want to update the existing file?@@@20@@@2
32612	Microsoft Access cannot open this file. This file was converted to runtime mode by changing its file name extension to .accdr. This file will open only when Access is in runtime mode. To open the file, either double-click it in Windows Explorer, open it by using a shortcut, or use the /runtime command-line switch. To modify the design of this database, rename it with an .accdb file name extension, and then open it in Access.
32613	This feature requires the Microsoft Access 2010 program to be installed on your computer. The application you are running is powered by the Microsoft Access 2010 Runtime. For information about the differences between the Microsoft Access program and the Microsoft Access Runtime, in the status bar, click Powered by Microsoft Access.



Error Number	Error Description
32614	Microsoft Access cannot read the data in  1. The minimum required version to read the data is  2.
32615	Microsoft Access cannot update the data in  1. The minimum required version to update the data is  2.
32616	Microsoft Access cannot change the design of  1. The minimum required version to change the design is  2.
32617	The database you are trying to open requires a newer version of Microsoft Access.
32618	Click here to learn more about this error.
32620	An Access 2007 format (.accdb) database must be open before you use this command.
32621	The file ' 1' could not be created. Verify that you have the correct permissions and that the file is not locked or read-only, and then try again.
32622	An error occurred when trying to save the database as a template because the object  1:[ 2] could not be exported.
32623	An error occurred when trying to save the database as a template because the preview image could not be saved.
32624	An error occurred when trying to save the database as a template because the icon could not be saved.
32625	An error occurred when trying to save the database as a template because Relationships failed to export.
32626	An error occurred when trying to save the database as a template because the Navigation Pane failed to export.
32627	The value for Name is required.
32628	The value for Category is required.
32629	The label for the lookup column is required.
32630	The database must be in online mode to complete this operation.@Do you want to switch to online mode now?@@20@@@4
32631	The Web application ' 1/ 2' already exists. Select a different site or Web application name and try again.
32632	Access to ' ' was denied. Please contact the server administrator to request permissions to publish Access Services databases.
32633	While attempting to publish your database, the server reported the following error:
32634	An unknown error occurred while communicating with the server. Please verify that you are connected to the network, the full URL to the site you are creating is correct, and that the server is available.
32635	Microsoft Access could not open the Web application from  1. Please verify that the server is available.
32636	The server did not respond. Please verify that you are connected to the network and that the server is available.
32637	The specified server does not support publishing Access Services applications.
32638	You must specify a name to set or remove a local variable.
32639	You must specify a value to set the local variable to.
32640	The database object ' ' must be closed in order to make this change.@Please close the object and try again.@@1@@@1
32641	You cannot open the database object ' ' in design mode with the current settings.
32642	Save As action is not available for Web objects.
32643	You must specify an object for the BrowseTo to open.
32644	Some of the lists selected for import will only be available when the database application is opened in Microsoft Access. Do you want to continue?
32645	Object name may not exceed   characters. Please specify a shorter name.
32646	There are no valid objects to package into a template. No template file was created.
32647	You cannot run Web Expressions in a non-trusted database. If you trust the source of this database, you can enable it by using the Message bar.
32648	This operation is only allowed on Custom Groups.
32649	This operation is only allowed on Custom Categories.
32650	This operation is only allowed on Object Shortcuts in Custom Groups.
32651	This group does not allow this type of customization.
32652	This category does not allow this kind of customization.
32653	Invalid position.
32654	The position of items in the Navigation Pane cannot be changed.
32655	This object cannot be saved as a report because it contains a navigation control.@@@1@@@1
32656	Microsoft Access has detected that this database contains both Microsoft Access 2007 compatible links and Access 2010 compatible links.@Would you like to convert all links to use improved Access 2010 caching? This will mean the links cannot be opened in Microsoft Access 2007.@@13@@@4
32657	The compact and repair operation has been cancelled. You might not have adequate permissions to the folder that the database is located in. You need full permissions to the directory the database is located to compact and repair. Contact your system administrator for more information.@@@1@@@1

Error Number	Error Description
32658	An error occurred while initializing the Access Services database.
32659	Inserting a datatype template is only supported in an open table with a current selection.
32660	Microsoft Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Office Access 2007 or earlier.@@@1@@@1
32661	The ReplicationConflictFunction property is not set properly to resolve conflicts.@Contact the author of this database application or go to <a href="http://support.microsoft.com/kb/158930">http://support.microsoft.com/kb/158930</a> to see how to create such a function.@@1@@@3
32662	The form cannot be saved as a report because it contains a Web browser control.
32663	Please provide a data source for the report.
32664	There was an error opening the file ' '.
32665	The object " 1" ( 2) could not be found in the current Web application.
32666	Invalid Table Name.
32667	Access was unable to automatically restore your backup database. The backup database can be accessed here:
32668	All open objects must be closed before instantiating this application part.@Do you want Microsoft Access to close all open objects?@@19@@@2
32669	Microsoft Access encountered an error while checking the object ' ' for Web compatibility.@The conversion failed.@@1@@@1
32670	Access 2010 cannot contact the server. Check your network connection or contact the server administrator.
32671	Network connectivity lost while updating links. Some tables may not have changed modes. You will be prompted to change modes again next time your database is closed and opened.
32672	Microsoft Access could not create the linked table ' 1' with the specified connection information. Please rename the link and check that the data source is available.
32673	Microsoft Access does not have any Web service connection definitions.
32674	The resource name ' ' is already in use.
32675	Microsoft Access could not add ' 1' to your Image Gallery.@ 1 is not an image file, or is saved in an unrecognized image format.@@1@@@1
32676	Microsoft Access was unable to add the requested resource to the resources collection. Ensure that the file exists and is in a valid format.
32677	A resource with the specified name and type already exists in the resource collection. Only one resource can exist for each combination of name and type.
32678	There was an error adding an image from the file ' 1'. Only graphic files supported by Microsoft Access may be added.
32679	The file ' 1' could not be opened. Please verify that the file exists and try again.
32680	The resource name ' 1' is invalid. Resource names must be between 1 and 64 characters long, and may not contain most punctuation.
32681	You cannot delete themes directly. Themes are automatically deleted when no objects are using them.
32682	The current database does not support resource collections. Resource collections are not supported on Access projects (ADP) or Access databases in the MDB format.